


ONESOURCE Indirect Tax Integration for SAP

USER GUIDE

PRODUCT VERSION 6.9.X.X

JUNE/2025



Document History

| Version Number | Version Date | Summary |
|----------------|--------------|--|
| 1.0 | June 2025 | First release of ONESOURCE Indirect Tax Integration Configuration Guide for ONESOURCE Tables 6.9.x.x |

Contents

| | |
|---|-----------|
| Introduction | 7 |
| Welcome to ONESOURCE Indirect Tax Integration for SAP..... | 7 |
| Audience..... | 8 |
| Prerequisites | 8 |
| Resources..... | 9 |
| Support Protocol..... | 10 |
| INTEGRATION OVERVIEW | 11 |
| WHAT IS INTEGRATION FOR SAP VERSION 6?..... | 11 |
| QUICK VIEW OF FEATURES..... | 12 |
| BENEFITS OF USING ONESOURCE INDIRECT TAX..... | 16 |
| Seamless Integration..... | 16 |
| Accurate Tax Calculation..... | 16 |
| Auditing/ Reporting | 16 |
| ARCHITECTURE AND DESIGN OVERVIEW | 17 |
| THE ONESOURCE INDIRECT TAX SUITE | 17 |
| Integration:..... | 17 |
| Determination: | 18 |
| Tax Certificate Manager: | 18 |
| Reporting: | 18 |
| Compliance for US:..... | 18 |
| Compliance for VAT:..... | 19 |
| Goods Movement:..... | 19 |
| GLOSSARY | 19 |
| THE DATA INTEGRATION MODEL: THE TRAIN STATION ANALOGY | 20 |
| INTEGRATION FEATURES AND OPTIONS FOR SETUP..... | 22 |
| LOOK AND FEEL | 22 |
| All Configuration Within SAP Tables..... | 22 |
| ONESOURCE Menu Within SAP | 22 |
| Use of Authorization Objects and Roles..... | 24 |
| CORE FUNCTION | 26 |
| Flexible Use Between Modules of SAP-SD, MM, FI | 26 |

| | |
|--|-----------|
| Remove Limitations on Number of Tax Codes in SAP..... | 27 |
| Use of Actual Address Data..... | 28 |
| Removal of Limit on Attribute Mapping..... | 28 |
| Dynamic Creation of Tax Authority Conditions Within the Tax Calculation..... | 28 |
| Separate Tax Authority Lines for Freight..... | 29 |
| Document Level Calculation of Tax..... | 29 |
| Use of Calculation Schema in MM Purchasing..... | 29 |
| DATA MAPPING AND STORAGE | 30 |
| Flexible Field and Address Mapping..... | 30 |
| Performance Improvement with Dynamically Generated Code | 30 |
| Clean Up Program for Dynamically Generated Field Mapping Code | 31 |
| Tax Data Report for All Business Transactions..... | 32 |
| Logic for the Assignment of General Ledger Accounts..... | 32 |
| REPORTING..... | 33 |
| Use of SAP Standard Reports | 33 |
| Tax Data Report..... | 34 |
| Use of BADI for configuring additional fields for the report..... | 36 |
| Log Report and Configurable Logging Methodology | 36 |
| The Log Report..... | 37 |
| The Developer's Log: A Debugging and Analysis Tool..... | 37 |
| Developer Log Reader | 38 |
| Developer Log Delete | 39 |
| SPECIAL FUNCTIONS | 39 |
| Support for Plants Abroad | 39 |
| Cash Discounts Processing..... | 40 |
| Cash Discounts on Legacy Documents | 41 |
| Deferred Taxes..... | 41 |
| Tax Treatment Field..... | 42 |
| Reconciliation of Deferred Account and Amount due to Tax Authority..... | 42 |
| Partial Payments on Deferred Tax Invoices | 42 |
| Evaluated Receipt Settlements in A/P | 42 |
| FI Down Payment Processing..... | 42 |
| Consignment and Pipeline Process..... | 44 |
| Service Entry Sheets in A/P | 44 |
| Partial Self-Assessment for Canada and Other Offsets..... | 44 |
| Vendor Charged Tax- Verification for US and Canada..... | 45 |
| Settlement Management..... | 45 |
| Posting Tax-Only Invoices..... | 45 |
| Withholding Taxes (Brazil and Mexico) | 45 |
| SD Customer Downpayment..... | 46 |
| ADDITIONAL FEATURES | 46 |
| Buyer and Seller Role on FI Transactions..... | 46 |
| Mix of US Sales Tax and Use Tax Accrual on Same Invoice..... | 46 |
| Changing Ship-To/Ship-From Address at Invoice | 47 |
| MIRO Process..... | 49 |
| Unplanned Delivery Charges in MIRO | 50 |
| Creating a New Address for the ADRC Table..... | 51 |

| | |
|--|-----------|
| US Pay as Billed Tax Without a Call to Determination..... | 53 |
| Use of Statistical lines in /IDT/D_TAX_DATA Table..... | 54 |
| Audit Save Process: Explanation of the Journeys Used | 54 |
| Ability to Assign a Tax Code as Not Relevant to Determination Tax Call..... | 55 |
| Use of Tax Filters to Remove Certain Tax Codes..... | 55 |
| Summarization of Tax Data Within BSEG and BSET Tables..... | 56 |
| Use of Tax on Gross Amount (FB00 SET UP)..... | 56 |
| Tax Splitting in Mix of NNV AND Non-NNV Lines..... | 56 |
| Clearing Header Tax Code on FI Transactions | 57 |
| Multiple Account Assignment on P.O AND Optional Address Override Column..... | 57 |
| Support for Posting More Than 999 line items in the FI interface..... | 59 |
| USER PROCESSES | 59 |
| LOG READER..... | 59 |
| Prerequisite..... | 59 |
| Accessing the Log Reader | 59 |
| LOG ARCHIVE FEATURE..... | 61 |
| Data Popup Tool | 65 |
| AUDIT DATABASE REPORT | 71 |
| Accessing the Audit Database Report..... | 71 |
| AUDIT STATUS REPROCESS | 73 |
| Accessing the Audit Status Reprocess..... | 73 |
| RECONCILIATION EXTRACT REPORT | 76 |
| Purpose and Benefits..... | 76 |
| Business Process..... | 76 |
| The Reconciliation Extract Process | 76 |
| Reconciliation Extract Transaction..... | 77 |
| Running the Reconciliation Extract | 77 |
| Excluding Tax Codes from Export..... | 79 |
| Output Details for Reconciliation Extract | 80 |
| Output File Details..... | 80 |
| Enabling Custom Fields | 80 |
| ERP RECON EXTRACT NEW..... | 81 |
| Purpose and Benefits..... | 81 |
| Business Process..... | 81 |
| The Reconciliation Extract Process | 81 |
| Reconciliation Extract Transaction..... | 82 |
| Running the Reconciliation Extract | 82 |
| Excluding Tax Codes from Export..... | 84 |
| Output Details for Reconciliation Extract | 85 |
| Output File Details..... | 86 |
| Enabling Custom Fields | 88 |
| SAP TRANSACTION SAMPLES | 88 |
| SAMPLE ORDER-TO-CASH SCENARIO..... | 88 |
| Processing a Sales Order | 88 |
| Processing a Billing Document..... | 91 |
| Displaying Accounting Document..... | 92 |

| | |
|--|-----|
| SAMPLE PURCHASE TO PAY SCENARIOS | 93 |
| Processing a Purchase Order..... | 93 |
| Processing a MIGO Receiving Document | 94 |
| Processing a LIV Document..... | 95 |
| Displaying a LIV Document..... | 96 |
| SAMPLE NON-PO VENDOR INVOICE | 97 |
| Processing a Non-PO Vendor Invoice..... | 97 |
| Display a Vendor Invoice..... | 99 |
| DEFERRED TAXES SOLUTION USING RFUMSV50 | 99 |
| SETTLEMENT MANAGEMENT FOR S/4 HANA..... | 102 |
| Sales Settlement Management Scenario | 102 |
| PROCESSING A SALES CONDITION CONTRACT..... | 102 |
| PROCESSING A SETTLEMENT OF CUSTOMER CONDITION CONTRACT..... | 105 |
| Purchase Settlement Management Scenario..... | 107 |
| PROCESSING A PURCHASE CONDITION CONTRACT | 107 |
| PROCESSING A SETTLEMENT OF PURCHASE CONDITION CONTRACT | 110 |
| PROCESSING A PLANTS ABROAD STOCK TRANSPORT ORDER..... | 113 |
| REVIEWING TAX DETAILS IN TABLE /IDT/D_TAX_DATA | 119 |
| APPENDIX 1: OTHER FEATURES | 121 |
| USING SOAMANAGER TO ACCESS ADDITIONAL ERROR MESSAGES NOT DISPLAYED IN THE LOG..... | 121 |
| TRACKING OF INTEGRATION RELEASE VERSION | 123 |

Introduction

Welcome to ONESOURCE Indirect Tax Integration for SAP

Corporations using SAP as their Enterprise Resource Planning (ERP) system can simplify their worldwide Indirect Tax requirements by implementing ONESOURCE Indirect Tax Suite. The suite includes Determination, Integration for SAP, Reporting, and Compliance. The benefits provided by ONESOURCE Indirect Tax Suite are:

- Fast, accurate sales, use, consumer's use tax, and VAT results.
- Monthly tax rate and rules updates for over 175 countries.
- Integrated tax calculation with SAP minimizing user decisions and tax errors.
- Removal of the need to change SAP tax codes each time a rate/rule changes, eliminating business interruptions, and running out of tax codes in SAP.
- Complete an audit database from which you can generate both standard and custom reports as well as returns.

ONESOURCE Indirect Tax Integration for SAP 6 provides an interface designed, built, and maintained by Thomson Reuters. This global tax integration solution is designed from the ground up, with integration pointing into SAP ECC and S/4HANA application modules as desired. It consists of a data collector, tax interface, and return process of tax results to the calling application with G/L integration in support of downstream SAP processes such as standard VAT reports and returns processing. It makes use of the SOAP (Simple Object Access Protocol) provided by SAP to communicate with ONESOURCE Indirect Tax Determination. This Integration enables worldwide tax calculations, including VAT/ GST, US Sales and Use Tax, Brazil, India and other country-specific taxation.

The interface is entirely built within the SAP Development Workbench, including a user menu for all interface related configurations, setups, and reports. The interface has a field mapping solution allowing a Tax Business Analyst to map SAP data to Determination and vice versa via a customization table, eliminating most of the user-exit coding of the past. Tax calculation logs can be accessed via a transaction with a search function from within SAP greatly simplifying tax setup, analysis, and troubleshooting.

Audience

If you are responsible for overseeing setting up ONESOURCE Indirect Tax Integration for SAP, you will need to coordinate help from the following people:

- SAP Business Systems Analyst
- SAP Configuration Consultant
- SAP Technical Resource (ABAP Programmer)
- SAP Security Contact
- Tax Professional

Make this guide available to each of these contributors to ensure you have a successful installation.

Prerequisites

For a seamless and successful deployment of Integration for SAP we highly recommend that you follow the instructions in the guides listed below in order:

- Configuration Guide for ONESOURCE Tables
- Configuration for SAP Tables
- Installation and Programmers Information
- Installation Instructions (User Guide)
- Special Functions

When working on Integration for SAP you must have knowledge of the SAP tax features, covering all aspects of FI, MM, and SD and have spent time either as an expert configurator or consultant in these areas. Because the setup of tax integration with ONESOURCE Indirect Tax also includes technical work in the ABAP Workbench, such as data dictionary changes and ABAP coding, you must be able to understand and interpret these changes as well. We recommend that you assemble a team to implement this product because it requires both functional and technical input. Your team should include someone who understands business requirements and processes, as well as someone who can implement the required software changes.

Please take the following into account before setting up the Integration for SAP:

- This guide assumes a fresh install of the Integration for SAP. Customers who are upgrading from a prior 5.x version of Integration should contact Thomson Reuters Indirect Tax.
- Minimum SAP system version must be ECC 6.0, EHP 6. Please see tested platforms by Thomson Reuters in Platform Information section.
- Procure a subscription to ONESOURCE Indirect Tax Determination
- It is assumed that the persons who install, configure, and use the tax interface in SAP have some basic understanding of the overall ONESOURCE Indirect Tax Suite of products and how they interact with each other.

Resources

The following table describes which resources are available:

| RESOURCE | DESCRIPTION |
|---|--|
| Customer Support | Look for answers in the Knowledge Base, or open a support ticket. |
| Installation Instructions (User Guide) | This guide provides an overview of the architecture and business processes as they relate to Sales and Use tax, as well as VAT scenarios in FI, SD, and MM. The target audiences are the Business Systems Analysts, Consultants, and Tax Professionals who set up the tax processes in SAP. |
| Installation and Programmers Guide | <p>This guide instructs you how to install the Integration for SAP. The target audiences are the Basis personnel who will process the application of the transports to the SAP system and the ABAP programmers who will perform the required INCLUDE statements within the user exits and other coding blocks. There is also discussion in this manual for the ABAP programmer regarding customization logic and how custom additions to the programs should be added to the system if needed in the future.</p> <p>This guide describes the supported combinations of operating systems, databases, and application servers/web containers.</p> <p>Refer to support lifecycle for SAP for the end-of-life dates for ONESOURCE Indirect Tax Integrations for SAP.</p> <p>Consult this guide to see which combinations of software Thomson Reuters tests with Integrations.</p> |
| Configuration Guide SAP tables | This guide instructs you how to configure and set up SAP tables and processes to enable tax calculations to meet your unique requirements. |
| Configuration Guide ONESOURCE tables | This guide instructs you how to configure and set up ONESOURCE Indirect Tax tables and processes to enable tax calculations to meet your unique requirements. |
| Configuration Guide for Special Functions | This guide instructs you how to configure and set up SAP and Integration tables and processes to enable tax calculations to meet your unique requirements for special functions within SAP, including Plants Abroad, Cash Discounts, Deferred Taxes, Service Entry Sheets, Settlement Management, and Tax-only invoices. |
| Vendor Charged Tax (VCT) Guide | <p>This guide describes functionality for integrating Indirect Tax Enterprise Cloud VCT calculations with SAP Global Next transactions.</p> <p>This functionality is for the United States and Canada only</p> |

Support Protocol

The ONESOURCE Indirect Tax Integration for SAP is built, maintained, and owned by Thomson Reuters. We follow SAP best practices, development standards, and strive to minimize the impact this solution will have on your SAP environment. With any 3rd party Add-On in SAP, the vendor providing the solution is responsible for support of that Add-On. In the case of an issue with the ONESOURCE Indirect Tax Integration for SAP please follow these simple steps to open a support ticket with Thomson Reuters:

1. Identify the potential issue and gather all necessary facts (log files, scenarios, configurations, screen prints).
2. Provide system environment information such as your SAP Version (ECC or S/4 HANA), EHP/ SP or FPS level, as well as the Integration version.
3. Another month later, you imported your March source file. The March source file contains both the January and February transactions, in addition to the March transactions. Again, ONESOURCE Tax Information Reporting needs to know that the January and February transactions were included.
4. Open a support ticket with Indirect Tax at <https://tax.thomsonreuters.com/support/ONESOURCE/indirect-tax/>

INTEGRATION OVERVIEW

WHAT IS INTEGRATION FOR SAP VERSION 6?

Integration for SAP version 6 is an integration designed to significantly improve the user experience and dynamically expand current and future system capabilities for indirect tax calculations, reporting, and data mapping. This integration is based on ABAP coding directly within ONESOURCE Indirect Tax's SAP registered namespace which will provide far greater flexibility to meet challenging and ever-changing global tax requirements and simplifies US and Canadian tax.

The integration is designed with the global customer in mind and closely follows SAP's structure and logic for global VAT processing. Users can take advantage of many standard SAP functions that are only made available with a non-jurisdiction-based configuration. As future SAP features and functions become available to customers, this integration is able to easily adapt and support tax calculation calls without the need for costly integration efforts.

Tax code usage within the integration provides static assignment of tax codes based on downstream reporting and compliance needs without the requirement of assigning a tax rate, eliminating setup of different tax codes when tax rates change. This design allows the use of SAP standard reports and functions and avoids running out of possible tax code assignments. Support of a large number of global taxing authorities and historical rate changes are not an issue.

Users can now take advantage of standard VAT reports, plants abroad configuration, and many other standard SAP features that were a challenge or impossible with the prior jurisdiction code based interface. Additional functionalities have been provided to remove limitations on the summarization of taxing authorities, number of fields mapped to Determination requests and responses, and other key elements required for meeting current and future global tax challenges.

Below is a reference table of some of the many features and functions that are available with this Integration design. Throughout the guides we will discuss in more detail each of the new features listed and further explain what opportunities are now available to the system user.

QUICK VIEW OF FEATURES

| FUNCTION | DESCRIPTION |
|--|--|
| All configuration within SAP tables | All configuration is now located in a separate ONESOURCE Indirect Tax SAP partner namespace of /IDT/. |
| ONESOURCE user menu within SAP | A ONESOURCE menu allows access to Integration configuration tables, functions, logs, and reports directly within SAP. |
| Authorization objects for users and general administrator | SAP transaction codes now allow for access control to setup and configuration settings. Access to tax calculation logs and reports are secured by IDT authorization objects. This allows access control based on a company's own security protocol. |
| Flexible field and address mapping | Field mapping is put in place to allow users to map request attributes and response fields from Determination directly with the use of tables. This simplifies the data mapping process and reduces the requirement of extensive ABAP coding. Major performance enhancements have been addressed with the addition of dynamically generated internal code when a line is changed or added. |
| Tax data storage for all business transactions | A table has been created to store data from Determination in SAP for downstream processes for all business processes calculating tax. Tax details are stored for SD, MM, and FI transactions. |
| Tax code and account assignment using Determination ERP_CODE_MAPPING | Tax code and account key logic used by SAP to assign the G/L account number are established via Determination's ERP_CODE_MAPPING function and the use of specific condition logic to assign the correct codes and G/L account based on reporting needs. |
| Log report and configurable logging methodology | Multi-level log configuration is now available within SAP and can be maintained by user, transaction code, and other conditions. This flexible log viewer is provided for searching and displaying tax calculation logs to quickly troubleshoot taxing issues. |
| Log file delete/archive process | Menu option has been added to allow management of the log entries by deletion or download to zip file. |

| FUNCTION | DESCRIPTION |
|--|--|
| Developer log report and configuration table | An additional log for developers has also been provided which gives the developer additional views of the background processing with special features that can be turned on to aid in program debugging and system analysis, such as routes and journeys that were activated in the call and other analysis functions. |
| Developer log delete function | Ability to delete old developer logs that were created for analysis and debug purposes. |
| Audit report | Audit report tracks and identifies any tax entries that have been posted to SAP General Ledger but have not updated the tax audit database. Report can also submit missing items for repost to audit. |
| Flexible use between modules of SAP i.e.: SD, MM, AR, AP, FI | Ability to configure some or all modules as needed as well as combine usage of ONESOURCE Indirect Tax and SAP native tax calculation methods by module. |
| Removal of limit on number of tax codes | Use of multiple tax codes according to their taxing authority and reporting needs but still retain the rate structure changes within Determination without having to create additional codes for rate changes. |
| Removal of jurisdiction code method | Taxability now controlled by the address of the taxable entity and not by the assignment of a jurisdiction code. |
| Ability for attribute mapping | Ability to map custom attributes at both header and again at line-item level from SAP to the Determination request and the response from Determination back to SAP. |
| Dynamic creation of tax lines | Dynamic process resulting in a possible number of 99 separately returned taxing authorities to the line-item tax calculation. (SAP limited to 99) |
| Separate tax lines for freight | Ability to have separate tax authority lines on the conditions tab of documents for freight handling separate from the related expense line. |
| Authority text now displays on conditions tab | The name of the tax authority now displays on the conditions tab of the documents. |

| FUNCTION | DESCRIPTION |
|--|---|
| Per document calculation in all modules | Per document calculation in SD, MM, and FI allows for proper calculation of max tax scenarios common on US Sales Tax calculations. |
| Use of calculation schema in Purchasing | Use of the calculation schema in Purchasing provides document level calculation for max tax and other conditions as required. |
| Improved cash discount processing | Improved transaction logic for calculation of tax on cash discounts taken at time of payment |
| Plants Abroad functionality | Ability to use Plants Abroad configuration with SAP standard configuration. |
| Tax Codes can be marked as non-tax relevant | Ability to mark certain tax codes as not relevant and prevent a call to Determination if desired. |
| Ability to use ILM to archive Global Next tables | Support for SAP ILM tool to archive Global Next tables /IDT/D_AUDIT_REC, /IDT/D_AUDIT_STA, /IDT/D_TAX_DATA. |
| SOAP interface | The integration is built on SAP's Internet Communications Framework using SOAP and Determination's WSDL/XSD definition. |
| Down Payments processing | Ability to utilize the down payment process in SAP for both customer side and vendor side transaction including the request for down payment, down payment application, and transfer of the down payment to the customer/vendor open A/R and A/P accounts, from FI and SD modules |
| Tax based on entry of gross amount | FB00 entry to set tax based on entry of the gross amount has been reviewed and issues adjusted with calculation and return to audit. |
| Evaluated Receipt Settlement process | Tax calculation on MRRL and MRRS for creation of invoice in LIV based on the goods receipt transaction is now available using standard SAP processes. |
| Service Entry Sheets | Using Service Entry Sheets on purchase orders is now supported for tax calculation based on the Service Entry Sheet line-items and transaction ML81N. |
| Deferred Tax Transfer | Ability to run the RFUMSV25 and RFUMSV50 programs with SAP standard configuration. |

| FUNCTION | DESCRIPTION |
|--|---|
| Brazil Enablement | Functionality that allows the SAP Brazil Country version tables and logic to work with our Determination Tax Engine in a non-jurisdictional environment. |
| Unplanned Delivery Costs in MIRO | Tax call and logic supporting calculations on unplanned delivery charges on MIRO invoices entry. |
| Multiple Account Assignments to a Line Item in Purchasing and MIRO Invoice Entry | Ability to allocate a line-item to multiple cost object assignment and calculate tax based on ship to address of the various multi- assignment lines including ability to override the address when needed at time of MIRO invoice entry. |
| Consignment and Pipeline settlements | Use of transaction MRKO for transfer of goods for consignment and pipeline. |
| India Enablement | Functionality that allows the SAP India Country version tables and logic to work with our Determination Tax Engine in a non- jurisdictional environment. |
| Parked Document Processes | Functionality for tax calls and log entries for parked document processes and transactions were reviewed and updated. |
| Tax Data Download Report | Tax data download report has been written to replace the US Tax report in the integration reporting menu. The download report allows data to be extracted for Tax Data Table for improved and flexible use of transaction data for analysis and downstream reporting needs covering US, Canada and Global transactions. In S/4HANA, CDS views are provided for the table for enhanced reporting |
| BAPI support and custom utility for BAPI | Support for a list of BAPI including utility for use with BAPI_ACC_DOCUMENT_POST |
| Tax Only Invoices | Ability to post tax adjustments directly to tax General Ledger accounts, using standard SAP transactions |
| S/4HANA Settlement Management | Functionality to take advantage of SAP S/4 HANA Settlement Management feature for processing customer and supplier rebates. |
| Vendor Charged Tax Verification (VCT-V) | Functionality for integrating Indirect Tax Enterprise Cloud VCT-V calculations with SAP Global Next transactions. This functionality is released the United States and Canada transactions. |

BENEFITS OF USING ONESOURCE INDIRECT TAX

Enabling Determination to calculate tax for your SAP transactions results in the following key benefits:

Seamless Integration

Once integrated, your tax professionals can continue to use SAP functionality without needing to learn new technology or processes. Determination automatically obtains a complete set of data elements necessary to perform the appropriate tax calculations, and then returns the results to SAP all without the need for manual intervention.

Accurate Tax Calculation

- Determination provides these features:
- Integrates worldwide tax calculation
- Enables global visibility and real-time transactions
- Gives control of the data and decision-making to the tax professional
- Eliminates or minimizes IT involvement as tax authorities, rates, and rules change
- Provides a scalable, maintainable enterprise solution

Using ONESOURCE Indirect Tax as your global transaction tax management solution reduces costs, increases accuracy, and provides the flexibility you need to adapt to an ever-changing business taxation environment.

Auditing/ Reporting

Tax calculations that are processed using Determination are stored in Determination audit tables. From this audit data, you can generate standard or customized reports based on any user-defined criteria. For example, you can create tax-by-authority reports or any other desired reports needed to satisfy your company's needs.

USER PROCESSES THAT TRIGGER DETERMINATION TAX CALCULATIONS


The Installation and Configuration Guides provide procedures needed to install and configure Integration to enable end-to-end tax calculation with Determination.

Once Determination is fully integrated with SAP, you can automatically generate correct tax results during the following actions:

- Procure to Pay; Purchase Orders, Logistic Invoice Verification with posting to AP
- Order to Cash; Sales Order to Billing with posting to AR
- Processing FI module adjusting entries

ARCHITECTURE AND DESIGN OVERVIEW

THE ONESOURCE INDIRECT TAX SUITE



ONESOURCE Indirect Tax Suite of products is made up of the following components:

Integration:

ONESOURCE Indirect Tax Integration seamlessly connects your ERP system to Determination for tax calculations and appropriate return of tax results to the ERP for invoice printing and posting to the General Ledger. Integrations are developed and maintained in-house by a team of Thomson Reuters Business Systems Analysts, Developers, and Quality Assurance employees providing the most advanced tax engine determination capability and compliance returns processing globally. Our solution can be fully assimilated into any of your existing businesses, e-commerce, or financial systems using our open integration architecture. Tax calculation calls can be easily inserted into existing system workflows and processes to deliver real-time or batch solutions with accurate tax results.

Determination:

ONESOURCE Indirect Tax Determination enables companies to consolidate their global tax policy in one central location. All enterprise-wide applications can use a single scalable instance of Determination and still deliver business-specific tax policy across multiple-business systems. Fully integrated to all your financial applications, Determination enables the passing of transaction data from the financial system to the tax engine, and returns transaction taxes in real time for fast, reliable, and accurate indirect tax determination. We offer fully supported standard Oracle and SAP integrations, as well as custom integrations via our tax calculation web service.

Tax Certificate Manager:

ONESOURCE Indirect Tax Certificate Manager is a solution for the precise tracking, validating, and governing of exemption certificates. As part of ONESOURCE, it provides integration to our ONESOURCE Indirect Tax Determination software that allows for the export of customers and exemption certificates. ONESOURCE Indirect Tax Certificate Manager improves efficiency in all aspects of the burdensome exemption certificate lifecycle by reducing operating costs, mitigating risk, and increasing accuracy. ONESOURCE Indirect Tax Certificate Manager reduces audit exposure and assessments while empowering you with full control of the exemption certificate process to maintain Sarbanes-Oxley compliance.

Reporting:

ONESOURCE Indirect Tax Reporting software provides fast, accurate, and flexible reporting that's fully integrated with our ONESOURCE Indirect Tax global software suite to support your global compliance, reconciliation, and data analysis processes. An easy-to-use interface provides a library of over 40 production-ready reports that can deliver the most relevant data in a few simple clicks. Drill-down capabilities provide a way for you to quickly explore the underlying data details, all the way down to the lowest level individual authority taxes. Our summary-level or detail-level reports allow you to choose the type of report data that best meets your immediate tax data needs in the most efficient way possible.

Compliance for US:

Regardless of location or industry, Sales & Use Tax Compliance has the forms required to meet your needs. It provides over 600 signature-ready state and local returns that are facsimiles of the official forms. Returns and schedules include sales, seller's use, consumer's use, and rental tax forms for all applicable states, as well as the District of Columbia. Industry-specific food and beverage returns are also included. In addition, more than 70 electronic returns are available and accepted in over 25 states. Sales & Use Tax Compliance is one of the market leaders in e-filing support. Thomson Reuters continues to work directly with state taxing authorities to ensure full compliance for each state's unique electronic filing requirements. The software also goes beyond borders to include the returns required for tax compliance in both Canada and Puerto Rico.

Compliance for VAT:

ONESOURCE Indirect Tax's flexibility accommodates your distinct VAT compliance requirements, while maintaining a robust risk management framework. It enables automated data collection and entry in a number of ways to ensure data integrity from numerous data sources. We maintain and update the latest tax rules, which enable you to focus on your indirect tax compliance rather than the implications of changing regulations using our solution maps and your company's unique in-house knowledge into the compliance process. We can reduce risk and assist with succession planning. Our VAT compliance solution has in-built and maintained VAT logic, automated VAT returns from data taken directly from financial systems and has detailed exception reporting embedded in the ONESOURCE software. It has a full audit trail of data from the return back to the source, and HMRC-approved XML e-filing capability.

Goods Movement:

A separate Goods Movement product is now written within the Integration as an add-on for all of your US sales tax material and goods movement use tax accrual needs. The integration uses all the table tables and SOAP interface technology that was provided as part of Integration Version 6. This menu driven version takes advantage of our entire table mapping and menu features for you to batch process your goods movement entries as part of your month end accrual process. Tables allow you to configure all transaction movement types you desire to accrue as well as the use of the field mapping logic for adding additional data elements to the response and request data for the Goods Movement routes and journey paths.

GLOSSARY

The following terms may be helpful when implementing Integration:

| TERM | MEANING |
|--|---|
| SOAP (Simple Object Access Protocol) | SOAP is a way to build connections between software applications across networks including the internet. It works very much like a Yahoo search, where you pass in a request and get a response from a server. SOAP requests and responses are in the form of XML messages. |
| WSDL (Web Services Description Language) | A WSDL describes a way to send messages to a software application and how to read the corresponding response. |
| XML (Extensible Markup Language): | XML is a messaging language that is relatively easy to read for both people and software. |


| TERM | MEANING |
|--|---|
| Proxy | Within an SAP environment, a proxy is a representation of an outside application. Proxies can be generated from a WSDL. The proxy acts as if it is the outside application to the rest of the SAP environment. Any messages sent to the proxy are forwarded on to the outside application and responses from the outside application are returned through the proxy. |
| Pricing Procedure / Calculation Schema / Tax Procedure | A pricing procedure, calculation schemas, and tax procedures contain a list of conditions that form the spine of the pricing process. It must be correctly configured for the tax calculation process to work correctly. |
| Pricing Conditions / Tax Conditions | Pricing conditions are the vertebrae of the pricing procedure in SD and the calculation schema in Purchasing. Likewise, tax conditions are the vertebrae of the tax procedure as used by Logistics Invoice Verification and FI-AP/AR. Each pricing condition represents a step in the pricing process. Four pricing conditions must be correctly configured for the tax calculation process to work correctly in SD and Purchasing; a line-item data collector condition, a Determination calling condition, and two conditions to place calculated tax data into the prices. For the tax procedure only the two conditions to place the calculated tax data into the system is required. |
| Group Conditions | Group conditions are pricing conditions that work at a whole document level instead of at a line-item level as the other pricing conditions do. For this reason, they are very useful in calculating whole document taxes as required by many tax laws. |
| Condition Value Formulas / Scale Base Formulas | These are a type of user-exit that is part of a condition of a pricing procedure, tax procedure, or calculation schema. |

THE DATA INTEGRATION MODEL: THE TRAIN STATION ANALOGY

To visualize the movement of data between SAP and Determination we have come up with the below noted diagram that uses the analogy of a train station and shuttle bus transportation system. Some of the terminology that you hear us use within this analogy will become familiar to you as we use them again in describing various steps within the configuration processes and field mapping of the ONESOURCE Indirect Tax Integration for SAP.

The Train Station is the point at which the request data has been gathered and is ready to be sent to Determination on a Train, as well as the point where response data from Determination is being sent back and is ready for distributing to SAP transactions and tables. The Train Station is the event that triggers a SOAP call to and from Determination. The double red line represents the flow of the data to and from Determination (the Train).

The single red line on the top represents the path or Collection Shuttle that is used to gather data from the SAP system's various modules into the Determination request. Along the shuttle's route there are various points or shuttle stops that are executed to pick up data to go to Determination on the Train. These can include user/customer exits within ABAP programs, program enhancement points, or areas within the database or shared memory within SAP.



Likewise, on the Distribution Shuttle line, data is being returned to various points or shuttle stops that are executed to return data from the Determination Train. These can include user/customer exits within ABAP programs, program enhancement points, or areas within the database or SAP tables. The data points are "picked up" or "dropped off" via the shuttle. How the data points are mapped (or assigned a seat on the shuttle) relates to the logic and procedures within the various Journeys and Routes.

A Journey is an object that handles the complexity inherent to a specific set of data that is sent to or received from Determination. A Journey includes logic to pass data to/from SAP transactions, store the data, and move data from/to specific fields or seats on the Train. For a list of all the journeys and their use see the Installation Guide section on additional information on Journeys.

A Route is an object that handles the complexity inherent to a group of transactions. Think of it as the bus route that a shuttle takes from a given "side of town" to/from the Train Station. There can be many different routes to get to the Train Station. Sales, Group Billing, Group Purchasing are routes that handle the complexity specific to the SD Sales, SD Billing, and MM-Purchasing transactions, and user-exits. Other routes include Non-Group-Doc-AP, and Non-Group-Doc-AR, and Non-Group-Doc-LIV which handle the complexity inherent to a group of transactions in Accounts Payable, Accounts Receivable, and Logistics Invoice Verification. For a list of all the routes and their use see the Installation Guide section on additional information on routes.

INTEGRATION FEATURES AND OPTIONS FOR SETUP

This chapter covers some of the major features and functionalities introduced with ONESOURCE Indirect Tax Integration for SAP version 6. We will explain some of the key features added here to provide a better understanding and the base for when you are reading the Install Guide and/or Configuration Guide.

LOOK AND FEEL

All Configuration Within SAP Tables

In this SOAP based Integration all configuration and logs are located inside of SAP. All configurations are now located in SAP partner namespace /IDT/ owned by ONESOURCE Indirect Tax. Access to view and manage the configuration tables is now contained within a separate User Menu in SAP. The ONESOURCE Indirect Tax Integration for SAP is shipped as a set of SAP transports to customers. Once installed all configurations and setups made in the customers system are included in transport objects and moved from Development to Test to Production, allowing for best practices and controls.

ONESOURCE Menu Within SAP

This menu is accessed through the User Menu (Ctrl+F10) and is only available to you if you have been granted access through your authorization profile to the correct user role. See screenshot below. You will not see the ONESOURCE menu if you click on the standard SAP menu option.



Menu as it displays for T-GENERAL role and T-USER Role

You may not be able to see the entire sub menu list that we display in the screenshot above as some of these will only be assigned to an administrator (General) role as opposed to a user role. The menu for ONESOURCE Indirect Tax is broken up into sub areas as shown above. Explanation of the sub menus is noted below:

- **Standard Setup – Display Only:** Within the ONESOURCE Indirect Tax menu the first section is a list of table configurations that are provided as standard setup for Integration. The tables are intentionally view only and are not changeable by the system user. However, in most of those tables a matching table is provided further down in the menu, which gives the system user the ability to override or augment the configuration in the standard set up view. By segregating the standard set up from user additions and overrides we can provide better support to our users by our Professional Services and Customer Support teams. Segregating the tables will allow them to make quicker identification of problems for issue resolution. It also allows Thomson Reuters to deliver new functionality at a later point without negatively impacting customer's configurations and setups. They also allow the system user to quickly identify their additions in a separate area.

- Basic Setup - Display Only: Used to contain all the standard setup tables that are provided as display only views (excluding the Standard Mapping tables.)

| | |
|---|--|
| ▼ | ONE SOURCE Indirect Tax |
| ▼ | Standard Setup - Display Only |
| ▼ | Basic Setup - Display Only |
| • | /IDT/SELECT_ROUTE_V - Select Route for SD and Purchasing |
| • | /IDT/AUTO_JOURNEYS_V - Automatically Processed Journeys |
| • | /IDT/ROUTE_GROUP_V - Route Groups |
| • | /IDT/ADDRESS_TYPES_V - Address Types |
| • | /IDT/ADDRESS_SOURC_V - Address Sources |
| • | /IDT/NEG_TAX_TYPE_V - Negate Direction of Tax Types |
| • | /IDT/FL_CONTROL_V - FI Process Control Configuration |
| • | /IDT/LOG_CONFIG_V - Log Configuration |
| • | /IDT/COUNTRY_G_V - Country Groups View |
| • | /IDT/CG_ASSIGN_V - Country Group Assignment View |
| • | /IDT/VERSION - Global Next Product Version |

- Customer Setup and Extensions: This menu is used by the user to access the ONE SOURCE configuration tables that are stored in the /IDT/ namespace of SAP. The menu is broken down further into sub areas to organize the tables by configuration area or task. A system user role may only have display access to this area however an administrator role authorization will have ability to display, change, and create depending on the table's properties.


| | |
|---|---|
| ▼ | Customer Setup and Extensions |
| ▼ | Basic Setup at Install |
| • | /IDT/PROXY_CONFIG - Proxy Configuration |
| • | /IDT/WS - Web Service Security Configuration |
| • | /IDT/LOG_NUMBR_RANGE - Log Number Range |
| • | /IDT/LOG_CONFIG - Log Configuration |
| • | /IDT/ROUTE_CONFIG - Route Configuration |
| • | /IDT/DETER_COND_TYPE - Determine Condition Type for Taxes |
| ▼ | Customer Setup |
| • | /IDT/ROUTE_GROUP - Route Groups |
| • | /IDT/NEG_TAX_TYPE - Negate Direction of Tax Types |
| • | /IDT/FL_CONTROL - FI Process Control Configuration |
| ▼ | Configuration Tables |
| • | /IDT/COUNTRY_GROUPS - Country Groups |
| • | /IDT/CNTRY_GRP_ASSIG - Country Group Assignment |
| • | /IDT/TAX_SUM_CONFIG - Configuration for Tax Summarization |
| • | /IDT/EXEMPT_SETTINGS - Tax Exemption Settings |
| • | /IDT/GEN_CONFIG_VALS - General Configuration Values |
| • | /IDT/DET_TAX_CODE - SAP Tax Code/Det Tax Code Index |
| • | /IDT/CASH_DISCOUNT - Cash Discount/Det Tax Code Index |
| • | /IDT/US_LOGIC - US Specific Logic |
| • | /IDT/OFFSET_CONFIG - Offset Configuration by Country |
| • | /IDT/PLANTS_ABROAD - Plants Abroad Billing Types |
| • | /IDT/TAX_CODE_REL - Tax Code Relevancy |
| • | /IDT/TAX_FILTERS - Tax Filters Configuration |
| ▼ | System Enhancements |
| • | /IDT/AUTO_JOURNEYS - Automatically Processed Journeys |
| • | /IDT/ADDRESS_SOURCES - Address Sources |

- Basic Setup at Install: Is used by the ABAP programmer that is doing the installation of the Integration software to set the proxy configuration and security pointing to the Determination calculation URL and create the number range that is needed for log entries in the system. It also contains the log configuration and tables that require special input after install of the initial transports like the route configuration table.


- Customer Setup: Is used by the Tax Business Analyst and contains table views for the customer to add to or override the standard view configuration tables that are noted in the standard view section.
- Configuration Tables: Is used by the Tax Business Analyst and contains all the tables that you will need to consider for configuration of your installation. In this section the tables only contain one view for customer input and do not have a standard view.
- System Enhancements: Is used in customizing functions when or if you need to create additional advanced program enhancements to accommodate additional Integration logic that is not already part of the standard product.

Instructions on how to use all of the configuration tables in this menu is included in Configuration Guide for ONESOURCE Tables.

- Mappings: This menu contains the field mapping and address mapping tables as well as the base mappings table. Both standard items supplied with the system and customer additions for customization are combined in one view for performance improvements and user interface improvements.



- Reports and Tools: This menu is where we will establish the transaction codes for access to specific Log reports for tax transactions as well as any specialty reports that are created by ONESOURCE Indirect Tax. Other reports may be added to this menu in future releases of product updates.



Note: Menu is normally displayed without the transaction code, however if you wish to see the transaction code with the menu item then go to: Extra > Settings and check the Display Technical Names option.

Use of Authorization Objects and Roles

Transaction codes have been created to access ONESOURCE transactions, tables, and reports. To make this task easier for the SAP system security manager we have several authorization objects that are used in our delivered reports. These authorization objects can be assigned by the security manager to roles to meet the company's

access policies. Roles can be created for accessing the Integration setup and configuration processes by specific transaction codes or by granting access to all of them by including /IDT/* as a transaction code range.

The authorization objects are:

| Authorization Object | Description |
|----------------------|---|
| Z_IDT_LOG | Controls access to the Log Reader search and view function (transaction /N/IDT/LOG) |
| Z_IDT_AUDI | Controls access to the Audit Data Base Transaction Report utility (transaction /N/IDT/AUDIT_DATABASE) and the Audit Database Update utility /IDT/UPDATE_AUDIT_DATABASE . |
| Z_IDT_ARCH | Controls access to the Log Archive function (transaction /N/IDT/LOG_ARCHIVE) |
| Z_IDT_RECO | Controls access to the ERP Reconciliation Extract Report (transaction /N/IDT/RECON_EXTRACT) |




All authorization objects use authorization field Company Code (BUKRS) as a check object.


More details on the transaction codes implemented can be found in the Installation and Programmers Guide

In addition to the authorization objects two roles are provided that can be added to a user profile.

/IDT/GENERAL contains all the IDT transaction codes and the full ONESOURCE User Menu. This would normally be given to users that oversee management of the system, configuration, and mapping.



/IDT/USER contains three menu options within the Reports and Tools menu and would normally be used by a system user that needs to review log reports, extract data for the reconciliation report, and update or review the audit database at month end for any transactions that posted to the G/L but did not go to the audit database.



CORE FUNCTION

Flexible Use Between Modules of SAP-SD, MM, FI

With this Integration, configuration tables in SAP it is much easier to turn on or turn off various Journeys and Routes for the various modules of SAP. This provides the user maximum flexibility to use the Integration for some modules while using standard SAP calculations for others. For example, you may wish to use ONESOURCE Indirect Tax for the SD Order to Cash process and A/R non-order based adjustments but elect to use standard SAP calculation methods for the Purchasing side of the house in MM and FI. To support the customer needs each configuration setting in the interface has an “Active” option, allowing turning on or off certain areas of the product.

Transaction: /N/IDT/ROUTE_CONFIG

| Display View "Configuration to Switch on Routes": Overview | | | | | | | | |
|--|----------|-------------------------------------|------|------|------|------|------|------|
| Route Name | Sort ... | A... | C... | C... | A... | A... | A... | A... |
| /IDT/ROUTE_GROUP_BILLING_GEN | 100001 | <input checked="" type="checkbox"/> | * | * | V | 994 | 0 | |
| /IDT/ROUTE_GROUP_BILLING_PA | 100001 | <input checked="" type="checkbox"/> | * | * | V | 994 | 0 | |
| /IDT/ROUTE_GROUP_DELIVERY | 100001 | <input checked="" type="checkbox"/> | * | * | V | 994 | 0 | |
| /IDT/ROUTE_GROUP_PURCHASING | 100001 | <input checked="" type="checkbox"/> | * | * | M | 994 | 0 | |
| /IDT/ROUTE_GROUP_SALES | 100001 | <input checked="" type="checkbox"/> | * | * | V | 994 | 0 | |
| /IDT/ROUTE_NON_GROUP_DOC_AP | 100001 | <input checked="" type="checkbox"/> | * | * | TX | 991 | 994 | |
| /IDT/ROUTE_NON_GROUP_DOC_AR | 100001 | <input checked="" type="checkbox"/> | * | * | TX | 991 | 994 | |
| /IDT/ROUTE_NON_GROUP_DOC_A_GL | 100001 | <input checked="" type="checkbox"/> | * | * | TX | 0 | 0 | |
| /IDT/ROUTE_NON_GROUP_DOC_DNF | 100001 | <input checked="" type="checkbox"/> | * | * | TX | 991 | 994 | |
| /IDT/ROUTE_NON_GROUP_DOC_DP | 100001 | <input checked="" type="checkbox"/> | * | * | TX | 991 | 994 | |
| /IDT/ROUTE_NON_GROUP_DOC_DT | 100001 | <input checked="" type="checkbox"/> | * | * | TX | 991 | 994 | |
| /IDT/ROUTE_NON_GROUP_DOC_FB5 | 100001 | <input checked="" type="checkbox"/> | * | * | TX | 991 | 994 | |
| /IDT/ROUTE_NON_GROUP_DOC_FT | 100001 | <input checked="" type="checkbox"/> | * | * | TX | 991 | 994 | |
| /IDT/ROUTE_NON_GROUP_DOC_GM | 100001 | <input checked="" type="checkbox"/> | * | * | TX | 0 | 0 | |
| /IDT/ROUTE_NON_GROUP_DOC_LIV | 100001 | <input checked="" type="checkbox"/> | * | * | TX | 991 | 994 | |
| /IDT/ROUTE_NON_GROUP_DOC_PUR | 100001 | <input checked="" type="checkbox"/> | * | * | TX | 991 | 994 | |
| /IDT/ROUTE_NON_GROUP_DOC_SES | 100001 | <input checked="" type="checkbox"/> | * | * | TX | 991 | 994 | |
| /IDT/ROUTE_UPDATE_AUDIT_DB | 100001 | <input checked="" type="checkbox"/> | * | * | 0 | 0 | 0 | |

Remove Limitations on Number of Tax Codes in SAP

Tax calculations using standard SAP require the use of a two-digit tax code to track the tax application as well as the specific rate that is charged for the taxing authority. Unfortunately for many large SAP environments this means that there is a limited number of tax codes available and with the rate being tied to the code, a user must create a new tax code assignment whenever a tax rate changes in a given taxing authority. Many large enterprise structures are realizing that they are running out of tax codes because of this requirement when many company codes, country implementations, etc. are required for a globally based corporation.

With this Integration approach, the tax code logic is redesigned. Now a system user can use SAP Tax Codes according to their taxing authority and reporting needs, but without the need to store tax rates within SAP.

Determination rates are used at the time of tax calculation and are dynamically returned to SAP and stored in the transaction. This gives the user the best flexibility to now utilize all the standard functionality within SAP as well as run standard VAT and Intrastat reports.

Use of Actual Address Data

This Integration is designed to work for all countries globally without the use of jurisdiction codes. Traditionally jurisdiction codes are used specifically for U.S. to establish the tax rate.

With this integration, master data and transaction level addresses are now used to establish the taxability of the document processed. For US tax calculations it is highly recommended to provide a postal code including the geo-code, i.e. ZIP + 4. There are 3rd party software packages available on the market that can assist you with the process to add ZIP + 4 information and keep your address data up to date.

Removal of Limit on Attribute Mapping

In this Integration, you have the flexibility to use both invoice and line level User Attributes 1 thru 200. You can now make use of custom attributes at each level. These fields combined with the flexible field mapping provide great means to meet your unique taxing requirements.

Note: Attributes 41 thru 60 are also made available in the table however they are reserved for use internally within ONESOURCE standard configuration and not available for user mapping. If a user attempts to map to Attribute 41 thru 60 they will not get an error within the customer field mapping table however the mapping will not be recognized and you will see an error message at the beginning of the XML log data as a notice to the user that the mapping was ignored.

Dynamic Creation of Tax Authority Conditions Within the Tax Calculation

A dynamic process has been implemented that creates as many tax authority conditions based on the number of tax authority blocks returned in the XML response from Determination. This is achieved by including dynamic condition types on the pricing procedure and tax procedures in SAP. Consult the SAP Pricing Procedure section of the Configuration Guide for SAP Tables to see how this is done. Each tax authority will be displayed in the price or tax procedure with the first 20 characters of the authority name.

Create Standard Order: Item Data

| Sales Document Item | 10 | Item category | TAN | Standard Item | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--------|------------------------------------|----------|---------------|-----|------|-----------------|--------|------|-----|------|-----------------|-------|-----|--|--|-------------|----------|-----|---|----|----------|-----|--|-------------------------------------|------|------------------|---------|---|--|--|----------|-----|--|-------------------------------------|------|--------------------|-------|---|--|--|------|-----|--|-------------------------------------|------|----------------------|-------|---|--|--|--------|-----|--|-------------------------------------|------|----------------------|-------|---|--|--|-------|-----|--|-------------------------------------|------|----------------------|-------|---|--|--|-------|-----|--|--|--|-------|----------|-----|---|----|----------|-----|--|
| Material | S-1001 | ONESOURCE Taxable Generic Material | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="radio"/> Sales A <input type="radio"/> Sales B <input type="radio"/> Shipping <input type="radio"/> Billing Document <input type="radio"/> Conditions <input type="radio"/> Account assignment <input type="radio"/> Schedule line | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Qty | 3 | EA | Net | 3,000.00 USD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Tax | 247.50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pricing Elements <table border="1"> <thead> <tr> <th>N..</th> <th>CnTy</th> <th>Name</th> <th>Amount</th> <th>Crcy</th> <th>per</th> <th>U...</th> <th>Condition value</th> <th>Curr.</th> <th>Sta</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>Net value 2</td> <td>1,000.00</td> <td>USD</td> <td>1</td> <td>EA</td> <td>3,000.00</td> <td>USD</td> <td></td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td>ZITD</td> <td>IDT Collect Data</td> <td>100.000</td> <td>%</td> <td></td> <td></td> <td>3,000.00</td> <td>USD</td> <td></td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td>ZITE</td> <td>IDT Call Determin.</td> <td>0.000</td> <td>%</td> <td></td> <td></td> <td>0.00</td> <td>USD</td> <td></td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td>ZITR</td> <td>TX - STATE SALES/USE</td> <td>6.250</td> <td>%</td> <td></td> <td></td> <td>187.50</td> <td>USD</td> <td></td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td>ZITR</td> <td>TX - AUSTIN, CITY SA</td> <td>1.000</td> <td>%</td> <td></td> <td></td> <td>30.00</td> <td>USD</td> <td></td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td>ZITR</td> <td>TX - AUSTIN METROPOL</td> <td>1.000</td> <td>%</td> <td></td> <td></td> <td>30.00</td> <td>USD</td> <td></td> </tr> <tr> <td></td> <td></td> <td>Total</td> <td>1,082.50</td> <td>USD</td> <td>1</td> <td>EA</td> <td>3,247.50</td> <td>USD</td> <td></td> </tr> </tbody> </table> | | | | | N.. | CnTy | Name | Amount | Crcy | per | U... | Condition value | Curr. | Sta | | | Net value 2 | 1,000.00 | USD | 1 | EA | 3,000.00 | USD | | <input checked="" type="checkbox"/> | ZITD | IDT Collect Data | 100.000 | % | | | 3,000.00 | USD | | <input checked="" type="checkbox"/> | ZITE | IDT Call Determin. | 0.000 | % | | | 0.00 | USD | | <input checked="" type="checkbox"/> | ZITR | TX - STATE SALES/USE | 6.250 | % | | | 187.50 | USD | | <input checked="" type="checkbox"/> | ZITR | TX - AUSTIN, CITY SA | 1.000 | % | | | 30.00 | USD | | <input checked="" type="checkbox"/> | ZITR | TX - AUSTIN METROPOL | 1.000 | % | | | 30.00 | USD | | | | Total | 1,082.50 | USD | 1 | EA | 3,247.50 | USD | |
| N.. | CnTy | Name | Amount | Crcy | per | U... | Condition value | Curr. | Sta | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Net value 2 | 1,000.00 | USD | 1 | EA | 3,000.00 | USD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input checked="" type="checkbox"/> | ZITD | IDT Collect Data | 100.000 | % | | | 3,000.00 | USD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input checked="" type="checkbox"/> | ZITE | IDT Call Determin. | 0.000 | % | | | 0.00 | USD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input checked="" type="checkbox"/> | ZITR | TX - STATE SALES/USE | 6.250 | % | | | 187.50 | USD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input checked="" type="checkbox"/> | ZITR | TX - AUSTIN, CITY SA | 1.000 | % | | | 30.00 | USD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input checked="" type="checkbox"/> | ZITR | TX - AUSTIN METROPOL | 1.000 | % | | | 30.00 | USD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Total | 1,082.50 | USD | 1 | EA | 3,247.50 | USD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Separate Tax Authority Lines for Freight

In the US, freight can be taxable or exempt from tax depending on various state requirements. With this Integration, you have the ability to see separate freight tax authority details within the pricing conditions. A prepend to the authority name can be used to easily separate the freight authorities.

The screenshot shows the SAP Fiori interface for creating a standard order. The top navigation bar includes icons for back, forward, search, and other document-related functions. The main area displays a sales document item (10) and a material (S-1001) categorized as 'Standard Item' and 'ONESOURCE Taxable Generic Material'. The 'Conditions' tab is selected, showing a breakdown of the order. The 'Qty' is 3 EA, 'Net' is 3,018.75 USD, and 'Tax' is 249.05. The 'Pricing Elements' table lists various tax components, with several lines for 'ZITR TX' and 'ZITR F:TX' authorities, some of which are highlighted with red boxes. The table includes columns for N., CnTy, Name, Amount, Crcy, per, U..., Condition value, Curr., and Sta.

| N. | CnTy | Name | Amount | Crcy | per | U... | Condition value | Curr. | Sta |
|----|------|----------------------|----------|------|----------------|------|-----------------|-------|-----|
| | ZF00 | Freight | 0.05 | USD | 1 LB | | 18.75 | USD | |
| | ZITR | Net value 2 | 1,006.25 | USD | 1 EA | | 3,018.75 | USD | |
| | ZITD | IDT Collect Data | 100.000 | % | | | 3,018.75 | USD | |
| | ZITE | IDT Call Determin. | 0.000 | % | | | 0.00 | USD | |
| | ZITR | TX - STATE SALES/USE | 6.250 | % | Tax on product | | 187.50 | USD | |
| | ZITR | TX - AUSTIN, CITY SA | 1.000 | % | | | 30.00 | USD | |
| | ZITR | TX - AUSTIN METROPOL | 1.000 | % | | | 30.00 | USD | |
| | ZITR | F:TX - STATE SALES/U | 6.250 | % | Tax on freight | | 1.17 | USD | |
| | ZITR | F:TX - AUSTIN, CITY | 1.000 | % | | | 0.19 | USD | |
| | ZITR | F:TX - AUSTIN METROP | 1.000 | % | | | 0.19 | USD | |
| | | Total | 1,089.27 | USD | 1 EA | | 3,267.80 | USD | |

Sales order with Texas Sales tax detail and Texas freight lines with "F:" prepend in the authority name.

Document Level Calculation of Tax

Some taxing authorities in the US and elsewhere may elect to use calculations that require the whole document view, such as use of max tax logic. With this Integration, we are now calculating taxes at the document level for all areas including SD, MM, FI so that US max tax scenarios can now be used for all calculations.

Use of Calculation Schema in MM Purchasing

You will notice that with this release of Integration we are now using the calculation schema pricing model for MM/PP tax calculations. This will allow you to take advantage of document level tax calculation for US and other taxing authorities that use max tax logic.

DATA MAPPING AND STORAGE

Flexible Field and Address Mapping

This Integration delivers a flexible field and address mapping framework. The concept of mapping applies to SAP and Determination fields and address fields, enabling the possibility to map to and from any Determination field provided in the XML. This reduces the implementation effort to add simple field mapping.

The Flexible Field Mapper tool allows for standard mappings to be delivered by Thomson Reuters to our clients while providing custom mappings which the customer can use to either augment the standard mappings or add their own unique mappings specific to their business needs.

In addition, the field mapper has three levels of mapping capabilities:

1. Direct field mapping from a source field to a target field; sources can either be SAP fields or Determination fields, depending on whether the data is being sent from SAP to Determination or vice versa. Organizational elements such as Company Code, Country Groupings, or Transaction Processes can be used to further segregate mappings.
2. Simple Expressions to further qualify when a mapping is relevant or not.
3. Custom User-Exit Code for mappings that are too complex to be done via field mappings. Although this is essentially the same as the user exit code additions that had to be done in the prior interface, this feature allows the code to be reference in this table giving a customer the ability to see all user exit code changes and field mappings in one visible and centralized location. This will make analysis and support by our Customer Support team easier if all custom code additions are completed and referenced in this manner.

The combination of the three levels of mapping into one centralized tool with the combination of standard mappings and custom mappings is one of the key features of this product.

Performance Improvement with Dynamically Generated Code

The dynamic code function within the field mapping feature is introduced to reduce processing time but does not change the user interface or function of the field mapper itself. This code was written to make the field mapper extremely efficient for the processing of large-scale invoices that contain more than 1,000 lines. Users will now see a speed improvement from 10x to 100x within the field mapping function for large invoices being processed to and from Determination.

When a change to the field mapper/address source mapper is generated the system will create a transport request. This transport request will then be able to be released and moved to the next system for update of the field mapper table. Normally this process of field mapper table update would be done in the development system and then transported to a testing or QA system and tested before being moved to production. The update of the dynamic code that is used with the mapper is then re-generated at the time the new mapping is used for the first time after the change is made or transported to the target system. Users will experience a very small delay the first time a line is utilized while the code is regenerated and saved. This is like the time frame when a program is re-compiled after a change. This process ensures that the code being used on the transaction always correctly represents the corresponding field mapper line. Once the code is dynamically generated after the field mapper line change, it is stored and reused until the next change of the field mapper line-item for that specific client and system.

Clean Up Program for Dynamically Generated Field Mapping Code

With the dynamically generated code for the performance of the field mapping function, new code is created behind the scenes for each line of the field mapper. As changes are made to the field mapper the older code that was created from the prior change is still in the table but is no longer used as the new code updated is used instead. This can cause a build-up of old and outdated dynamically generated code that will need to be removed from the system to keep the system clean. We have provided a program that you will need to run in background on a regular basis so as to clean up and remove the older code that is no longer being used.

Program name: /IDT/DEL_ALL_DYN_PROGS

We recommend that you have this program set up to run on a background job on a regular basis to keep your system clean of older dynamic code that has been replaced by new mappings. Depending on how frequently you are changing field mapping this will likely be once a month or if a lot of changes are being performed possibly once a week. The program does not have any selection criteria and would be simple to run and schedule by your IT staff.

In the example below, the two highlighted lines should be the only ones deleted after the program is run. You can see by this table that three entries exist for this journey and that the two highlighted are the older ones that need to be removed:

| Data Browser: Table /IDT/D_DYN_PROG Select Entries 14 | | | | |
|---|--------------------------------|----------------------------|---------------------------------|--|
| CL | Journey Name | Time Stamp | Program | FIELD_MAPS |
| 400 | /IDT/JOURNEY_AUDIT_UPD_DB_BILL | 20,160,810,194,944.6230000 | /IDT/GN_051MG3JM7JQNVDAJWZ1WJW | FF060201010280003431303300000000030E000... |
| 400 | /IDT/JOURNEY_AUDIT_UPD_DB_GL | 20,160,808,142,631.7790000 | /IDT/GN_051MG3JM7JQNHECNDWN0JW | FF060201010280003431303300000000030E000... |
| 400 | /IDT/JOURNEY_CHECK_AUDIT_MESS | 20,160,808,142,632.4030000 | /IDT/GN_051MG3JM7JQNHECNDWOWJW | FF060201010280003431303300000000030E000... |
| 400 | /IDT/JOURNEY_FB05_COMPANY_ROLE | 20,160,815,141,954.5520000 | /IDT/GN_051MG3JM7JQOTCQ85PWJW | FF060201010280003431303300000000030E000... |
| 400 | /IDT/JOURNEY_FB05_RESPONSE | 20,160,815,141,955.2860000 | /IDT/GN_051MG3JM7JQOTCQ85U0JW | FF060201010280003431303300000000030E000... |
| 400 | /IDT/JOURNEY_HEADER_REQUEST | 20,160,808,142,524.1350000 | /IDT/GN_051MG3JM7JQNHDUDJT0JW | FF060201010280003431303300000000030E000... |
| 400 | /IDT/JOURNEY_ITEM_REQUEST | 20,160,808,142,524.7430000 | /IDT/GN_051MG3JM7JQNHDUDJT0JW | FF060201010280003431303300000000030E000... |
| 400 | /IDT/JOURNEY_ITEM_REQUEST | 20,160,808,210,609.3340000 | /IDT/GN_051MG3JM7JQNJR09RY0JW | FF060201010280003431303300000000030E000... |
| 400 | /IDT/JOURNEY_ITEM_REQUEST | 20,160,815,180,820.1650000 | /IDT/GN_051MG3JM7JQOUCTN44MWJW | FF060201010280003431303300000000030E000... |
| 400 | /IDT/JOURNEY_ITEM_F005 | 20,160,815,141,953.1170000 | /IDT/GN_051MG3JM7JQOTCQ85N0JW | FF060201010280003431303300000000030E000... |
| 400 | /IDT/JOURNEY_ITEM_REQUEST | 20,160,808,142,555.3520000 | /IDT/GN_051MG3JM7JQNHE1FALQWJW | FF060201010280003431303300000000030E000... |
| 400 | /IDT/JOURNEY_ITEM_SERV_ENTR | 20,160,808,153,749.5800000 | /IDT/GN_051MG3JM7JQNHY7GWW00JW | FF060201010280003431303300000000030E000... |
| 400 | /IDT/JOURNEY_STANDARD_RESPONSE | 20,160,808,142,525.5540000 | /IDT/GN_051MG3JM7JQNHDUDJTZJWJW | FF060201010280003431303300000000030E000... |
| 400 | /IDT/JOURNEY_TAX_TAB_RESPONSE | 20,160,808,142,526.1320000 | /IDT/GN_051MG3JM7JQNHDUDJTJWJW | FF060201010280003431303300000000030E000... |

After running the program, you can see it is deleting the correct entries and that the most current line for Journey_Item_Request is now the only one on the list:

| Data Browser: Table /IDT/D_DYN_PROG Select Entries 12 | | | | |
|---|--------------------------------|----------------------------|---------------------------------|--|
| CL | Journey Name | Time Stamp | Program | FIELD_MAPS |
| 400 | /IDT/JOURNEY_AUDIT_UPD_DB_BILL | 20,160,810,194,944.6230000 | /IDT/GN_051MG3JM7JQNVDAJWZ1WJW | FF060201010280003431303300000000030E000... |
| 400 | /IDT/JOURNEY_AUDIT_UPD_DB_GL | 20,160,808,142,631.7790000 | /IDT/GN_051MG3JM7JQNHECNDWN0JW | FF060201010280003431303300000000030E000... |
| 400 | /IDT/JOURNEY_CHECK_AUDIT_MESS | 20,160,808,142,632.4030000 | /IDT/GN_051MG3JM7JQNHECNDWOWJW | FF060201010280003431303300000000030E000... |
| 400 | /IDT/JOURNEY_FB05_COMPANY_ROLE | 20,160,815,141,954.5520000 | /IDT/GN_051MG3JM7JQOTCQ85PWJW | FF060201010280003431303300000000030E000... |
| 400 | /IDT/JOURNEY_FB05_RESPONSE | 20,160,815,141,955.2860000 | /IDT/GN_051MG3JM7JQOTCQ85U0JW | FF060201010280003431303300000000030E000... |
| 400 | /IDT/JOURNEY_HEADER_REQUEST | 20,160,808,142,524.1350000 | /IDT/GN_051MG3JM7JQNHDUDJT0JW | FF060201010280003431303300000000030E000... |
| 400 | /IDT/JOURNEY_ITEM_REQUEST | 20,160,815,180,820.1650000 | /IDT/GN_051MG3JM7JQOUCTN44MWJW | FF060201010280003431303300000000030E000... |
| 400 | /IDT/JOURNEY_ITEM_F005 | 20,160,815,141,953.1170000 | /IDT/GN_051MG3JM7JQOTCQ85N0JW | FF060201010280003431303300000000030E000... |
| 400 | /IDT/JOURNEY_ITEM_REQUEST | 20,160,808,142,555.3520000 | /IDT/GN_051MG3JM7JQNHE1FALQWJW | FF060201010280003431303300000000030E000... |
| 400 | /IDT/JOURNEY_ITEM_SERV_ENTR | 20,160,808,153,749.5800000 | /IDT/GN_051MG3JM7JQNHY7GWW00JW | FF060201010280003431303300000000030E000... |
| 400 | /IDT/JOURNEY_STANDARD_RESPONSE | 20,160,808,142,525.5540000 | /IDT/GN_051MG3JM7JQNHDUDJTZJWJW | FF060201010280003431303300000000030E000... |
| 400 | /IDT/JOURNEY_TAX_TAB_RESPONSE | 20,160,808,142,526.1320000 | /IDT/GN_051MG3JM7JQNHDUDJTJWJW | FF060201010280003431303300000000030E000... |

Tax Data Report for All Business Transactions

A report table /IDT/D_TAX_DATA is provided as the primary place to store additional tax data returned from Determination in SAP for subsequent use in invoice printing, reporting, or other functions. The table is updated for SD Orders, SD Invoices, MM Purchase Orders, MM-LIV, as well as for G/L (AP and AR) transactions.


Customers can append the /IDT/D_TAX_DATA table with additional fields if desired.

These appended fields will become automatically available for mapping using the field mapping solution.

Logic for the Assignment of General Ledger Accounts

When posting to the SAP G/L all tax lines will need to have an appropriate tax G/L account assigned to them. In standard SAP this is done via the tax code and account key within the pricing/tax procedure for the condition record assigned. Table T030K is then used to map these two key fields to a G/L account for tax. It is our design to use as much as possible standard SAP functionality. It is a requirement that a tax result in the SAP G/L created by the ONESOURCE Integration is represented the same way as it would be when created by native SAP process. This is to ensure downstream processes such as reporting and tax filing are not negatively impacted by our postings, as well as to be more robust when SAP would make changes to their system.

Our design accomplishes this goal with the use of a driver tax code and the use of final tax codes and account key assignments. Final tax codes are assigned to the transaction using the ERP_CODE_MAPPING feature in Determination and the ERP Tax Code field that is passed back from Determination to SAP.



1. A driver tax code is assigned in SAP to each transaction as a default.
2. This tax code triggers a tax call to Determination (O1 tax code in this sample).
3. Determination assesses the tax request data and determines proper taxability. An ERP Tax Code is assigned based on the ERP_CODE_MAPPING conditions configured.
4. The tax code value is returned to SAP in the form of the ERP_TAX_CODE field on each Tax block. The ERP_TAX_CODE represents a concatenation of the SAP tax code and the SAP account assignment key. The account assignment key is now added to the transaction from the ERP_CODE_MAPPING ERP Tax Code assignment.
5. The driver tax code (O1) is replaced with the values returned in the ERP_TAX_CODE field. An SAP tax code and account key will be assigned to each tax condition in the transaction.
6. At time of posting a document to the G/L, table T030K is evaluated to determine the proper G/L account using the tax code and account key from the transaction.
7. Posting to the G/L will store the tax code and account key as well as the tax rate in the proper SAP G/L tables in support of downstream processes.
8. When running a tax report, the tax code and account key combined with the tax rate stored for the transaction are used, in combination with the tax code text stored on the tax code itself.
9. For details on how to setup this process see the Configuration Guide ONESOURCE Tables.

For details on how to setup this process see the Configuration Guide ONESOURCE Tables.

REPORTING

Use of SAP Standard Reports

Standard SAP reports for VAT can be used for VAT reporting and is compatible with the Integration.

| Tax on sls/purch. adv. ret.: Posting date 07/01/2013 to 11/30/2013 | | | | | | | | | | | | | | | | |
|--|-----|------|-------------------------------|------------|------------|-----------------|-----|-----------------|-----------------|-------------------|------------------|------------|--|--|--|--|
| | | | | | | | | | | | | | | | | |
| IDES UK Tax on sls/purch. adv. ret.: Posting date 07/01/2013 to 11/30/2013 | | | | | | | | | | Time 08:52:41 | Date 12/29/2013 | | | | | |
| London Ledger OL | | | | | | | | | | RFUMSV00/STEFANB | Page 1 | | | | | |
| Output tax: Line items | | | | | | | | | | | | | | | | |
| CoCd | M | Year | Pstng Date | DocumentNo | Reference | Tx | Trs | Rate | Tax base amount | Output Tax Pay. | Gross amount | Output tax | | | | |
| 2000 | 8 | 2013 | 08/01/2013 | 1400000135 | 0090001192 | A1 | MWS | 20.000 | 1,000.00- | 200.00- | 1,200.00- | 200.00- | | | | |
| 2000 | 11 | 2013 | 11/01/2013 | 1800000052 | | A1 | MWS | 22.000 | 1,000.00- | 220.00- | 1,220.00- | 220.00- | | | | |
| 2000 | 11 | 2013 | 11/12/2013 | 1400000186 | 0090001393 | A1 | MWS | 22.000 | 1,000.00- | 220.00- | 1,220.00- | 220.00- | | | | |
| * 2000 | | | | | | A1 | | | 3,000.00- | 640.00- | 3,640.00- | 640.00- | | | | |
| 2000 | 8 | 2013 | 08/01/2013 | 1400000135 | 0090001192 | A2 | MWS | 5.000 | 1,000.00- | 50.00- | 1,050.00- | 50.00- | | | | |
| * 2000 | | | | | | A2 | | | 1,000.00- | 50.00- | 1,050.00- | 50.00- | | | | |
| **2000 | | | | | | | | | 4,000.00- | 690.00- | 4,690.00- | 690.00- | | | | |
| IDES UK Tax on sls/purch. adv. ret.: Posting date 07/01/2013 to 11/30/2013 | | | | | | | | | | Time 08:52:41 | Date 12/29/2013 | | | | | |
| London Ledger OL | | | | | | | | | | RFUMSV00/STEFANB | Page 2 | | | | | |
| Output tax: Total | | | | | | | | | | | | | | | | |
| CoCd | Trs | Tx | Description | | Rate | Tax base amount | | Output Tax Pay. | Output tax | | Not to be pd ov. | | | | | |
| 2000 | MWS | A1 | IDT GB Standard Output TAX | | 20.000 | 1,000.00- | | 200.00- | 200.00- | | | | | | | |
| 2000 | MWS | A1 | IDT GB Standard Output TAX | | 22.000 | 2,000.00- | | 440.00- | 440.00- | | | | | | | |
| 2000 | MWS | A2 | IDT GB Reduced Rate OutputTax | | 5.000 | 1,000.00- | | 50.00- | 50.00- | | | | | | | |
| * 2000 | MWS | | | | | 4,000.00- | | 690.00- | 690.00- | | | | | | | |
| **2000 | | | | | | 4,000.00- | | 690.00- | 690.00- | | | | | | | |
| IDES UK Tax on sls/purch. adv. ret.: Posting date 07/01/2013 to 11/30/2013 | | | | | | | | | | Time 08:52:41 | Date 12/29/2013 | | | | | |
| London Ledger OL | | | | | | | | | | RFUMSV00/STEFANB | Page 3 | | | | | |
| Input tax: Line items | | | | | | | | | | | | | | | | |
| CoCd | M | Year | Pstng Date | DocumentNo | Reference | Tx | Trs | Rate | Tax base amount | Deduct. Input Tax | Gross amount | Input tax | | | | |
| 2000 | 7 | 2013 | 07/23/2013 | 1900000135 | | V1 | VST | 20.000 | 1,000.00 | 200.00 | 1,200.00 | 200.00 | | | | |
| 2000 | 11 | 2013 | 11/01/2013 | 1900000187 | | V1 | VST | 22.000 | 1,000.00 | 220.00 | 1,220.00 | 220.00 | | | | |
| * 2000 | | | | | | V1 | | | 2,000.00 | 420.00 | 2,420.00 | 420.00 | | | | |
| **2000 | | | | | | | | | 2,000.00 | 420.00 | 2,420.00 | 420.00 | | | | |


Example of transaction F.12 "S_ALR_87012357 - Advance Return for Tax on Sales/Purchases" report.

Note: Due to the change of the US tax calculation away from jurisdiction-based tax calculation the US Sales Tax report will no longer apply. You can use the VAT report to get the same information now for US Sales Tax company codes.

Tax Data Report

A separate report that uses transaction data from /IDT/D_TAX_DATA table is provided with the Integration. The report can also be selected by tax authority name so users can view and download data for downstream compliance reporting needs. This updated report is now available for use on all company codes within the Reports and Tools Menu. The report will first display with a limited display variant however users can create their own display variant to include many other fields into the report depending on their specific needs. User can also program the report by way of a BADI to select other fields or concatenate data for use in the report if the field is not currently available in our field selection list.

Transaction: /N/IDT/TAX_DATA_RPT - Tax Data Report



Selection screen:

The Tax Data Report selection screen includes the following fields:

- General Selections:**
 - Company Code: 3000
 - Document Number:
 - Fiscal Year:
 - Ledger:
 - Posting Date: 04/01/2018 to 04/30/2018
 - Reference:
 - ERP Tax Code: C1-NVV
 - Document Type: VBAK
- Further Selections:**
 - Tax Code: A5
 - Authority Name: CA*
 - Show Non Statistical Entries
 - Show Statistical Entries

It is critical that you understand the data that is in the /IDT/D_TAX_DATA table as there are entries for vendor charged tax, entries for Sales Orders, Purchase Orders, etc., that are not applicable to entries that you would need for actual G/L postings of tax liabilities for compliance reporting. You will need to know what to exclude from your data selection options. For example:

- Document type VBAK for a sales order and EKKO for a purchase order should be excluded using the multiple selection button to exclude these values. Their entries are not postings to the general ledger.
- Any ERP tax codes that have the NVV account key as the last three digits as these are vendor charged or non-recoverable items.
- Any ERP tax codes that are assigned for deferred tax. (A5 in our example)

Authority Name field will be important as a selection criterion for selecting entries by state if using US data. You can select all California data by using a selection of “CA*” (the two-digit abbreviation of the state followed by *) as all US state authorities start as XX- with the state abbreviation in the name.

The two check boxes for statistical entries are important as well. If using the data for compliance you would want to only show non-statistical entries. However, for other analysis you may want to see only the statistical or possibly both. The second button will help you do this.

The tax code field may be helpful in excluding deferred tax postings that are deferred and not due to be paid. The last checkbox is used to switch between ALV Grid view of the report and list view.

We recommend that you run the report for only one US State at a time and save your selection screen entries as a variant so that you can easily re-run the report with a consistent set of criteria.

Selecting the fiscal year may not bring forward all your data as Billing and Sales Order transactions go to the tax data table with a blank fiscal year field due to the nature of SD document postings. It is recommended that you use the posting data selection to select data based on a date range.

Once you are past the selection screen and into the output results there is also the ability to set display variants to save your setting for field selection. This feature works the same as standard reports in SAP for field selection.

Use of BADI for configuring additional fields for the report.

IDT/BADITAX_DATA_EXTRACT

If you need a field that is not in the drop down list of fields for the report or have a custom need to create a data element based on a concatenation, calculation, etc., we have provided a BADI that you can use. This will allow you to program what you need as an addition to the internal memory of the report and include it in the output. As an example, there is an issue with the gross amount column as it repeats the gross amount for multiple tax authorities. If you have five various tax authorities all charging a tax amount for a given line, then the gross amount is replicated five times and totaling this column would overstate the gross for the line-item on the document by a factor of five. (data is at tax level rather than line level). This can be solved by creating a new field for the corrected gross amount that only shows the gross on the first tax block for the line-item. This BADI is not populated for you but we have provided the example of the gross amount adjustment as this would be a very common issue for most customers. See optional BADI section of the Installation and Programmers Guide for the section on use of this BADI and the example code for the gross amount issue.

Log Report and Configurable Logging Methodology

This table gives you significant flexibility on the set up and use of tax calculation logs in the system. The log reports are now in SAP and a user can locate and search the list of logs quickly and easily within the SAP system. You can define multiple logging levels based on company code, transaction code and user to tailor logging to each situation's needs. You can also make these changes on the fly in your live production system without interruption to tax calculation processes.

Transaction: /N/IDT/LOG_CONFIG_V

| Display View "Log Configuration": Overview | | | | | | | |
|--|------------|-------------------------------------|-----------|------------------|------|-------------------|-----------|
| Log Configuration | | | | | | | |
| Standard | Sort Order | Active | User Name | Transaction code | CoCd | Application Se... | Log Level |
| <input checked="" type="checkbox"/> | 10 | <input checked="" type="checkbox"/> | * | * | * | * | ERRORS |

The above image is the standard view of this table and has one default entry setting your system to error mode on all logs for all users and transactions, etc. You cannot modify this standard view of the table.

Transaction: /N/IDT/LOG_CONFIG

This view of the table allows the user to override or add to the log configuration. Lines can be added and turned “ON” or “OFF” using the Active button without having to delete the line from the table. The customer has the added flexibility to be able to select debug level logging for a specific user, transaction code, company code, or application server or any combination thereof. This allows for maximum flexibility for logging option to manage the storage and processing demands on your production system while still getting the level of information you need to identify processing issues.

Once configured, logs are written to a /IDT/ owned logging table in a compressed format, and accessible via a flexible log search tool.


The Log Report

Transaction: /N/IDT/LOG

The log report tool will be discussed further down in this guide under Log Reader. It allows the user to search the log records based on various criteria and even search string logic and pull up a list of applicable logs. The users can then select a given log on the search list, double click on it, and view the XML log entries for the selected transaction. See copy of selection screen below.

The Developer's Log: A Debugging and Analysis Tool

Transaction: /N/IDT/DEV_LOG_CONFIG



A developer's log feature has been added that gives the programmer the ability to gain extra insight into the inner workings of the programs and function with the Integration for debugging issues or making custom enhancements. The log should never be activated in the live environment but can be used in the Dev or QA environments of SAP. Logs are saved for temporary reference and functions are available for the programmer to delete old logs from the files. The developer log has a configuration screen that allow a given user the ability to selectively turn on and off a variety of log functions based on what they need for debug analysis. Screenshot below shows the configuration screen and options.

| Change View "Developer Log Configuration: Custom": Overview | | | | | | | | | | | |
|---|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
|       | | | | | | | | | | | |
| Developer Log Configuration: Custom | | | | | | | | | | | |
| User Name | Request | Response | Log Error | Route | FI Process | Journey | Hooks | Show Resp | Show Req | Summing | US Logic |
| CHAITANYAS | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| DEEPUV | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| JAKET | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| JENNIFERH | <input type="checkbox"/> |
| NEELIMAK | <input checked="" type="checkbox"/> |
| PRAFULIT | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| RICKP | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

User name of the programmer is entered to the first column and the report will only be run based on the transaction testing of the listed users. Features such as the full request log XML, response log XML, log error messages, routes used in the transaction call, FI process used in the call, and journey used in the transaction call can be individually be activated so that they are displayed within the developer log data. The Hooks feature allows the developer to what hooks are being used in the program and where there might be an issue with a missing hook or a hook not processing correctly. The Show Req. (request) and Show Resp. (response) columns were added to record all changes to request and response fields per Journey.

New features may be added to this log at a later date and will display as additional columns on this selection screen. See Installation and Programmers Guide for more details

Developer Log Reader

Transaction: /N/IDT/DEV_LOG


The log reader allows the developer to review and select the log they wish to view same as the normal log process



The screenshot shows a selection screen for 'Developer's Log'. It includes fields for 'Log Date' (07/21/2016), 'Transaction Code' (empty), 'User Name' (Jaket, highlighted with a yellow box and a red border), and 'Company Code' (empty). To the right of each field are 'to' and 'next' buttons.

Developer Log Delete

Transaction: /IDT/DEV_LOG_DELETE



The developer log delete transaction will allow developers the ability to remove numbers of developer log entries from the files based on selection criteria such as username, transaction code, date range, and company code. A test run button will give you a view of how many records were selected for deletion prior to removal. Uncheck the test run button to delete the records selected.


SPECIAL FUNCTIONS

Support for Plants Abroad

Plants abroad functionality could not be used combined with jurisdictional taxes; hence it didn't work with the SAP Standard Tax Interface based approach to VAT. The Integration enables tax calculations on Plants Abroad stock transport orders or other WIA based billings. This is achieved via configurations in the WIA pricing procedure. For more details on this feature see the Configuration Guide on Plants Abroad or a sample Processing a Plants Abroad Stock Transport Order in this document.

| Proce... | Descript. |
|----------|---------------------------|
| TAXGB | Sales Tax - Great Britain |
| TAXHR | Tax procedure - Croatia |
| TAXHU | Sales Tax - Hungary |

Above screen illustrates the simple configuration of a Plants Abroad pricing procedure sample. The print screen below is an example of the conditions tab for a Plants Abroad billing document and includes both the buyer side and seller side VAT calculations on the stock transport order.



Cash Discounts Processing

Depending on the country requirements the application of a payment on a cash discount invoice may require a calculation of VAT as an adjustment to the cash discount taken. Native SAP calculation process for this uses the tax code and account key from the original invoice to apply the VAT adjustment to the discount amount. An additional entry is then done via the F-28 cash application transaction or the F110 payment run in order to adjust the gross amount of the cash discount to a net amount and an accrual to the tax liability account for the VAT portion of the discount. This process is fairly straight forward for native SAP given that tax rates are directly tied to the tax code and not changeable. However, with the Determination feature to allow the tax rate to be a static date-driven code, (limiting the need for extra tax codes at time of rate change) the process becomes a bit more challenging. We address this in the Integration by using the tax code and the tax rate from the original invoice, and process this as an override tax rate to avoid a wrong calculation if a rate change has occurred with the taxing authority between time of billing and cash application.

A separate table mapping of the tax code to the Determination override tax code is required to provide the logic required to meet this challenge, as well as additional ERP_CODE_MAPPING logic to assign this override calculation to the correct tax code and account key for reporting. The configuration required for this is noted in the Configuration Guide for ONESOURCE Tables “Cash Discount Configuration Table”. The additional ERP_CODE_MAPPINGs needed for this process are in the Configuration Guide “Cash Discount at Time of Payment: Additional ERP_CODE_MAPPINGs Needed”.

Note: Special Note: When processing an enjoy transaction, (FB60, FB65, FB70, FB75, etc.) the TAX tab will not display the correct tax base and tax amounts per the Determination calculation if the scenario involves a net-of-tax calculation like what is done for GB. The SAP system will not reflect the reduced net base amount or the reduced tax amount but will instead revert to the total base amount including the cash discount within the TAX tab section of the document. VAT will display as the higher amount including the VAT on the cash discount. For a cash discount scenario for GB company code, you need to rely on the conditions tab as it will display the correct amounts per the net-of-tax calculation.

Cash Discounts on Legacy Documents

If you are installing this version of Integration as an upgrade to your current SAP environment, then you will likely have documents in your open A/R or open A/P that have not been paid and contain a cash discount calculation. At time of payment these transactions will have used a tax code assignment logic that does not match the rules of assignment under this Integration. This will cause a conflict with the Integration logic and likely not process the tax adjustment on the recognized cash discount either by way of a wrong amount or hard error. Legacy documents will require special handling in one of several ways depending on the prior logic that was used to create them in your legacy system. For configuration instructions see the section of the Configuration Guide with this same heading. There you will see the various options and configuration settings required.

Deferred Taxes

This Integration enables tax calculations on Deferred Taxes based on SAP's native tax process and reports. This is achieved via configurations in the deferred tax code within SAP as well as other journey and route logic additions to Integration. For more details on this feature see the chapter "Deferred Taxes" in Configuration Guide for Special Functions.

The deferred tax process within the Integration has been designed to work with the programs RFUMSV25 (F.38) and RFUMSV50 (S_AC0_52000644) to transfer documents that have cleared the payment process from the deferred tax liability account to the target tax account. For assistance to the user we have identified the required configuration for deferred tax within the FI module of SAP such as tax code setup and deferred tax rules, as well as what is required within the Integration tables and Determination rules, mapping, and ERP_CODE_MAPPINGS.

Note: We have noticed that certain selection criteria used on the F.38 RFUMSV25 deferred tax transfer program can result in incorrect duplicate transfer entries. This is something that has occurred in our test systems that are running ECC 6.0 EHP 6 and 7 but only when trying to run the transfer program across multiple chart of accounts. We therefore require that you do not run F.38 across multiple chart-of-accounts and suggest only running the program for more than one company code if they are all using the same chart of accounts for each of the included company codes.

Tax Treatment Field

The Tax Treatment field in the Determination response to audit will be populated with a code of DI (Deferred Invoice) for entries that represent the posting to and from the initial deferred tax account. These lines are associated with the posting to the original SAP tax code used for the deferred tax balance. Likewise, the entries that are posting to the final target tax account are using a tax treatment code of DP (deferred payment). They represent the posting to the final target tax account and are for the amounts that due to payment are now a tax liability to be paid to the taxing authority.

Reconciliation of Deferred Account and Amount due to Tax Authority

A system user can pull data from the Tax Data Table based on the line-item entries having a tax treatment of DI and should be able to sum these entries up to see all the in and out posting to and from the deferred tax account. The sum of the entries with DI should in theory equal the balance in the deferred tax account. This process may be used for reconciliation of the deferred account. Posting entries in audit and in tax data table that have a tax treatment of DP should represent the amount of tax liability that is due to be paid to the tax authority.

Partial Payments on Deferred Tax Invoices

Partial payments made on deferred tax invoices should be able to be processed using the F.38 deferred tax transfer program. The partial payments will result in a transfer of the amount paid from the deferred tax account to the final tax liability account. Audit amounts should agree with the G/L posting entry for the partial payment transfer.

Note: At this time, we have seen some issues on partial payments when there are multiple invoice lines using the same tax code. If you need to post partial payments with these documents the F.38 program may post the incorrect tax transfer amount based on the original line amount rather than the partial payment. A workaround is likely required. If you use partial payments on deferred tax invoices this issue can be avoided by setting the tax summarization table configuration to summarize tax lines at both the tax code and G/L account level. By doing this the lines on the invoice will be summarized into one tax line for the authority and the F.38 program will then handle the amount correctly and only transfer the partial payment amount to the target tax code.

Evaluated Receipt Settlements in A/P

Tax processing for Evaluated Receipt Settlements (ERS) has been added to the system and is now available for tax calculations. ERS is the process of settling goods receipt automatically. The vendor invoices are posted automatically using transaction code MRRL (without actual paper invoice receipt from the vendor) in the system based on the information in the purchase order and goods receipt transaction. The settlement documents can be sent to the vendor automatically in print form, email, or fax. See section within the Configuration Guide for Special Functions on configuration set up.

FI Down Payment Processing

Down payment requests and down payment processing has been added within the Integration tax calculation process. Transaction codes as listed below in the following table are now calculating tax. See SAP documentation for normal processing of this function. There are no additional steps to configuration except for the standard configuration as noted by SAP.

| PROCESS | CUSTOMER DOWN PAYMENT | VENDOR DOWN PAYMENT |
|---|--|--|
| Down payment request | <p>F-37 Customer Down Payment Request</p> <p>Note: use the final tax code as the input within the transaction. Do not use the driver tax codes for this process.</p> | <p>F-47 Vendor Down Payment Request</p> <p>Note: use the final tax code as the input within the transaction. Do not use the driver tax codes for this process.</p> |
| Process down payment | <p>F-29 Post Customer Down Payment.</p> <p>Can either process based on prior F-37 request or create as new.</p> <p>Note: use the final tax code as the input within the transaction. Do not use the driver tax codes for this process.</p> | <p>F-48 Post Vendor Down Payment.</p> <p>Can either process based on prior F-47 request or create as new.</p> <p>Note: use the final tax code as the input within the transaction. Do not use the driver tax codes for this process.</p> |
| Process invoice billing | Same as normal processing using VA01, VF01 billing, FB70, FB75, etc | Same as normal processing using ME21N, MIGO, MIRO, FB60, FB65, etc |
| Transfer down payment to A/R or A/P account | F-39 Clear Customer Down Payment. | F-54 Clear Vendor Down Payment. |
| Clearing/payment of final invoice | Any of the normal transactions used for processing cash receipt against A/R such as F- 28, etc. | Any of the normal transactions used for processing cash payment against A/P such as F-53, F110, etc. |

Consignment and Pipeline Process

Consignment and Pipeline transfer processes require the use of transaction code MRKO. MRKO transaction was modified to allow a tax call to Integration and calculation of tax on consignment transfers of inventory to the consignee. There are no additional configuration steps required for this other than the standard SAP configuration for consignment and pipeline sales processes. See SAP Library for documentation on required SAP configuration.

Service Entry Sheets in A/P

Tax processing for Service Entry Sheets (SES) has been added to the Integration and is available for tax calculations from the transaction code ML81N. SES is the basic process for the procurement of externally performed services. This basic process offers two basic ways of specifying services, planned services with description, quantity, and price and unplanned services with the setting of a value limit only. Once you enter and accept services in external services management, then it is same as a goods receipt posting when procuring materials which now creates a material document for the service entry sheet document. You can then execute invoice verification (LIV) from MIRO. Configuration can be set to calculate tax at the service level instead of at the PO line-item level. See section within the Configuration Guide for Special Functions on configuration set up.

Multiple account assignment is also available on SES service lines with the tax calculation processed at the multiple account assignment level within the P.O. and ML81N.

When PO line-item is utilizing Service Entry Sheet functionality with multiple account assignment, Integration now creates related lines and tax blocks as per quantity/percentage distribution in the POs SES account assignment tab. The ship-to addresses could be different due to different cost centers or other cost object assignments.

Some customers may elect to include ME21N and ML81N functionality to override these addresses at time of entry with an address number from the ADRC address table much like the options we have also provided for line level as well as G/L account tab address override logic.

See the Programmers Guide section of the Installation and Programmers Guide for optional addition of the added tab for address override.

Partial Self-Assessment for Canada and Other Offsets

Often with Canada taxes, a vendor may charge the Federal level GST but is not registered in a specific province to collect PST. In this situation the person receiving the invoice may be required to self-accrue the PST for their province. A table /IDT/D_PART_SA has now been created to address the need for an offset posting to be created for the accrual of the required tax. This table can be used for the self- accrual of Canada PST for various provinces, but it can also be used to establish other self-accrual entries in situations where the Determination has returned only one tax block and must be offset with another side to the entry. This was often handled in the past with the system user creating a custom authority and special rules to reverse the sign on the custom authority to post the credit to the tax liability account.

This table can eliminate the use of a customer authority in such cases. See the Configuration Guide for Special Functions for further instruction on how to set up a second override/driver tax code and table entries for establishment of offset postings.

Vendor Charged Tax- Verification for US and Canada

This integration supports the Determination Enterprise Cloud Vendor Charged Tax Verification (VCT-V) solution for Sales and Use tax in the United States, and for PST provinces (British Columbia, Manitoba and Saskatchewan) in Canada

This feature automates the decision-making process to support and handle differences between ONESOURCE Determination calculated tax and the vendor charged tax by using the Determination VCT-V functionality for SAP vendor invoices.

The integration supports the full features provided by the Determination VCT-V solution; including options for trusted vendors, Direct Pay Permit (DPP), use of seller use tax or buyer use tax, setting of minimum trigger amounts, tolerance ranges, accrual methods and allocation methods.

When the VCT verification results are sent back and processed in SAP, the Integration will either correct the adjustments automatically or provide guidance to handle the differences between the Determination calculated amount and the vendor charged tax, depending on whether the difference is within the tolerance amount set up and the accrual methods configured.

Lastly, the amount accrued by ONESOURCE Determination will be recorded in the Audit database for reconciliation and compliance reporting.

Settlement Management

With S/4 HANA, SAP has introduced a separate application for calculating sales and purchase rebates using Settlement Management as a replacement to its traditional "Rebates Management" within SAP SD. SAP provides for Sales and Purchase Rebates Processing as a scenario under the Condition Contract Management (CCM) module. This integration supports SAP processes that are developed for the Settlement Management functionality and requires usage of the custom pricing procedures with all the related tax and condition types.

Posting Tax-Only Invoices

The Integration supports posting of tax only adjustments to tax accounts. This feature will enable you to make corrections for VAT invoices, or to account for tax exemption transactions on both A/R and A/P invoices.

You will be able to make the tax adjustments using the transactions in Finance (SAP Transaction Codes: FB60, FB65, FB70, FB75) when you enter the tax amount directly against the tax G/L account. You will also be prompted to enter the tax base, whereby here you have an option to either manually enter the tax base amount or allow the tax interface to determine this for you.

Withholding Taxes (Brazil and Mexico)

Withholding tax is a mechanism imposed by tax authorities that require the buyer of goods or services to withhold or deduct tax from the vendor, and to remit the taxes directly to the tax authorities.

We have provided the integration with Determination to automate the calculation and posting of Withholding Tax for Procure-to-Pay (P2P) processes. This solution leverages SAP native Withholding Tax configuration to determine taxes relevant at the time of invoice, and at the time of payment for Brazil and Mexico. The Withholding taxes are calculated during the invoicing process for both these types of Withholding Taxes.

SD Customer Downpayment

Integration with Determination to calculate and process taxes during customer downpayment using either Milestone Billing or SD Document Conditions are supported in this integration.

Refer to the Special Functions Guide for more information.

ADDITIONAL FEATURES

Buyer and Seller Role on FI Transactions

On FI transactions such as FB50 Determination requires a <COMPANY_ROLE> be set at the invoice level. The challenge is how to determine the role in a FI document where there isn't a Customer or Vendor engaged.

One option is to look at the tax code; however, SAP uses tax codes at line level where the role in Determination is at invoice level. Integration looks at the first line with a tax code in SAP and uses field T007A-MWART to determine the role: (the field is part of the tax code configuration in transaction FTXP in the properties tab.)

V = Buyer A = Seller

The "primary partner" structure within the FI journey includes a "Role" field. This field is populated in "default G/L" FI processes. In the Header Journey, when there is no customer or vendor within the transaction, this field will be used by default to set the Role (Buyer or Seller based on which tax code is assigned to the line).

Note: Reminder that this logic will possibly trip you up if you forget to use the correct driver tax code that is applicable to the transaction. If you use an input tax driver tax code I1 on a FB70 Customer Invoice transaction the role will be incorrect, and your posting of tax will incorrectly post to the input tax account instead of output tax account. We recommend that you set default tax codes in your system for these transactions to prevent such user errors at time of invoice entry.

One exception to this rule however is when we are calculating the tax based on the US Special Logic table for US Sales Tax and accrual of Use Tax. In this scenario the taxes are calculated based on the correct role for the tax code based on this table configuration.

Mix of US Sales Tax and Use Tax Accrual on Same Invoice

Users need the ability to post US sales tax and US self-accrual of use tax using separate driver tax codes and process through to audit correctly. The company role in Determination is available only at the invoice level. As a result, a combination of tax codes between use tax and sales tax was not currently possible because the sales tax driver code would recognize the line as a seller role transaction and the use tax driver code would recognize the line as a buyer role. The mix of roles at the line level was not permitted. This has been fixed with a separate journey that will split the transaction into two invoices using one as buyer role and one as seller role to capture both vendor-charged and self-accrual activities on the same document.

To handle this requirement, journey /IDT/JOURNEY_US_SPECIAL_LOGIC2 was created that provides for two separate invoice level calculations to be passed to Determination much like the special logic that was created for both sides of a Plants Abroad stock transport order process. When you look at the calculation log using this


journey you will see within the request and again in the response to and from Determination two separate sections for the invoice: one using a buyer role and the second using the seller role. When the entry is posted for the G/L document the two invoices are combined into one single G/L document so that both the sales tax and use tax accrual can be processed correctly in a combined document.

Changing Ship-To/Ship-From Address at Invoice


A feature has been added to transaction FB60, FB65, FB70, FB75, FB01, and MIRO so that system users can adjust the ship-to or ship-from delivery address at time of invoice. A user can utilize this feature via the MORE DATA tab located on the line-item detail screen or incorporate the address field within the line-item entry screen itself as an additional column.

FB60, FB65, FB70, FB75, FB01


Within FB60, FB65, FB70, FB75, FB01 you can get to the address field by double clicking on the line-item. This will get you to the Correct G/L account item screen where you then click on the MORE DATA button. The Coding Block pop-up screen will then display, and you can then do a search on the IDT ADDRESS field. Behind this address field is the ADRC table of addresses. You can search this table for applicable addresses and select the one that you need. This will populate the IDT ADDRESS field with the database number for this address and allow for it to be used within your tax calculation by overriding the ship-to address for the line-item.




This screen shows the line-item change screen and More Data button where the address field is located.



Click on the IDT Address field drop down to get the search screen for addresses in table ADRC.



Once you locate the desired address in the search screen double click on it to bring in the address number into the IDT Address field.



You will need to do some additional mapping in the field mapping table to enable this feature and map the override address for the request to Determination. See the Configuration Guide ONESOURCE Tables section on Field Mapping for more information on required tasks.

Once the field has been updated on the invoice entry you can have the system make a call to Determination with the IDT address override. You should then see this IDT address information in the line-item ship-to XML data within the request to Determination in the XML log for the transaction.

MIRO Process

The MIRO transaction is a bit different in that you do not have the ability to view the coding block within a More Data screen at the line-item level. It is therefore a requirement that the IDT address field be set as a column within the line-item entry screens or as an entirely new customer tab within the MIRO line-item entry section of the transaction.

There are three places where this could possibly be added. Explanation is below:

Purchase Order Reference tab: Within the LIV invoice entry you will see the first tab as being the Purchase Order Reference. Here the item entered is referenced to a line-item on the original purchase order. For this tab we have elected to add the address function using a BADI that activates the customer tab for users to enter custom fields. There are several ways that this can be added to your screen for the PO Reference data. Our recommended option is based on OSS note 1156325 which uses a BADI to add the new tab and then add the field to the DRSEG table and map in our Integration. See Configuration Guide for instructions on how to add with this method.

G/L item tab: This tab is used in MIRO to add additional charges to the invoice that are not referenced on the original purchase order. In such a situation the user may need to update the ship-to address on this line to be different than what was established on the order. A user would need to be able to pull in the IDT address field into the display variant that is used for the G/L tab of the invoice. We have included special instructions in "Appendix 1" of the Configuration Guide for creating this addition to your display variant on LIV entry.

Material Tab: The Material Tab is another area where a user may enter a material number that is being charged on the vendor invoice that is not referenced on the purchase order line-items. Again, like the G/L item tab the user would need to add this field to the display variant for the material tab. At this time, we have not added code to support the use of the Material Tab for the override address feature.

Note: that in this configuration set up we have addressed the set-up of a ship to address option to change the ship to at time of invoice. This same process can also be implemented with the ship from address if desired.


Unplanned Delivery Charges in MIRO

Unplanned delivery charges are often incurred on a MIRO invoice transaction by entering the amount in the details tab of the invoice entry screen. With this Integration, functionality has been added that will allow the user to input a separate tax code and address number on the details tab that will work together to adjust and calculate as a separate process the unplanned delivery charge tax. Configuration within SAP standard processes allows the user to direct the unplanned delivery charge to either a separate account number on the G/L or to allocate the amount to the various line-items on the transaction. See additional configurations and set up that are required for this function within the Configuration Guide ONESOURCE Tables. An example of the details tab field additions is shown below:

In the screenshot below, note that the details tab has a field for the unplanned delivery charge amount as well as a tax code assignment. This is at the top of the details tab. Note the scroll bar to the right is in the top position.

The screenshot shows the SAP MIRO 'Enter Incoming Invoice' interface for Company Code 3000. The transaction is set to 'Invoice' and 'Diff. Posting' is 'Not Applicable'. The 'Details' tab is selected. Two new fields are present: 'Unpl. Del. Csts' (highlighted with a red box and a red arrow) and 'Tax Code' (highlighted with a red box and a red arrow). The scroll bar on the right side of the details tab is at the top. Other tabs visible include Basic Data, Payment, Tax, Contacts, and Note. The bottom navigation bar includes PO Reference, G/L Account, Material, Override Ad, and Contract Reference.

For a user to also access the special override access field you must first use the right scroll bar to move to the bottom of the viewing area of the tab. There you will see the additional address number feature that can be added to the screen much like the same function we discussed above on the use of an override address for regular line-items in FB60, MIRO, etc. See screen shot below.



In this example you see the new address number field at the bottom of the scroll bar for the details tab. You have available the same search options in the drop-down view of this field in order to search for an address number from the ADRC table. Selecting or inputting an address number here in combination with the amount and tax code will tax the unplanned delivery charge and post it to the G/L based on your method selected within the SAP configuration for unplanned delivery charges. See Configuration Guide for Special Functions for further instructions for set up.

Creating a New Address for the ADRC Table

If in the process of searching for the desired address using the new IDT ADDRESS field, you do not find the address you desire it can be added to the table and then selected. This can be done while you are still in the invoice entry screen by creating a new session of SAP and then selecting the address transaction code.

Transaction code: SOAD

Address maintenance: Initial screen "External communication partner SA"


Search screen Selection

Name
Name

Search Terms
Search term 1/2

Street Address
Street

Postal code/City



Select the create button to get to the entry screen.

External address administration: Company addresses

Preview International Versions

Name
Title Name

Search Terms
Search term 1/2

Street Address
Street/House number Postal Code/City Country Region

PO Box Address
P.O. Box PO box postal code Company postal code

Communication
Language English Other communication Telephone Extension Mobile Phone Fax Extension E-Mail Standard Comm.Method

Comments

Enter your new address and save the transaction. Then return to your other session and search for the new address number in the table and hit enter to add it to your line-item data.

US Pay as Billed Tax Without a Call to Determination

Using ONESOURCE Indirect Tax to calculate your sales tax and VAT requirements on all FI documents requires the user to check the Calculate Taxes Button on the transaction. Doing this tells the system to make a call to Determination and bring back the correct tax calculation based on your configured tax policy as configured within SAP, ONESOURCE Integration, and Determination. If you attempt to process a VAT transaction without checking the Calculate Taxes button you will not get a correct tax entry on your accounting document and will likely have processing errors in your audit database that do not agree with the General Ledger. The use of the Calculate Taxes button is absolutely required with only one exception which is vendor charged sales tax in the U.S.

In the U.S. a vendor charged sales tax scenario does not make an entry to the Audit Database as the tax amount is not a liability of the buyer that must be posted to a tax liability account for future payment to a tax authority, and there is no posting to a tax recovery account. In this scenario the tax amount is calculated and a posting is made to the Customer or Vendor account and offsetting posting to the expense or revenue account. No tax amount is accrued as you are paying the vendor directly.

Because of this, a system user may wish to process their incoming invoice from a vendor by automatically accepting the amount that the vendor has charged for US Sales Tax on the invoice rather than sending to Determination a request for a tax call. If the vendor has charged an amount that is different than the amount that would have been calculated by Determination, this process will allow you to avoid the out of balance issue on the invoice and pay based on the vendor charged amount. In this situation the system user is accepting the amount of tax charge without question and the burden of proof for the correct tax calculation lies in the hands of the vendor who is charging the tax.

In this scenario the user would enter the gross invoice amount and the tax amount as it is submitted on the vendor invoice. The calculate taxes button would not be checked and the system will then allocate the tax amount across the various line-items on the invoice according to native SAP tax program logic without a request call to Determination. The amount of the tax will not be sent to the audit database or the IDT/D_TAX_DATA table. This can only be done at the header level and only for Vendor charged US Sales Tax.

If a system user is required to self-accrue a consumer use tax in the US then the calculate tax button is required and the user does not enter the tax amount in the taxes field, but instead allows the system to make a call to Determination and record the taxes per Determination content.

This feature will work for US vendor charged sales tax only if correct configuration has been done to the US special logic table /IDT/US_LOGIC. See the Configuration Guide for ONESOURCE Tables for correct configuration of this table.

Note: please note that this is not an automated process and requires manual entry. It cannot be used for automated entry of invoices now and is not intended to be a vendor charged tax automatic solution including partial accrual logic for differences, etc. which is addressed with the Vendor Charged Tax – Verification functionality

Use of Statistical lines in /IDT/D_TAX_DATA Table

When the invoice is entered without checking the Calculate Tax button and amounts are manually entered on the invoice the system will post to the audit database the tax liability amounts as they are posted from the G/L document. In addition to this posting based on the G/L document amounts, the Determination tax calculation amounts are also recorded as a statistical posting within the Tax Data Table, /IDT/D_TAX_DATA. You will see in the table a field labeled "Statistical Flag" that is used to identify the amount as the Determination calculation amount that was not used in the GL transaction posting. This statistical line will allow the user to see and compare the amount differences between what was posted on the invoice and what Determination calculated as the tax amount. System users can use this statistical posting to analyze differences from the vendor charged amount. See copy of example screen print from the /IDT/D_TAX_DATA table below.

| Data Browser: Table /IDT/D_TAX_DATA Select Entries 500 | | | | | | |
|---|-------------|---------------|-----------------|-----------------|------------------|---|
|  Table: /IDT/D_TAX_DATA Displayed Fields: 7 of 7 Fixed Columns: [6] List Width 0250 | | | | | | |
| Company Code | Fiscal Year | Document Type | Document Number | Doc Line Number | Statistical Flag | Authority Name |
| 3000 | 2015 | BKPF | 1800000014 | 0000002 | | CA - STATE SALES/USE TAX |
| 3000 | 2015 | BKPF | 1800000014 | 0000002 | X | CA - STATE SALES/USE TAX |
| 3000 | 2015 | BKPF | 1800000014 | 0000002 | | CA - LOS ANGELES COUNTY TRANSPORTATION COMMIS |
| 3000 | 2015 | BKPF | 1800000014 | 0000002 | X | CA - LOS ANGELES COUNTY TRANSPORTATION COMMIS |
| 3000 | 2015 | BKPF | 1800000014 | 0000002 | | CA - LOS ANGELES COUNTY TRANSACTIONS AND USE |
| 3000 | 2015 | BKPF | 1800000014 | 0000002 | X | CA - LOS ANGELES COUNTY TRANSACTIONS AND USE |
| 3000 | 2015 | BKPF | 1800000014 | 0000002 | | CA - BURBANK, CITY SALES/USE TAX |
| 3000 | 2015 | BKPF | 1800000014 | 0000002 | X | CA - BURBANK, CITY SALES/USE TAX |
| 3000 | 2015 | BKPF | 1800000014 | 0000003 | | CA - STATE SALES/USE TAX |
| 3000 | 2015 | BKPF | 1800000014 | 0000003 | X | CA - STATE SALES/USE TAX |
| 3000 | 2015 | BKPF | 1800000014 | 0000003 | | CA - LOS ANGELES COUNTY TRANSPORTATION COMMIS |
| 3000 | 2015 | BKPF | 1800000014 | 0000003 | X | CA - LOS ANGELES COUNTY TRANSPORTATION COMMIS |
| 3000 | 2015 | BKPF | 1800000014 | 0000003 | | CA - LOS ANGELES COUNTY TRANSACTIONS AND USE |
| 3000 | 2015 | BKPF | 1800000014 | 0000003 | X | CA - LOS ANGELES COUNTY TRANSACTIONS AND USE |
| 3000 | 2015 | BKPF | 1800000014 | 0000003 | | CA - BURBANK, CITY SALES/USE TAX |
| 3000 | 2015 | BKPF | 1800000014 | 0000003 | X | CA - BURBANK, CITY SALES/USE TAX |
| 3000 | 2015 | BKPF | 1800000015 | 0000002 | | CA - STATE SALES/USE TAX |

You will see that in this example the statistical lines are marked with "X" and the amounts per tax authority for each line that are from the G/L posting are marked as "BLANK" in the statistical flag field in the table. Now the statistical calculations coming from Determination are not displayed in the audit database as audit is a representation of the G/L document (US Sales tax amounts paid to the vendor are not a tax liability and therefore not posted to audit). Statistical postings are only shown in the /IDT/D_TAX_DATA table.

Audit Save Process: Explanation of the Journeys Used

Updates to the audit database within Determination occur immediately after an entry that includes calculation of indirect tax, has been posted to the General Ledger. This process can be complex due to the varied types of transaction that are being processed including a wide variety of combined functions such as deferred tax, cash discounts, plants abroad, down payments, etc. To strengthen the program logic for this post to audit activity we have created three separate journeys that are used to post to audit. The journeys are designed for specific use given the details of the transaction. You will see these journeys as they are mapped in the /IDT/AUTO_JOURNEYS_V table in standard configuration. The journey name and function are noted below:

- /IDT/JOURNEY_AUDIT_SAVE assumes the calculate tax button has been checked and resends the last tax call so that it goes to audit.
- /IDT/JOURNEY_AUDIT_SAVE_FROM_GL includes deferred taxes, FB05 like transactions (including cash discounts). This logic has been around for a while and is designed to copy the amounts that are posted to the General Ledger lines and carry them forward to the audit database. This journey is used when the amounts posted to the G/L are likely coming from a prior transaction such as with a deferred tax transfer program.
- /IDT/JOURNEY_AUDIT_SAVE_TAX_UP will be used for all manual tax scenarios (calculate tax = “ “). To update the audit database, this will use the last tax calculation but will make changes to a few fields like override amount, etc., and then send the data to audit. This is used for vendor charged tax override amounts and down payment transfer posting because the transaction removes the check on the calculate tax box as part of the transaction process. These transactions use data other than what was returned from the last Determination tax calculation.

Ability to Assign a Tax Code as Not Relevant to Determination Tax Call

A configuration table is available to identify a given tax code as not relevant to tax. This will allow the user to prevent a call to Determination for the assigned tax code if exempt from tax handling.

Tax codes that are added to this table should be used like a driver tax code to tell the system the item as a whole is not relevant to a tax calculation. This is different than the use of a tax code that is brought back from a tax call as being exempt from tax after a call has already been completed by Determination. In such a case a user should have two different tax codes.

- One should be used via the ERP_CODE_MAPPING as an exempt tax amount or zero tax. Entries using an “Exempt” tax code will create a call and calculation in Determination that will go to audit along with other tax codes on the same transaction. They would not be included in this table. Such would be the case if a trans-editor sent a tax block for one tax authority as taxable and a second tax block on the line as exempt for another tax authority for possibly a regional, city, or district level tax.
- A tax code as Not Relevant to tax would be used on the line as a driver and would not make a call for the whole line-item on the order. It would be used on this table to tell the system to not make a call at all for this item. No tax will be calculated, and nothing is sent to the audit database for this line.

Use of Tax Filters to Remove Certain Tax Codes

The tax filters configuration table is provided to filter out or remove from SAP a zero-rated tax result that was returned from Determination. Such zero-rated tax types as NL, ZC, ZE, ZR could be mapped to remove the additional tax block from the calculation. However, this removal only applied to the SAP side and would still carry over this zero-value block into the Determination audit data. As such it was only used to remove zero valued tax results. Tax filters can be configured based on several different criteria such as the tax code, tax type, authority name, and the authority UUID number.

Note: Please note a similar functionality is provided in Determination. You can choose to either configure the tax filters in Determination or within the Integration.

Summarization of Tax Data Within BSEG and BSET Tables

SAP has a limit of 1000 lines on documents and users often have a need to summarize or consolidate like lines to maximize the size of the entry. To decrease the number of tax lines on a large order we have provided a configuration table that can be used to summarize the tax data lines on the accounting document for like information. This table is a single customer view table located within the customer Configuration Tables menu. A user can summarize tax data lines for both the BSEG and BSET tables based on General Ledger account, Tax Code, Account Key, and UUID tax authority. The table is part of the initial transport and is shipped blank for users to be able to configure.

There is also an additional option for a user to be able to utilize a BADI to add additional custom logic to the summarization using additional ABAP programming. A user can use this BADI to set limits on when to summarize based on number of tax lines, document types, etc. as they see fit. See Configuration Guide for Special Functions section on Summarization for required configuration steps and the Installation and Programmers Guide for more information about the BADI.

Currently this table will summarize BSEG and BSET table tax lines only for Purchasing and FI module transaction being posted to the General Ledger, but we have not extended this functionality to SD billing documents. Currently SD billing documents follow standard SAP summarization processes.

Use of Tax on Gross Amount (FBOO SET UP)

This Integration supports the use of the gross tax calculation on A/P and LIV invoice transactions, commonly required for the calculation of tax on pay-as-billed tax scenarios such as T&E card purchases entered via travel card billing processes.

Note: Please note this functionality will not work correctly if used in tandem with the table and configuration process for self- accrual of Canada PST and other offset calculations. (See "Partial Self-Assessment for Canada and Other Offsets" section of this guide for more information on the offset processing table). Instead use the Vendor Charged Tax Verification (VCT-V) functionality for Canada to a partial self- accrual when tax off gross method is required.

Tax Splitting in Mix of NVV AND Non-NVV Lines

When a vendor invoice has a mix of lines on it, some with recoverable taxes being debited to a tax recovery account (Non NVV account key) and other lines that are not recoverable and charged to an expense account (NVV account key) the allocation of the base and tax amounts are not allocated correctly on the various lines on the invoice. This is the result of the standard SAP allocation logic that is being used for the transaction and how SAP allocates amounts based on the tax base amount on the transaction in combination with the tax code. This is as opposed to an allocation based on the tax rate that has been applied. Some more complex calculation and allocations run into this issue because SAP logic assumes that a tax rate is consistent and tied to a specific tax code.

With this Integration, the rate is not directly tied to the tax code but is calculated in Determination based on other fields and factors. To avoid some of these issues you need to take a step back and think of the situation as SAP logic would view it. We have found that the following work around is successful for proper allocations of the lines however it will likely require you to set up more specific tax codes than you originally anticipated: specifically, for countries with many state or province level authorities and tax rates.

If you are entering the invoice using a net amount entry and the Net Calculation is checked using FB00 settings, then the use of a driver tax code of **11** on the lines will allow the transaction to work correctly.

If you are entering the invoice using a Gross amount entry and the Net Calculation is not checked using FB00 settings, then you will need to use specifically assigned final tax codes on the various line-items and avoid using driver tax codes on the transaction. Different tax codes would need to be assigned based on the underlying rates being different. For example, in the US, we recommend you try using separate tax codes for each State such as **WA** for Washington, **CA** for California, etc. instead of **V1** for all the various State level taxes. Likewise, for Canada, separate tax codes for provincial level taxes are advised as the PST rate in one province is likely different than the PST in another province.

Calculations based on the entry of the gross amount are often likely coming from automated billings of travel card or purchase card programs that by their nature add another level of complexity to the tax code assignment process. In some of these cases the simple assignment of more tax codes for each state may not be enough to get proper allocation as desired. We recommend that you contact our Professional Services Group to discuss other possible options that could be utilized including additional custom allocation logic.

Clearing Header Tax Code on FI Transactions

When using a default driver tax code at the header level, sometimes the system will cause an error if the resulting lines do not also contain this code after calculation and **ERP_CODE_MAPPING** assignment to the line-items. This is an issue that can be encountered on FI based transaction codes such as FB60, FB65, FB70, FB75, etc. At the point in the program where the line-items are updated to their final tax codes based on the **ERP_CODE_MAPPING** assignment, the program was changed to then remove the default code from the header record to avoid system logic error.

Multiple Account Assignment on P.O AND Optional Address Override Column

On a single line within a purchase order, a user may wish to assign multiple account assignments based on an allocation of either a quantity split or percentage split. Native SAP tax calculation procedures normally tax the line based on the cost object of the first assignment line of the multiple assignments and does not consider the addresses of the remaining assignment line-items. System users often see this as a problem and desire that the calculation consider the correct cost center address for each of the lines and taxing the split the calculation individually based on all assignment lines in the table for the specified line. A separate journey logic is provided to accomplish this split and provide taxes for the line based on each of the multiple assignment lines. However, a user could wish to override this logic by providing an additional custom mapping that will override this logic based on the delivery address that is entered at the line-item.

An example of the multiple line assignment and the resulting tax conditions is shown below to demonstrate the Integration logic.

| S. | S. | Quantity | Perce | Cost Ctr | G/L Acct | BusA | Earmarked | Itm | Profit Center | Unloading Point | Recipient |
|----|-------|----------|-------|----------|----------|------|-----------|------|---------------|-----------------|-----------|
| 1 | 1.000 | 33.3 | 3000 | 400000 | 9000 | | 0 | 3000 | | | |
| 2 | 1.000 | 33.3 | 3001 | 475000 | 9000 | | 0 | 3000 | | | |
| 3 | 1.000 | 33.3 | 3002 | 476000 | 9000 | | 0 | 3000 | | | |

In the example above cost center 3000 is in Washington, 3001 in California, and 3002 is in Arizona. The resulting tax calculation as shown below demonstrates the multi assignment broken out and properly tax based on the correct address for each of the three assignments.

| N. | CnTy | Name | Amount | Crcy | per | Uo | Condition value | Curr. |
|----|---------------------------|------|--------|------|-----|----|-----------------|-------|
| 1 | ZIIR WA - STATE SALES/USE | | | | | | 65.00 | USD |
| 2 | ZIIR WA - VANCOUVER, CITY | | | | | | 19.00 | USD |
| 3 | ZIIR CA - STATE SALES/USE | | | | | | 65.00 | USD |
| 4 | ZIIR CA - LOS ANGELES COU | | | | | | 10.00 | USD |
| 5 | ZIIR CA - LOS ANGELES COU | | | | | | 5.00 | USD |
| 6 | ZIIR AZ - STATE TRANSACTI | | | | | | 56.00 | USD |

Users may also need to change or override the ship-to address that is used on a multiple account assignment line-item at time of MIRO invoice processing. We have added additional functionality for this that a user may elect to add to their MIRO multiple assignment screen that will give them the ability to insert an address number from the ADRC address database that will override the address that is obtained from the assigned cost object master data address source. Additional modifications are required for this feature and full instructions on how to add the column to the screen as well as additional BADI and code insertions are all included in the Programmers Guide section of the Installation and Programmers Guide.

Note: It is standard SAP native logic to not allow a valued goods receipt on a multiple account assignment line-item. This means that for a line on a PO that uses the multiple account assignment feature you will not get an accounting document at time of the MIGO transaction and no accrual will pass to the GR/IR account. The valued transaction will not occur until the time of the invoice entry on the MIRO transaction upon invoice verification.

Support for Posting More Than 999 line items in the FI interface

There is a limit of 999 line items that can be posted per Financial Accounting (FI) document. This limitation arises because the field for line item numbers (BSEG-BUZE1) is restricted to 3 numeric positions. If you attempt to exceed this limit, the system will display the message: F5 727, "Maximum number of items in FI reached".

When processing and posting a Materials Management (MM) invoice in financial accounting, it's important to note that the accounting document is generated based on the number of lines, not the number of invoice items. For instance, an invoice might have 250 items, but each item could result in 5 or more accounting lines. Consequently, the total number of lines could exceed this limitation.

Although the ACDOCA table can accommodate line-item numbers exceeding 1,000 with a capacity of up to 6 digits, the BSEG table still receives updates from all classical accounting postings, thus adhering to the 999 item limit.

Refer to the Special Functions Guide for how the Integration is supporting this functionality and release restriction notes.

USER PROCESSES

This section outlines the main areas an SAP user would access while transacting business processes which calculate tax.

LOG READER

The log reader report is used to assist you in analyzing what tax was calculated and why. It is a simple tool to search for a document that calculated tax and view the XML data sent to and received from Determination. These logs are supported in a compressed format to reduce the size of the log table.

Prerequisite

For a document to be available in the log reader report logging must be enabled.

See the Configuration Guide ONESOURCE Tables for details on how to setup logging. If logging has been setup, but no document has been found, then most likely no tax call has been initiated by the process in question.

Accessing the Log Reader

From the ONESOURCE Indirect Tax User Menu select Reports > Log Reader, or use transaction /N/IDT/LOG.

On the search screen shown above you can select log entries based on the following selection criteria.

| SELECTION OPTION | DESCRIPTION |
|-------------------------------|---|
| Log Date | The date or date range the transaction was entered. |
| Log Counter | The log number as assigned by the system. This can be helpful when sharing a log with another person, just provide them with the log number and they will be able to easily look it up. |
| Time | Time stamp when the log was created. |
| Transaction code | The transaction code used that created the log (VA01, ME21N, etc.). |
| User Name | Who created the transaction. It is the SAP logon username. |
| Log Level | Ability to narrow down log based on configured log levels (Debug/Error). |
| Company Code | Company code of the transaction. |
| Document number | The document number of the transaction. Only available if the transaction was saved to the SAP database. |
| String Search | Any data string that would be found in the XML data. |
| Filter Determination Messages | Feature allows user to filter out the many messages that show in the log from Determination or leave them in the display view of the log. |

Note: All search fields support SAP's extended search capabilities with search ranges, inclusions, exclusions, etc.

| Log Reader Report | | | | | | | | |
|-------------------|------------|----------|-----------|------------------|-------------|--------|----------|-----------|
| Log Cou... | Log Date | Time | User Name | Transaction code | Doc Number | CoC... | # Errors | Log Level |
| 74790 | 12/17/2013 | 10:44:40 | JENNIFERH | VA01 | 5831 | 3000 | 0 | DEBUG |
| 74783 | 12/09/2013 | 11:45:45 | ADAMS | VA01 | 5830 | 3000 | 0 | DEBUG |
| 74778 | 12/03/2013 | 13:33:12 | STEFANB | FB60 | | 2000 | 0 | DEBUG |
| 74773 | 12/03/2013 | 07:31:31 | JENNIFERH | ME21N | 45000001178 | 2000 | 0 | DEBUG |
| 74769 | 11/24/2013 | 13:44:40 | STEFANB | MIRO | 5100000179 | 2000 | 0 | DEBUG |
| 74759 | 11/24/2013 | 13:43:56 | STEFANB | MIRO | 5100000179 | 2000 | 0 | DEBUG |
| 74756 | 11/24/2013 | 13:42:26 | STEFANB | FB70 | 1800000053 | 2000 | 0 | DEBUG |
| 74750 | 11/24/2013 | 13:42:15 | STEFANB | FB70 | 1800000053 | 2000 | 0 | DEBUG |
| 74746 | 11/24/2013 | 13:33:53 | STEFANB | FB60 | 1900000076 | 1000 | 0 | DEBUG |
| 74737 | 11/24/2013 | 13:29:36 | STEFANB | FB60 | 1900000076 | 1000 | 0 | DEBUG |
| 74736 | 11/24/2013 | 13:30:08 | STEFANB | ME21N | 4500001177 | 2000 | 0 | DEBUG |
| 74733 | 11/24/2013 | 13:26:01 | STEFANB | VF01 | 90001403 | 3000 | 0 | DEBUG |
| 74729 | 11/24/2013 | 13:25:12 | STEFANB | VF01 | 90001403 | 3000 | 0 | DEBUG |
| 74724 | 11/24/2013 | 13:20:39 | STEFANB | VA01 | 5829 | 3000 | 0 | DEBUG |
| 74721 | 11/23/2013 | 19:46:08 | JAKET | MIRO | 5100000178 | 2000 | 0 | DEBUG |
| 74717 | 11/23/2013 | 19:45:03 | JAKET | MIRO | 5100000178 | 2000 | 0 | DEBUG |

Once a search has been defined and executed a results list is displayed. You will see the various logs that were selected. Note that some of the log entries are from an initial calculation prior to the transaction being saved. In those calls to Determination you will not see a referenced document number as the assignment of the document number has not occurred at that time.

The errors column will display the number of any hard errors that are of a severity level 2 category that signals that there is a problem that prevented a tax calculation in Determination. Level 1 errors are warnings in nature and are not counted in this column.

By double clicking on a given line-item in the list, the system will take you to the detailed XML log. For details on how to format logs quickly and easily see Appendix 1: Log Formatting.

LOG ARCHIVE FEATURE

The Log Archive feature provides the user a way to manage the size of the log storage in SAP by giving the ability to archive logs to an offline file in a zip file format. A log deletion function is also provided. Users can select this option from the user REPORTS AND TOOLS menu or by scheduling the feature as a background job scheduled on a regular basis. Users can tell the program to delete or archive logs based on a set of selection criteria based on a designated number of days past. For example, running the report with 45 days would archive log files that are existing in the log table that were created greater than 45 days prior to the current system date. See copy of the selection screen below:

Transaction Code: /N/IDT/LOG_ARCHIVE

Program for Log Archive



Selection Options

| | | | |
|-------------------------------|----------------------|------------------------------------|------------------------------------|
| Days of Log Records to Retain | 45 | <input type="button" value="..."/> | |
| Date Created | <input type="text"/> | to <input type="text"/> | <input type="button" value="..."/> |
| Document Number | <input type="text"/> | to <input type="text"/> | <input type="button" value="..."/> |
| User Name | <input type="text"/> | to <input type="text"/> | <input type="button" value="..."/> |
| Transaction Code | <input type="text"/> | to <input type="text"/> | <input type="button" value="..."/> |
| Company Code | <input type="text"/> | to <input type="text"/> | <input type="button" value="..."/> |
| Log Level | <input type="text"/> | to <input type="text"/> | <input type="button" value="..."/> |

Processing Options

Delete Data
 Export Data
 Test Run

File location

Application Server: E:\LOGARCHIVE-20140626.ZIP
 Presentation Server:

Others

Package Size:

| SELECTION OPTION | DESCRIPTION |
|-------------------------------|---|
| Days of log Records to Retain | The number of days you want to keep in the log, taking all other items in the log earlier than this count into consideration for the process option. |
| Date Created | The day the log was created. Can use the multi selection option to select a date range or set of ranges. Must select either date created or the number of days to keep but you cannot select both. An error message will occur if both fields are selected. |
| Document Number | The document number of the log entry. |
| User Name | User who created the transaction. It is the SAP logon username. |
| Transaction Code | The transaction code used to create the log (VA01, ME2IN, etc.). |
| Company Code | Company code of the transaction. |
| Log Level | Ability to narrow down the log based on configured log levels (Debug/Error). |

| SELECTION OPTION | DESCRIPTION |
|--------------------------|---|
| Delete Data | Check box. If checked the records selected will be deleted. If Test Run button is also checked then it will not delete and only display number of logs selected for deletion. |
| Export Data | Check box. If checked the records selected will be only exported to a zip file on the server selected. If the Test Run button is also selected the export file will not be created but will display the number of logs selected for the export. To delete AND export the log data at the same time, then both boxes must be checked together. The export data check box selected by itself, will not remove the logs from the log file. |
| Test Run | Test run check box will run the selection and tell you how many logs were selected based on the other criteria. However, it will block the delete and the export data box selections if they are checked. |
| Application Server Path | The file path on your application server that you want to store the export file. |
| Presentation Server Path | The file path on your presentation server that you want to store the export file. Use either the application server or the presentation server but you cannot choose both. Jobs run in background must use the application server path. |
| Package Size | The number of logs you want to bundle into one zip file for export. |


The user has the option to delete the selected log records, export them to a zip file, or to export a zip file and delete the records at the same time. If exporting to zip then the application/local server path becomes a required field. A user can also specify the option of package size desired for the export data to break the zipped file in to manageable parcels. If more records were selected than the package size the system will split the logs into several zip files that contain the number of logs requested in the package size. A second level zip file labeled DataFile-1, DataFile-2, etc. will be created as needed by the package size.

Make your selection criteria selections and run the report first in test mode. A report will come up in foreground mode showing you the number of logs that were selected for the delete or archive. You can then take the Test Run button off to then reprocess and update the file.


With this transaction code the process can be scheduled to be run in background as a regularly scheduled job. The test run button would not be used on this option and the job will immediately update the log files per the request.

Logs that are sent to a log archive server location will be saved in a zip file format. The zip file will contain the number of logs selected or the package size (whichever is less) and at the end of the zip will be an excel worksheet that can be used as a log list or index. It will show the log numbers that were stored on the zip and other information on the log data.

Example of multiple packages within the archive zip file.




| Name | Type | Compressed size | Password p... | Size | Ratio | Date modified |
|------------|----------------------------|-----------------|---------------|-------|-------|--------------------|
| DataFile-1 | Compressed (zipped) Fol... | 31 KB | No | 35 KB | 14% | 6/25/2014 10:30 AM |
| DataFile-2 | Compressed (zipped) Fol... | 52 KB | No | 67 KB | 23% | 6/25/2014 10:30 AM |



| Name | Type | Compressed size | Password p... | Size | Ratio | Date modified |
|------------------------------------|----------------------------|-----------------|---------------|-------|-------|--------------------|
| 20131217taxCalculationRequest00... | File | 4 KB | No | 66 KB | 95% | 6/25/2014 10:30 AM |
| 20131217taxCalculationRequest00... | File | 4 KB | No | 23 KB | 87% | 6/25/2014 10:30 AM |
| 20131217taxCalculationRequest00... | File | 4 KB | No | 23 KB | 87% | 6/25/2014 10:30 AM |
| 20131217taxCalculationRequest00... | File | 4 KB | No | 23 KB | 87% | 6/25/2014 10:30 AM |
| 20131217taxCalculationRequest00... | File | 4 KB | No | 71 KB | 95% | 6/25/2014 10:30 AM |
| 20131219taxCalculationRequest00... | File | 4 KB | No | 23 KB | 87% | 6/25/2014 10:30 AM |
| 20131219taxCalculationRequest00... | File | 4 KB | No | 23 KB | 87% | 6/25/2014 10:30 AM |
| 20131219taxCalculationRequest00... | File | 4 KB | No | 24 KB | 86% | 6/25/2014 10:30 AM |
| 20131219taxCalculationRequest00... | File | 4 KB | No | 23 KB | 87% | 6/25/2014 10:30 AM |
| 20131219taxCalculationRequest00... | File | 4 KB | No | 23 KB | 87% | 6/25/2014 10:30 AM |
| 20131219taxCalculationRequest00... | File | 4 KB | No | 4 KB | 87% | 6/25/2014 10:30 AM |
| DataFile-1 | Microsoft Excel Comma S... | 1 KB | No | 4 KB | 87% | 6/25/2014 10:30 AM |

Example of the zip data file including the logs plus the Excel format index.



| A | B | C | D | E | F | G | H | I | J | K | L | M | N | O |
|----------|--------------|--------|----------|-----------|-------|----------|-----------|------------------|---------------------------------------|-----------|---------------|---|---|---|
| Log Date | Message Type | Header | Log Item | Log Level | XML | Document | User Name | Transaction Time | Company | Log Level | Log File Name | | | |
| 20131217 | taxCalcula | 30663 | 30664 X | 1.7E+09 | JAKET | FB60 | 132356 | 1000 DEBUG | 20131217taxCalculationRequest00030663 | | | | | |
| 20131217 | taxCalcula | 30663 | 30665 X | 1.7E+09 | JAKET | FB60 | 132356 | 1000 DEBUG | 20131217taxCalculationRequest00030663 | | | | | |
| 20131217 | taxCalcula | 30663 | 30666 X | 1.7E+09 | JAKET | FB60 | 132410 | 1000 DEBUG | 20131217taxCalculationRequest00030663 | | | | | |
| 20131217 | taxCalcula | 30663 | 30667 X | 1.7E+09 | JAKET | FB60 | 132410 | 1000 DEBUG | 20131217taxCalculationRequest00030663 | | | | | |
| 20131217 | taxCalcula | 30663 | 30668 X | 1.7E+09 | JAKET | FB60 | 132418 | 1000 DEBUG | 20131217taxCalculationRequest00030663 | | | | | |
| 20131217 | taxCalcula | 30663 | 30669 X | 1.7E+09 | JAKET | FB60 | 132418 | 1000 DEBUG | 20131217taxCalculationRequest00030663 | | | | | |
| 20131217 | taxCalcula | 30671 | 30672 X | 1.7E+09 | JAKET | FB60 | 132438 | 1000 DEBUG | 20131217taxCalculationRequest00030671 | | | | | |
| 20131217 | taxCalcula | 30671 | 30673 X | 1.7E+09 | JAKET | FB60 | 132438 | 1000 DEBUG | 20131217taxCalculationRequest00030671 | | | | | |
| 20131217 | taxCalcula | 30674 | 30675 X | | JAKET | VA01 | 132609 | 1000 DEBUG | 20131217taxCalculationRequest00030674 | | | | | |
| 20131217 | taxCalcula | 30674 | 30676 X | | JAKET | VA01 | 132609 | 1000 DEBUG | 20131217taxCalculationRequest00030674 | | | | | |
| 20131217 | taxCalcula | 30677 | 30678 X | | JAKET | VA01 | 132812 | 1000 DEBUG | 20131217taxCalculationRequest00030677 | | | | | |
| 20131217 | taxCalcula | 30677 | 30679 X | | JAKET | VA01 | 132812 | 1000 DEBUG | 20131217taxCalculationRequest00030677 | | | | | |
| 20131219 | taxCalcula | 30984 | 30986 X | 4.5E+09 | JAKET | ME21N | 51941 | 1000 DEBUG | 20131219taxCalculationRequest00030984 | | | | | |
| 20131219 | taxCalcula | 30984 | 30987 X | 4.5E+09 | JAKET | ME21N | 51941 | 1000 DEBUG | 20131219taxCalculationRequest00030984 | | | | | |
| 20131219 | taxCalcula | 30984 | 30988 X | 4.5E+09 | JAKET | ME21N | 51954 | 1000 DEBUG | 20131219taxCalculationRequest00030984 | | | | | |
| 20131219 | taxCalcula | 30984 | 30989 X | 4.5E+09 | JAKET | ME21N | 51954 | 1000 DEBUG | 20131219taxCalculationRequest00030984 | | | | | |
| 20131219 | taxCalcula | 30984 | 30990 X | 4.5E+09 | JAKET | ME21N | 52005 | 1000 DEBUG | 20131219taxCalculationRequest00030984 | | | | | |


Example of the Excel index of the logs that were archived.

Data Popup Tool

The Data Popup Tool is a feature for users needing to do field mapping or debugging to determine which tables and fields are available and populated with data within the current transaction you are testing. It is a valuable tool to determine issues with a transaction or identify additional fields that will work for future or current field mapping. This tool is to be used only in a test environment as a tool for analysis of the transaction as it will interrupt the transaction and pop-up within the transaction you are testing when a call is made to Determination for a tax calculation. There is a configuration table that you access to turn on the feature within the Reports and tools menu that will allow you to target the data based on a single journey or set of journeys that are used within the specific transaction. If multiple journeys are selected the screen will advance to the next journey once you get out of the current journey pop-up and will continue to do so until you have gone through the list of journeys that you selected and are used in the transaction,

Some transactions make many calls to Determination during the transaction: a ME21N Purchase Order is especially invasive in this respect and can cause the system to literally loop again and again through this pop-up feature and not let you out of the transaction. If this occurs, simply start a second session and change/ deactivate the popup tool and return to your prior session. Doing this delete process will allow you to proceed with the transaction without further issues. See screen shots below to access this feature, configure it, and view how it works.

Transaction Code: **/N/IDT/DATA_POPUP_TOOL**



| Actual Data Pop-Up Control Configuration Table | | | |
|--|--------------------------------|-----------|-------------------------------------|
| SAP ... | Journey Name | User Name | Active |
| D03 | /IDT/JOURNEY_HEADER_REQUEST | JAKET | <input type="checkbox"/> |
| D03 | /IDT/JOURNEY_HEADER_REQUEST | JENNIFERH | <input checked="" type="checkbox"/> |
| D03 | /IDT/JOURNEY_HEADER_REQUEST | NEELIMAK | <input checked="" type="checkbox"/> |
| D03 | /IDT/JOURNEY_HEADER_REQUEST | RICKP | <input type="checkbox"/> |
| D03 | /IDT/JOURNEY_ITEM_REQUEST | JAKET | <input type="checkbox"/> |
| D03 | /IDT/JOURNEY_ITEM_REQUEST | NEELIMAK | <input type="checkbox"/> |
| D03 | /IDT/JOURNEY_ITEM_REQUEST | RICKP | <input type="checkbox"/> |
| D03 | /IDT/JOURNEY_NG_ITEM_REQUEST | JAKET | <input type="checkbox"/> |
| D03 | /IDT/JOURNEY_NG_ITEM_REQUEST | NEELIMAK | <input type="checkbox"/> |
| D03 | /IDT/JOURNEY_NG_ITEM_REQUEST | RICKP | <input type="checkbox"/> |
| D03 | /IDT/JOURNEY_STANDARD_RESPONSE | JAKET | <input type="checkbox"/> |
| D03 | /IDT/JOURNEY_STANDARD_RESPONSE | RICKP | <input type="checkbox"/> |
| D03 | /IDT/JOURNEY_TAX_DATA_RESPONSE | JAKET | <input type="checkbox"/> |
| D03 | /IDT/JOURNEY_TAX_DATA_RESPONSE | RICKP | <input type="checkbox"/> |

Once in the screen you will be able to change it to change mode and add lines to the table for your username and activate the journey. Currently the tool is available for the below list of journeys. More journeys will be added to this tool in the future and a drop-down list added for easier use. To deactivate a given journey, just return to the menu and turn off the active button. Journeys currently available include:

- Journey Header Request
- Journey Item Request
- Journey NG Item Request
- Journey Standard Response
- Journey Tax Data Response

Next go to the desired transaction you wish to use this tool on and enter your data. When a call to Determination is made within the transaction the tool will activate and pop-up the data for the first journey selected.

The screenshot shows a Fiori application interface. On the left, the 'Enter Vendor Invoice: Company Code 3000' screen is displayed. It includes fields for Vendor (3000), Invoice date (07/29/2016), Posting Date (07/29/2016), Document Type (KR (Vendor invoice)), Amount (1000.00), Tax amount, and Text. The Company Code is set to 3000 IDES US INC New York. On the right, a table titled '/IDT/JOURNEY_HEADER_REQUEST:' is shown, listing various components and their values. An 'X' in the 'Values Present' column indicates data availability for the selected transaction. The table includes rows for KOMK, BKPF, VBAK, VBRK, EKKO, RBKP, T001, T005, T180, VBKD, TVFK, TVTA, TVAK, TVKQ, VBUK, KNA1, LFA1, LFM1, T001W, WEDATEN, CALC_HDR, PARTNER_TAB, ITEMS, J_1BFRANCH, J_1IMOVEND, J_1IMOCUST, J_1IMOCOMP, T001Z_TAB, ESSR, EKPO, LIKP, and MKPF.

| Component | Value | Values Present | Short Description |
|-------------|-------|----------------|---|
| KOMK | X | | Communication Header for Pricing |
| BKPF | X | | Accounting Document Header |
| VBAK | | | Sales Document: Header Data |
| VBRK | | | Billing Document: Header Data |
| EKKO | | | Purchasing Document Header |
| RBKP | | | Document Header: Invoice Receipt |
| T001 | | | Company Codes |
| T005 | | | Countries |
| T180 | | | Screen Sequence Control: Transaction Default Values |
| VBKD | | | Sales Document: Business Data |
| TVFK | | | Billing: Document Types |
| TVTA | | | Organizational Unit: Sales Area(s) |
| TVAK | | | Sales Document Types |
| TVKQ | | | Organizational Unit: Sales Organizations |
| VBUK | | | Sales Document: Header Status and Administrative Data |
| KNA1 | | | General Data in Customer Master |
| LFA1 | | | Vendor Master (General Section) |
| LFM1 | | | Vendor master record purchasing organization data |
| T001W | | | Plants/Branches |
| WEDATEN | | | Data for Price Determination at Time of Goods Receipt |
| CALC_HDR | X | | Calculated header |
| PARTNER_TAB | | | |
| ITEMS | X | | |
| J_1BFRANCH | | | Business Place |
| J_1IMOVEND | | | Vendor Master Excise Additional Data |
| J_1IMOCUST | | | Customer Master Excise Additional Data |
| J_1IMOCOMP | | | Company and Plant - Excise Additional Data |
| T001Z_TAB | X | | |
| ESSR | | | Service Entry Sheet Header Data |
| EKPO | | | Purchasing Document Item |
| LIKP | | | SD Document: Delivery Header Data |
| MKPF | | | Header: Material Document |

For example, we have done a FB60 invoice which will use the standard request, non-group line-item request, standard response, and tax data table response journeys. You see in the screen shot above that the header request journey displayed and shows the list of tables. An X in the Values Present column tells you there is data available within this table for this given transaction.

Double click on one of the tables listed and the popup will take you one level down into the actual field names and data populate within this transaction.

| Component | Value | Values Present | Short Description |
|-----------|------------|----------------|--|
| MANDT | 400 | X | Client |
| BELNR | | | Sales and Distribution Document Number |
| KNUMV | | | Number of the document condition |
| VKORG | | | Sales Organization |
| VTWEG | | | Distribution Channel |
| SPART | | | Division |
| BZIRK | | | Sales district |
| VKGGRP | | | Sales Group |
| BRSCH | | | Industry key |
| VKBUR | | | Sales Office |
| KONDA | | | Price group (customer) |
| KDGRP | | | Customer group |
| PLTYP | | | Price list type |
| ALAND | US | X | Departure country (country from which the goods are sent) |
| WKREG | | | Region in which plant is located |
| WKCOU | | | Country in which plant is located |
| VKCTY | | | City in which plant is located |
| BUKRS | 3000 | X | Company Code |
| GSEBR | | | Business Area |
| WERKV | | | Resale plant |
| HVAER | | | Local Currency |
| WAERK | USD | X | SD Document Currency |
| KURST | | | Exchange Rate Type |
| KURRF | 0.00000 | | Exchange rate for FI postings |
| KURRF DAT | 00000000 | | Translation Date |
| KUNNR | | | Sold-to party |
| KNRZE | | | Payer |
| KUNRE | | | Bill-to party |
| KUNWE | | | Ship-to party |
| SPDNR | | | Forwarding agent |
| LINNR | 0000003000 | X | Vendor Account Number |
| VRTNR | 00000000 | | Sales employee |
| ZTERM | | | Terms of Payment Key |
| ZBDL1P | 0.00 | | Cash Discount Percentage 1 |
| KAPPL | TX | X | Application |
| KALSM | ZTPUS | X | Procedure (Pricing, Output Control, Acct. Det., Costing,...) |
| PRSDT | 20160729 | X | Date for pricing and exchange rate |
| FBUDA | 00000000 | | Date on which services rendered |
| FKDAT | 00000000 | | Billing date for billing index and printout |
| FRDAT | 00000000 | | Date on Which Record Was Created |
| AUDAT | 00000000 | | Document Date (Date Received/Sent) |
| INCO1 | | | Incoterms (Part 1) |
| INCO2 | | | Incoterms (Part 2) |
| LAND1 | | | Country of Destination |
| REGIO | | | Region (State, Province, County) |
| COUNC | | | Country Code |
| CITYC | | | City Code |
| TXJCD | | | Tax Jurisdiction |

In this example we clicked on the KOMK table line. Notice the header of this screen shows the journey name and the table you selected. You see the actual data that was available by field name on this screen. This will aid in analysis by a Business Analyst as to what data is also available for further field mapping without the need to use complex program debugging tools. To return to the journey level simply use the “X” in the top right corner of this popup level to move one step back. You can then opt to select another table to view or X out of the journey.

Exiting out of the journey will bring up the pop-up for the next journey that was selected in the config if it is used in the transaction. Continue with the analysis tool until you go through all the available journey screens at which point the tool will end until another call is made to Determination.

More screen examples below:



The item request journey screen will look a little different as it first shows the list of the row numbers at the line-item level. Click to then select a line and go further down into the table detail for the line selected.

| Component | Value | Values Present | Short Description |
|-------------|-------|----------------|---|
| KOMK | X | | Header for field mapping data |
| KDFE | X | | Communication Header for Pricing |
| VBKX | X | | Accounting Document Header |
| VBKX | | | Sales Document Header Data |
| VBKX | | | Reference Structure for XVBRK/VVBKRP |
| VBKX | | | Purchasing Document Header |
| VBKX | | | MRB_RBDIV |
| TB01 | | | Company Codes |
| TB00 | | | Screen Sequence Control: Transaction Default Values |
| TXR | | | Billing Document Types |
| TXTA | | | Organizational Unit: Sales Area(s) |
| TXAK | | | Sales Document Types |
| TXKO | | | Organizational Unit: Sale Organizations |
| VBKU | | | Reference structure for XVBRUK/VVBKUK |
| LEAI | | | Vendor Master (General Section) |
| KBAS | | | General Data in Customer Master |
| HBDR_VBKD | | | Reference structure for XVBRD/VBKD |
| BS00 | X | | Accounting Document Segment |
| CALC_ITEM | X | | IDT Item Calculated Fields |
| KOMP | X | | Communication Item for Pricing |
| EPD0 | | | Purchase Document Item |
| PRCE_COND | | | KOMF structure plus index |
| VBAP | | | Sales Document: Item Data |
| VBRR | | | Billing Document: Item Data |
| TVAP | | | Sales Document: Item Categories |
| T001W | | | Plants/Branches |
| ITM_VND | | | Reference structure for XVBRD/VBKD |
| VBUR | | | Reference Structure for XVBRUP/VVBUP |
| VBAPF | | | Order Item Flow: Dynamic Division |
| MT05E | | | Material Master Fields: Purchasing |
| ENIA | | | Purchasing Info Record: General Data |
| ENIE | | | Purchasing Info Record: Purchasing Organization Data |
| EN00U | | | Work Structure for Account Assignments in Purchasing Doc- |
| MAR0 | | | General Material Data |
| MAR0 | | | Plant Data for Material |
| MAR0 | | | Storage Location Data for Material |
| MBSW | | | Material Valuation |
| MART | | | Material Descriptions |
| MVNE | | | Sales Data for Material |
| T102 | | | Item Categories in Purchasing Document |
| OBEG | | | MROR_DSEGU structure |
| PARTNER_TAB | | | |
| L_1MBRANCH | | | Business Place |
| L_1MBSCOMM | | | Company and Plant - Enclose Additional Data |
| L_1MBSCOMA | | | Sales Document: Item Category Table |
| OBLL | | | Lines of Service Package |
| LE5 | | | SD document: Delivery: Item Data |
| CS05 | X | | Cost Center Master Data |
| CS00 | | | Structure for Change Document: Generated by RSSCD000 |
| CS00 | | | Change Document Structure: Generated by RSSCD000 |

| IDT/JOURNEY_STANDARD_RESPONSE: | | | |
|--------------------------------|-------|----------------|--|
| Component | Value | Values Present | Short Description |
| CONTROLLER | X | | The top level response to a request for tax calculation. |

The standard response journey will look a little different as well. Selecting parameters will get you to the next screen below:

| IDT/JOURNEY_STANDARD_RESPONSE:PARAMETERS | | | |
|--|-------|----------------|-----------------------------|
| Component | Value | Values Present | Short Description |
| CONTROLLER | X | | |
| OUTDATA | X | | Proxy Structure (generated) |

Then to the outdata...

| Component name | Value | Values Present | Short Description |
|---------------------|-------|----------------|---|
| CONTROLLER | | | |
| REQUEST_STATUS | X | | A structure which contains a summary of the status of the e |
| COMPANY_ID | 0 | | The internal Determination ID of the merchant. |
| COMPANY_NAME | | | The name of the company running the transaction. ONESOURCE |
| COMPANY_ROLE | B | X | The role the company plays in a given transaction: Buyer (B |
| EXTERNAL_COMPANY_ID | 3000 | X | The unique identifier used by your business application to |
| SCENARIO_NAME | | | This is the name of the Determination Workbench scenario. |
| INVOICE | X | | |
| VERSION | G | X | The version of the determination object model schema. |

....and invoice level data....

| Component name | Value | Values Present | Short Description |
|----------------------------|----------------------|----------------|--|
| CONTROLLER | | | |
| REQUEST_STATUS | | X | A structure which contains a summary |
| BASIS_PERCENT | | | A percentage of the gross amount of |
| CALCULATION_DIRECTION | | | There are three calculation directions, |
| CALLING_SYSTEM_NUMBER | 400 | X | A pass-through element that contains |
| COMPANY_ID | 15 | X | The internal Determination ID of the n |
| COMPANY_NAME | SAP US INC 3000 | X | The name of the company running thi |
| COMPANY_ROLE | S | X | The role the company plays in a given |
| CURRENCY_CODE | USD | X | The currency associated with a transa |
| CURRENCY_NAME | United States Dollar | X | The currency used for this invoice. Loc |
| MIN_ACCOUNTABLE_UNIT | 0.01 | X | Allows empty tags for decimal amount |
| ROUNDING_PRECISION | 2 | X | Number of decimal places to round the |
| ROUNDING_RULE | 1 | X | The rounding rule from the TB_CURRE |
| CUSTOMER_NAME | | | The customer's name. Used in both V. |
| CUSTOMER_NUMBER | | | The customer's number as passed in b |
| END_USER_NAME | | | Identifier of the user who made a ch |
| EXTERNAL_COMPANY_ID | 3000 | X | The unique identifier used by your bus |
| FISCAL_DATE | 2016-07-29 | X | Stores a transaction by a fiscal date in |
| FUNCTIONAL_CURRENCY_CODE | | | Reserved for future use. |
| HOST_SYSTEM | 003 | X | The name of the ERP instance sending |
| INDATA | | | Contains batch level request fields as v |
| INVOICE_DATE | 2016-07-29 | X | The date of the invoice. Note: Determin |
| INVOICE_NUMBER | | | This number is passed through to the |
| IS_AUDIT_UPDATE | | | Indicates whether or not to permit an |
| IS_BUSINESS_SUPPLY | | | Indicates whether a supply is being us |
| IS_CREDIT | | | Indicates whether the current transac |
| IS_REPORTED | | | Controls whether the invoice being pr |
| IS_REVERSED | | | Indicates whether the current transac |
| MESSAGE | | | |
| NATURE_OF_TRANSACTION_CODE | | | Used in Intrastat reports in all countr |
| ORIGINAL_INVOICE_NUMBER | | | This number enables a credit invoice to |
| STATISTICAL_PROCEDURE | | | A statistical indicator used for large shi |
| TOTAL_TAX_AMOUNT | 84.00 | X | Proxy Data Element (generated) |
| TRANSACTION_DATE | 2016-07-29 | X | The system date at the time the transa |
| UNIQUE_INVOICE_NUMBER | 3000 S 2016 | X | The unique identifier for this invoice, a |
| VENDOR_NAME | US Vendor - JL | X | The vendor's name, if this is a B2B tra |
| VENDOR_NUMBER | 0000003001 | X | The vendor's number. If this is a B2B t |
| VENDOR_TAX | | | The amount of tax charged by the Ve |
| USER_ELEMENT | | X | |
| LINE | | X | |
| ORIGINAL_DOCUMENT_ID | | | The original document id as shown on |
| ORIGINAL_DOCUMENT_ITEM | | | The original document item as shown |
| ORIGINAL_DOCUMENT_TYPE | | | The original document type as shown |
| ORIGINAL_INVOICE_DATE | | | The date of the original invoice. Used |
| ORIGINAL_MOVEMENT_DATE | | | The date of the original movement. Us |
| CUSTOMER_GROUP_NAME | | | Name of the Customer Group to use fo |
| CUSTOMER_GROUP_OWNER | | | Name of the Company owning the Cu |
| TAX_SUMMARY | | | A summary of tax amounts and warnin |

... and finally, back to the transaction.



Note: Reminder that depending on the transaction you are testing you may need to start another session to deactivate the popup tool before you can exit your tested transaction scenario. If multiple calls to determination are invoked, the tool can possibly loop depending on the document.

AUDIT DATABASE REPORT

The purpose of this report is to ensure that all transactions posted to the SAP G/L with a tax implication are also posted to the Determination audit database. It is recommended to run this report frequently, at least during the period close process to ensure the two systems are synchronized. Once documents have been identified they can be reprocessed to Determination for inclusion in audit if not already sent successfully. You can both run the report and manually update records using the execute button for update, or you have the option to update records via a scheduled background job using the Audit Status Reprocess program which is discussed below.

Note: Reminder that depending on the transaction you are posting for your month end close process you may have later transaction that you miss getting to the audit database. It is best to run the report one more time after all journal entries and batches have been posted for the month so that you pick up any late entries as part of the closing adjustments.

Note: Documents that show on the report as status N are likely parked documents that are not posted yet to the G/L and status F documents have failed to go to audit for some other technical error reason. You will have to manually correct these documents to get them to a status of S with another update run.

Accessing the Audit Database Report

From the ONESOURCE Indirect Tax User Menu select Reports, Audit Database Transactions Update or use transaction /N/IDT/AUDIT_DATABASE.

Audit Success Report Selection Screen

| | | | |
|-------------------------|--|-------------------------|--|
| Billing Document | <input type="text"/> | to <input type="text"/> | |
| Document Number | <input type="text"/> | to <input type="text"/> | |
| Company Code | <input type="text"/> | to <input type="text"/> | |
| Fiscal Year | <input style="border: 2px solid yellow;" type="text"/> | to <input type="text"/> | |
| Audit DB message status | <input type="text"/> | to <input type="text"/> | |
| Date Created | <input type="text"/> | to <input type="text"/> | |

| SELECTION OPTION | DESCRIPTION |
|-------------------------|---|
| Billing Document | The Sales Invoice (SD) document number. Can't be combined with Document Number and Fiscal Year. |
| Document Number | The G/L accounting document number (MM-LIV and FI). Can't be combined with Billing Document. |
| Company Code | Company code of the transaction. |
| Fiscal Year | The fiscal year the document was posted in. Relevant for MM-LIV and FI documents only. |
| Audit DB message status | Filter to select either: F – Failed transactions that didn't post successfully to Determination audit U – Untried transactions that never have been sent to Determination. N – Not posted to the G/L will not go to audit until G/L entry is posted. S – Transactions that have been successfully sent and audited in Determination Z – Zero value transaction that will not post to audit |
| Date Created | The date the entry was added to this table. |

Sample of a report for FAILED transactions:

Audit Success Report

| Bill.Doc. | Fiscal Yr | CoCode | DocumentNo | Log Date | StatText | Audit DB message error text |
|-----------|-----------|------------|------------|----------|----------|---|
| 2014 | 1000 | 1400000019 | | | Fail | AUDIT_SAVE_ERROR:Error occurred while saving Audit data. Audit data was n |
| 2014 | 1000 | 1400000021 | | | Fail | AUDIT_SAVE_ERROR:Error occurred while saving Audit data. Audit data was n |
| 2014 | 1000 | 1400000025 | | | Fail | AUDIT_SAVE_ERROR:Error occurred while saving Audit data. Audit data was n |
| 2014 | 3000 | 5100000407 | | | Fail | SOAP:1.001 CX_ST_GROUP_MISSING_CASE:An exception has occurred..An ex |

From the report one can reprocess one transaction at a time, select all untried and/or failed messages, and then resubmit in bulk to Determination by using the audit update process within this report. If a transaction fails again it stays in the report, if it succeeds in auditing to Determination the status is changed to success.

Note: It is recommended to schedule this report to run prior to period closing for F and U status and then reprocess them before closing the period.

To run the report and update the audit database you would run transaction code /IDT/AUDIT_DATABASE from the report menu first selecting any “U” status document. Note the button on the report menu for selecting untried documents. See example below:

| Audit Success Report | | | | | |
|----------------------|-----------|--------|------------|----------|------------|
| Billing Doc. | Fiscal Yr | CoCode | DocumentNo | StatText | Msg errors |
| 90000292 | 3000 | | | Untried | |
| 90000293 | 3000 | | | Untried | |
| 90000295 | 3000 | | | Untried | |
| 90000296 | 3000 | | | Untried | |
| 90000297 | 3000 | | | Untried | |

After getting the list of untried documents that you need to post to audit then hit the EXECUTE button to run the update of the UNTRIED entries.

Run the report again for the same document numbers and verify that they have now changed from UNTRIED status to a status of “SUCCESS”. If the documents in question have not changed to a successful status, then they may be in “FAIL” status which will require you to investigate errors on the document. Another possible status would be that they were changed to status of “N” as not posted to the G/L. If this occurs, then you will need to go back to the billing process and attempt to post the document to accounting using transaction code VF02. If the document posts to accounting, then retry the audit update transaction again.

Prior to month end close you will want to check to make sure that all documents have posted to accounting and that the audit report shows them in “SUCCESS” status.

AUDIT STATUS REPROCESS

The purpose of this program is to fix documents that have been identified by the Audit Database Report via a background process, rather than manually in the foreground. The report also allows for fixing documents in status N – Not yet in G/L, something the online report doesn’t allow for.

Accessing the Audit Status Reprocess

Use transaction /N/SE38, program /IDT/UPDATE_AUDIT_DATABASE.

| SELECTION OPTION | DESCRIPTION |
|------------------|---|
| Billing Document | The Sales Invoice (SD) document number. Can't be combined with Document Number and Fiscal Year. |
| Document Number | The G/L accounting document number (MM-LIV/Fl). Can't be combined with Billing Document. |
| Company Code | Company code of the transaction. |
| Fiscal Year | The fiscal year the document was posted in. Relevant for MM- LIV and Fl documents only. |
| Audit DB status | Filter to select either: F – Failed transactions that didn't post successfully to Determination audit U – Untried transactions that never have been sent to Determination. N – Not posted to the G/L will not go to audit until G/L entry is posted. |
| Date Created | The date the entry was added to this table. |

Note: This report has no user interaction. It will run immediately and will update all selected documents!

Note: It is recommended to schedule this report as a background job to run prior to period closing for F, U, and N status and then reprocess them before closing the period.

To run the report and update the database you will select the documents in question, and then execute the program

| Audit Database Update Selection | | | | | |
|---------------------------------|-------------------------------------|----|----------------------|--|--|
| Billing Document | 90000268 | to | <input type="text"/> | | |
| Document Number | <input type="text"/> | to | <input type="text"/> | | |
| Company Code | 3000 | to | <input type="text"/> | | |
| Fiscal Year | <input type="text"/> | to | <input type="text"/> | | |
| Audit DB Status | <input checked="" type="checkbox"/> | to | <input type="text"/> | | |
| Date Created | <input type="text"/> | to | <input type="text"/> | | |

Once run the following message will be displayed:

Audit Status Reprocess

1 - Records were updated in /IDT/D_AUDIT_STA with the reprocessing

Note: Documents in status N will be moved to status U. To post them to the Determination audit they have to be run a second time to get to status S.

Program /IDT/UPDATE_AUDIT_DATABASE uses the same authorization object as the Audit Database Report, Z_IDT_AUDI which uses authorization field Company Code (BUKRS) as a check object.

RECONCILIATION EXTRACT REPORT

The ONESOURCE Indirect Tax Integration for SAP Reconciliation Extract creates a file using payables, receivables, and FI transaction data from the SAP General Ledger. This file can then be imported into ONESOURCE Indirect Tax Reporting for use in the Reconciliation Report.

The solution has been developed within the following features:

- Custom ABAP program in /IDT/ name space with a custom transaction to run it
- Selection screen to define what data to extract and where to save the output file
- Ability to run as a schedule background job

Purpose and Benefits

The ONESOURCE Indirect Tax Integration for SAP Reconciliation Extract enables an organization using the ONESOURCE Indirect Tax Integration for SAP for their tax calculations to extract the necessary data from the SAP FI module to use in the ONESOURCE Indirect Tax Reporting ERP Document Reconciliation Report.

The Reconciliation Report in ONESOURCE Indirect Tax Reporting will compare the imported data from the SAP Reconciliation Extract with the data in Audit. The Reconciliation Report will indicate transactions missing in the ERP (SAP), transactions missing in Audit, as well as differences in tax amounts.

Business Process

Transactions processed in the SAP systems Order to Cash (SD), Materials Management (MM), and Financial Accounting (FI) processes requiring indirect tax can call ONESOURCE Indirect Tax Determination for a tax calculation. At time of posting the calculate tax to the FI modules G/L accounts, a tax audit call is done to Determination for the applicable tax codes, and the tax liability information is stored in the audit database. A scheduled process (ETL) then moves that audit information over to ONESOURCE Indirect Tax Reporting.

Customers wishing to compare the tax liabilities stored in the SAP G/L to the ones residing in the ONESOURCE Indirect Tax systems can run the Reconciliation process periodically, usually during month end close, to ensure results are as expected.

Note: Prior to running the Reconciliation Extract Report there is one configuration step that you will need to complete. See the Configuration Guide Appendix 1 section for more information on the set up of the Application Server and Presentation Server defaults.

The Reconciliation Extract Process

This section describes the process for executing the ONESOURCE Indirect Tax Integration for SAP Reconciliation Extract report and viewing the output.

Note: To learn more about how to run the reconciliation process in Reporting logon to your Reporting system and click the Help icon, then navigate to Global Reports & Analysis > ERP Reconciliation Report.

Reconciliation Extract Transaction

The Reconciliation Extract report is run to collect the G/L transaction data created in SAP. The report extracts G/L and tax data based on the report parameters. When run, an output file (saved as a .csv file) is created either on the Application Server directory or the user PC, it then has to be moved to the Reporting server to be imported into the ONESOURCE Indirect Tax Reporting.


For more information on saving and importing the .csv file, see the section PREPARING DATA FOR THE ERP DOCUMENT RECONCILIATION REPORT in the Reporting online help.

For more information on executing the report, ERP Document Reconciliation, see the section ERP DOCUMENT RECONCILIATION in the Reporting online help.

Running the Reconciliation Extract

To run the ONESOURCE Indirect Tax Integration for SAP Reconciliation Extract use transaction code:

/N/IDT/RECON_EXTRACT



Note: Authorization object F_BKPF_BUK is checked when executing the program to verify the user is allowed to access data for the given company codes.

On the selection screen enter the desired values for the extract scope in question. For an explanation of the selection screen options see the following table:

| PARAMETER | DESCRIPTION |
|--------------------------------|--|
| Company Code | The Company Codes to be selected during this extract. The user must be authorized to run data for the selected company codes (F_BKPF_BUK). |
| Fiscal Year | A valid Fiscal Year must be entered. |
| Posting Date | A fiscal posting date range can be selected; this is the date of the posting to G/L, not the document/invoice date of the original document. |
| Posting Period | Optionally enter a posting period month or range. |
| Tax Code | Option to include/exclude specific tax codes to be extracted. See special note for US transactions below. |
| Select Zero/Exempt tax records | If field is checked documents with zero tax value on the posted document are suppressed. |
| Application Server | Location for output files on the SAP application server, based on selected radio button option. |
| Presentation Server | Location when storing files on user's computer, based on selected radio button option. |
| Company Code Prepend | If set in the /IDT/GEN_CONFIG_VALS - General Configuration Values table, option value external_company_id_prepend , then this must be set here as well. |
| Package Size | The number of lines to be included in one package. |

Note: For US company codes tax codes with a Tax Category of 0 “Sales Tax (Consumer Use Tax if needed)” must be excluded from the selection for ERP Reconciliation as they are not posting to Determination audit. See below for instructions on how to do this.

Once all values have been setup as desired the extract can be run:

ERP Reconciliation Extract Report – Global Next Program

ERP Reconciliation Extract Report Selection Screen

| | | | | |
|--|------------|----|------------|------------------------------------|
| Company Code | 3000 | to | | <input type="button" value="..."/> |
| Fiscal Year | 2015 | | | <input type="button" value="..."/> |
| Posting Date | 01/03/2015 | to | 03/31/2015 | <input type="button" value="..."/> |
| Posting Period | | to | | <input type="button" value="..."/> |
| Tax code | | to | | <input type="button" value="..."/> |
| <input checked="" type="checkbox"/> Select Zero/Exempt tax records | | | | |
| Application / Local server path | | | | |
| Application server | E:\RECON | | | |
| Presentation server | | | | |
| Others | | | | |
| Company Code Prepend | | | | |
| Package Size | 10000 | | | |

A message will be displayed stating the number of records extracted and included in the file. If desired the selection can be saved as a Variant in SAP for later use in a scheduled Batch Job for monthly/quarterly automated processing.

Excluding Tax Codes from Export

For US tax codes with a Tax Category of 0 “Sales Tax (Consumer Use Tax if needed)” must be excluded as they are not posting to audit. The taxes are collected by the seller and are not recorded as a further liability to the buyer. Usually these are the H1 driven tax codes. Please check in table /IDT/US_LOGIC – US Specific Logic for codes have a Tax Category of 0:

/IDT/US_LOGIC table:

Display View "AP Company Role Override and Special Logic": Overview


AP Company Role Override and Special Logic

| SFCtryGrp | From Ctry | STCtryGrp | To country | Tx Sort ... | A... | CoCd Comp.Role | Tax category | O... | Offset Acc... | Debit |
|-----------|-----------|-----------|------------|-------------|-------------|----------------|------------------------------|-------------------------------------|---------------|-------|
| * | * | * | 00 | CL 1000010 | 3000 Buyer | | Consumer Use Tax | <input type="checkbox"/> | 00V | |
| * | * | * | 00 | UL 1000010 | 3000 Seller | | Sales Tax (Customer Use Tax) | <input checked="" type="checkbox"/> | 00V | |
| * | * | * | 00 | UL 1000010 | 3000 Buyer | | Consumer Use Tax | <input type="checkbox"/> | 00V | |
| * | * | * | 00 | VO 1000010 | 3000 Seller | | Sales Tax (Customer Use Tax) | <input type="checkbox"/> | 00V | |
| * | * | * | 00 | VL 1000010 | 3000 Seller | | Sales Tax (Customer Use Tax) | <input type="checkbox"/> | 00V | |
| * | * | * | 00 | ZZ 1000010 | 3000 Buyer | | Consumer Use Tax | <input type="checkbox"/> | 00V | |
| * | * | * | 00 | CL 1000010 | 3000 Buyer | | Consumer Use Tax | <input type="checkbox"/> | 00V | |
| * | * | * | 00 | ZL 1000010 | 3000 Seller | | Sales Tax (Customer Use Tax) | <input type="checkbox"/> | 00V | |
| * | * | * | 00 | VL 1000010 | 3000 Seller | | Consumer Use Tax | <input type="checkbox"/> | 00V | |
| * | * | * | 00 | VO 1000010 | 3000 Seller | | Sales Tax (Customer Use Tax) | <input type="checkbox"/> | 00V | |
| * | * | * | 00 | YL 1000010 | 3000 Seller | | Consumer Use Tax | <input type="checkbox"/> | 00V | |
| * | * | * | 00 | ZL 1000010 | 3000 Buyer | | Sales Tax (Customer Use Tax) | <input type="checkbox"/> | 00V | |
| * | * | * | 00 | VL 1000010 | 3000 Seller | | Consumer Use Tax | <input type="checkbox"/> | 00V | |
| * | * | * | 00 | VO 1000010 | 3000 Seller | | Sales Tax (Customer Use Tax) | <input type="checkbox"/> | 00V | |
| * | * | * | 00 | ZL 1000010 | 3000 Buyer | | Consumer Use Tax | <input type="checkbox"/> | 00V | |

To exclude tax codes from selection, click on the “Multiple selection” button in the selection screen next to the Tax Code field:

| | | | | |
|---|----------------------|----|----------------------|---|
| Posting Period | <input type="text"/> | to | <input type="text"/> |  |
| Tax Code | <input type="text"/> | to | <input type="text"/> |  |
| <input checked="" type="checkbox"/> Select Zero/Exempt tax records <input type="checkbox"/> Multiple selection | | | | |

Now enter the values to be excluded in the Excluding Single Values or Exclude Ranges tab:



Output Details for Reconciliation Extract

Once the process is run a csv file has been created. The file is now ready to be imported into Reporting for reconciliation.

Output File Details

The following is the output field list as returned in the comma separated “.CSV” file on to the Application server or Presentation server.

Note: Do not open the CSV file in Excel or similar, only use a text file reader such as Notepad, Notepad++ or Text Pad. Excel will apply formatting to the CSV file which in turn corrupts the file for import into Reporting.

Below is an example of the output details:

| test.csv | 1 | "30005","Q01","400","S","00900000504","00900000504","RV","","US IX services for Auto Parts","00000000002","01",15-JAN-2013,25-JAN-2013,100,00,8,25,"USD", |
|----------|---|---|
| | 1 | "30005","Q01","400","S","00900000504","00900000504","RV","","US IX services for Auto Parts","00000000002","01",15-JAN-2013,25-JAN-2013,100,00,8,25,"USD", |
| | 2 | "30005","Q01","400","S","00900000505","00900000505","ABP","","US IX services for Auto Parts","00000000002","01",15-JAN-2013,25-JAN-2013,100,00,8,25,"USD", |
| | 3 | "30005","Q01","400","S","00900000505","00900000505","ABP","","US IX services for Auto Parts","00000000002","01",15-JAN-2013,25-JAN-2013,100,00,8,25,"USD", |
| | 4 | "30005","Q01","400","S","0100000033020013","0100000033020013","SAP","","Ford Parts Distribution Center","00000000001","01",30-JAN-2013,29-JAN-2013,918,45,81,52 |
| | 5 | "30005","Q01","400","S","00900000504","00900000504","RV","","US IX services for Auto Parts","00000000002","01",15-JAN-2013,25-JAN-2013,100,00,8,25,"USD", |
| | 6 | "30005","Q01","400","S","00900000505","00900000505","ABP","","US IX services for Auto Parts","00000000002","01",15-JAN-2013,25-JAN-2013,100,00,8,25,"USD", |

Enabling Custom Fields

The file format of the Reconciliation Report allows for five (5) user defined fields (UDF) as pass through elements. Companies wishing to use these fields can use custom code to set a value from SAP and extract it into one of the UDF's. These values then will be imported into the Reporting reconciliation tables and show in the Reconciliation Report process.

A BADI /IDT/BADIRECON_EXTRACT has been provided as part of the SAP Reconciliation Report which can be implemented by the customers. The BADI method returns the 5 UDF's in the structure /IDT/EXTRACT_UDF.

ERP RECON EXTRACT NEW

A new ERP Reconciliation report has been added to the Global Next integration suite that is compatible with ONESOURCE Indirect tax Enterprise Cloud version. This report extracts tax transactions from SAP in a specific format that's easily ingested into the Integration layer via APIs. The result is a detailed report in NGRA, streamlining the reconciliation process by matching SAP transactions with those in the ONESOURCE Indirect Tax Determination Audit database.

The solution has been developed within the following features:

- Custom ABAP program in /IDT/ name space with a custom transaction to run it
- Selection screen to define what data to extract and where to save and push the output file
- Ability to run as a schedule background job

Purpose and Benefits

The ONESOURCE Indirect Tax Integration for SAP Reconciliation Extract – New, enables an organization using the ONESOURCE Indirect Tax Integration for SAP for their tax calculations to extract the necessary data from the SAP FI module to use in the ONESOURCE Indirect Tax Enterprise NGRA Reporting – ERP Document Reconciliation Report.

The ERP Document Reconciliation Report in ONESOURCE Indirect Tax Enterprise NGRA Reporting will compare the imported data from the SAP Reconciliation Extract – New, with the data in Audit. The ERP Reconciliation Report will indicate transactions missing in the ERP (SAP), transactions missing in Audit, as well as differences in Gross Amounts, Tax Amounts, Dates, Partner Name & Number, etc.

Business Process

Transactions processed in the SAP systems Order to Cash (SD), Materials Management (MM), and Financial Accounting (FI) processes requiring indirect tax can call ONESOURCE Indirect Tax Enterprise Cloud Determination for a tax calculation. At time of posting the calculate tax to the FI modules G/L accounts a tax audit call is done to Determination for the applicable tax codes and the tax liability is stored in the audit. A scheduled process (ETL) then moves that audit information over to ONESOURCE Indirect Tax Enterprise Cloud NGRA Reporting. Customers wishing to compare the tax liabilities stored in the SAP G/L to the ones residing in the ONESOURCE Indirect Tax systems can run the ERP Reconciliation process periodically, usually during month end close, to ensure results are as expected.

The Reconciliation Extract Process

This chapter describes the process for executing the ONESOURCE Indirect Tax Integration for SAP Reconciliation Extract - New report and viewing the output.

Note: learn more about how to run the reconciliation process in NGRA Reporting logon to your Reporting system and click the Help icon, then navigate to Global Reports & Analysis > ERP Reconciliation Report.

Reconciliation Extract Transaction

The Reconciliation Extract - New report is run to collect the G/L transaction data created in SAP. The report extracts data based on the report parameters. When run an output file (saved as a .csv file) is created either on the Application Server directory or the user PC, send it to the ERP Recon Integration layer, and then, push it to Reporting server to be imported into the ONESOURCE Indirect Tax NGRA Reporting.

For more information on saving and importing the .csv file, see the section PREPARING DATA FOR THE ERP DOCUMENT RECONCILIATION REPORT in the Reporting online help.

For more information on executing the report, ERP Document Reconciliation, see the section ERP DOCUMENT RECONCILIATION in the Reporting online help.

Running the Reconciliation Extract

To run the ONESOURCE Indirect Tax Integration for SAP Reconciliation Extract – New use transaction code /N/IDT/RECON_EXT_CL:

ERP Reconciliation Extract Report – Global Next Program

ERP Reconciliation Extract Report Selection Screen

| | | | | |
|--|---|----|--------------------------------|--|
| Company Code | <input checked="" type="checkbox"/> | to | <input type="text"/> | |
| Fiscal Year | <input type="text"/> | | | |
| <input type="checkbox"/> Select to add date Range | | | | |
| Posting Date | <input type="text" value="05/27/2025"/> | to | <input type="text"/> | |
| Posting Period | <input type="text" value="0"/> | to | <input type="text" value="0"/> | |
| Tax Code | <input type="text"/> | to | <input type="text"/> | |
| <input checked="" type="checkbox"/> Select Zero/Exempt tax records | | | | |

Application / Local server path

| | |
|---|---|
| <input type="checkbox"/> Download File | |
| <input checked="" type="radio"/> Application server | D:\USR\SAP\F54\DO0\DATA\RECON_XXXX_XXXX_OLD.CSV |
| <input type="radio"/> Presentation server | |

API

| | |
|--|--|
| <input type="checkbox"/> Send Data to NGRA | |
|--|--|

Others

| | |
|----------------------|----------------------|
| Company Code Prepend | <input type="text"/> |
| Package Size | 50000 |

Note: Authorization object F_BKPF_BUK is checked when executing the program to verify the user is allowed to access data for the given company code the extract is run for.

On the selection screen enter the desired values for the extract scope in question. For an explanation of the selection screen options see the following table:

| PARAMETER | DESCRIPTION |
|--------------------------------|--|
| Company Code | The Company Code to be selected during this extract. The user must be authorized to run data for the selected company code (F_BKPF_BUK). |
| Fiscal Year | A valid Fiscal Year must be entered. |
| Select to add Date Range | If the field is checked, users can enter a custom "Posting Date" and "Post Period". If unchecked, the system defaults to the current date as the Posting Date. |
| Posting Date | A fiscal posting date range can be selected; this is the date of the posting to G/L, not the document/invoice date of the original document. |
| Posting Period | Optionally enter a posting period month or range. |
| Tax Code | Option to include/exclude specific tax codes to be extracted. See special note for US transactions below. |
| Select Zero/Exempt tax records | If field is checked documents with zero tax value on the posted document are suppressed. |
| Application Server | Location for output files on the SAP application server, based on selected radio button option. |
| Presentation Server | Location when storing files on user's computer, based on selected radio button option. |
| Send Data to NGRA | If the field is checked, the program will send the extracted data to the ERP Recon Integration layer |
| Company Code Prepend | If enter external_company_id_prepend , then this has to be set to the extracted data. |
| Package Size | If enter number of records, program will generate the .csv file or batch id with that size. Maximum allowed size is 250K. |

Note: For US company codes tax codes with a Tax Category of 0 "Sales Tax (Consumer Use Tax if needed)" must be excluded from the selection for ERP Reconciliation as they are not posting to Determination audit. See below for instructions on how to do this.

Once all values have been setup as desired the extract can be run:

ERP Reconciliation Extract Report – Global Next Program

ERP Reconciliation Extract Report – Global Next Program

ERP Reconciliation Extract Report Selection Screen

Company Code: US01 to:

Fiscal Year: 2025 to:

Select to add date Range

Posting Date: 05/27/2025 to:

Posting Period: 0 to:

Tax Code: to:

Select Zero/Exempt tax records

Application / Local server path

Download File

Application server: D:\USR\SAP\FS4\DO0\DATA\RECON_XXXX_XXXX_OLD.CSV

Presentation server

API

Send Data to NGRA

Others

Company Code Prepend: INTSAPDEV

Package Size: 250000

A message will be displayed stating the number of records extracted and included in the file. If desired the selection can be saved as a Variant in SAP for later use in a scheduled Batch Job for monthly/quarterly automated processing.

Excluding Tax Codes from Export

For US tax codes with a Tax Category of 0 “Sales Tax (Consumer Use Tax if needed)” must be excluded as they are not posting to audit. Usually these are the I* tax codes, please check in transaction FTXP for country US to determine which tax codes have a Tax Category of 0:

FTXP Tax Code properties:

Properties

| | |
|----------------------|--------------------------|
| Tax Code | 111 AP Sales Tax |
| Tax type | Input tax |
| CheckID | <input type="checkbox"/> |
| EU code | <input type="checkbox"/> |
| Target tax code | <input type="checkbox"/> |
| Tgt Tax Code: Output | <input type="checkbox"/> |
| Tgt Tax Code: Input | <input type="checkbox"/> |
| Tol.per.rate | <input type="checkbox"/> |
| Relevant to tax | <input type="checkbox"/> |
| Tax category | 0 |

Tax Category for US Taxes (2) 4 Entries found

| Tax category | Short Descript. |
|--------------|--|
| 0 | Sales Tax (Customer Use Tax if needed) |
| 1 | Consumer Use Tax |
| 2 | Service Tax |
| 3 | Lease Tax |

To exclude tax codes from selection, click on the “Multiple selection” button in the selection screen next to the Tax Code field:

The screenshot shows a SAP selection screen with fields for Posting Period, Tax Code, and a checkbox for 'Select Zero/Exempt tax records'. A 'Multiple selection' button is highlighted with a yellow box.

Now enter the values to be excluded in the Excluding Single Values or Exclude Ranges tab:

The screenshot shows the SAP selection screen for 'ERP Reconciliation Extract Report - Global Next Program'. A 'Multiple Selection for Tax Code' dialog is open, showing the 'Exclude Single Values' tab with a list of values (10, 11, etc.) and a 'Select Single Value...' button.

Output Details for Reconciliation Extract

Once the process is run a csv file has been created. The file is now ready to be imported into Reporting for reconciliation and also, send to ERP Recon Integration layer automatically.

The log counter provides detailed insights into each API call, including:

- API call status
- ERP Integration Reference ID
- Call Type
- Execution Date & Time
- Key values

Recon Extract NGRA API Log

| Log Count | Batch No | Reference Id | Date | Time | User Name | Call Type | Key Values |
|-----------|----------|----------------------------------|------------|----------|-----------|----------------|---|
| 237 | 1 | 1900009739378060919 | 05/07/2025 | 08:41:24 | AJINKYAC | 200-Successful | Company Code:GB01 and Posting Dates:04/07/2025--04/10/2025 |
| 238 | 1 | 651461140113212010 | 05/07/2025 | 10:00:41 | AJINKYAC | 200-Successful | Company Code:DE01,GB01,IN01,US01 and Posting Dates:01/10/2025--03/05/2025 |
| 238 | 2 | 61572473110382000 | 05/07/2025 | 10:00:41 | AJINKYAC | 200-Successful | Company Code:GB01,US01 and Posting Dates:03/05/2025--03/10/2025 |
| 238 | 3 | 8611174005284134072 | 05/07/2025 | 10:00:42 | AJINKYAC | 200-Successful | Company Code:GB01,US01 and Posting Dates:03/10/2025--03/13/2025 |
| 238 | 4 | 1583370036860938777 | 05/07/2025 | 10:00:42 | AJINKYAC | 200-Successful | Company Code:DE01,GB01,US01 and Posting Dates:03/13/2025--04/15/2025 |
| 238 | 7 | 7014539420592768299 | 05/07/2025 | 10:00:42 | AJINKYAC | 200-Successful | Company Code:GB01 and Posting Dates:04/15/2025--04/16/2025 |
| 238 | 8 | 6313598684799526260 | 05/07/2025 | 10:00:43 | AJINKYAC | 200-Successful | Company Code:GB01 and Posting Dates:04/16/2025--04/16/2025 |
| 238 | 5 | 6247009892604893548 | 05/07/2025 | 10:00:46 | AJINKYAC | 200-Successful | Company Code:GB01 and Posting Dates:04/15/2025--04/15/2025 |
| 238 | 6 | 7370695284058501110 | 05/07/2025 | 10:00:46 | AJINKYAC | 200-Successful | Company Code:GB01 and Posting Dates:04/15/2025--04/15/2025 |
| 238 | 9 | 1357697735128039465 | 05/07/2025 | 10:00:48 | AJINKYAC | 200-Successful | Company Code:GB01 and Posting Dates:04/16/2025--04/16/2025 |
| 238 | 12 | 1903819110181544468 | 05/07/2025 | 10:00:48 | AJINKYAC | 200-Successful | Company Code:GB01 and Posting Dates:04/17/2025--04/17/2025 |
| 238 | 10 | 2354054420776726279 | 05/07/2025 | 10:00:49 | AJINKYAC | 200-Successful | Company Code:GB01 and Posting Dates:04/16/2025--04/17/2025 |
| 238 | 13 | 1224170048953134371 | 05/07/2025 | 10:00:50 | AJINKYAC | 200-Successful | Company Code:GB01,US01 and Posting Dates:04/17/2025--04/22/2025 |
| 238 | 14 | 2666020811579791647 | 05/07/2025 | 10:00:50 | AJINKYAC | 200-Successful | Company Code:GB01 and Posting Dates:04/22/2025--04/22/2025 |
| 238 | 11 | 121299677096807718 | 05/07/2025 | 10:00:51 | AJINKYAC | 200-Successful | Company Code:GB01 and Posting Dates:04/17/2025--04/17/2025 |
| 238 | 16 | 723508276040073863 | 05/07/2025 | 10:00:52 | AJINKYAC | 200-Successful | Company Code:GB01 and Posting Dates:04/22/2025--04/22/2025 |
| 238 | 17 | 7909934592995212030 | 05/07/2025 | 10:00:53 | AJINKYAC | 200-Successful | Company Code:GB01 and Posting Dates:04/22/2025--04/22/2025 |
| 238 | 15 | 71702000000000000000000000000000 | 05/07/2025 | 10:00:54 | AJINKYAC | 200-Successful | Company Code:GB01 and Posting Dates:04/22/2025--04/22/2025 |

Output File Details


The following is the output field list as returned in the comma separated “.CSV” file on to the Application server or Presentation server or ERP Recon Integration Layer.

| Output field name | SAP field name | Technical details (Table fieldname) |
|-----------------------|--|---|
| External Company ID | SAP company code | BKPF-BUKRS |
| Host System | SAP system name (e.g. CO3) | SY-SYSID |
| Calling System Number | SAP client number | SY-MANDT |
| Merchant Role | Buyer (B) / Seller (S) | /IDT/D_TAX_DATA - COMPANY_ROLE |
| ERP Transaction ID | Reference key of SAP Accounting document | BKPF-AWKEY |
| Invoice Number | Accounting document number | FI: BKPF-BELNR LIV: RBKP-BELNR SD: VBRK-VBELN |
| Document Type | Accounting document type | BKPF-BLART |
| Document Description | Accounting document header text | BKPF-BKTXT |

| Output field name | SAP field name | Technical details (Table fieldname) |
|-------------------------|---|--|
| Document Partner Number | Customer number (AR transactions) / Vendor number (AP transactions) | BSEG-KUNNR / BSEG-LIFNR |
| Document Partner Name | Customer/Vendor Name | KNA1-NAME1 / LFA1- NAME1 |
| ERP Period | Fiscal Period | BKPF-MONAT |
| Invoice Date | Document date in format: DD- MON- YYYY, E.g. 12-Aug- 2012 | BKPF-BLDAT |
| Fiscal Date | Posting date in format: DD- MON- YYYY | BKPF-BUDAT |
| Gross Amount | Tax Base Amount | /IDT/D_TAX_DATA- GROSS_AMOUNT |
| Tax Amount | Tax Amount | /IDT/D_TAX_DATA- TAX_AMOUNT |
| Document currency | Document currency key | /IDT/D_TAX_DATA - GROSS_AMT_CURR |
| Optional UDF 1to20 | Customer defined field | N/A |

Note: Do not open the CSV file in Excel or similar, only use a text file reader such as Notepad, Notepad++ or Text Pad. Excel will apply formatting to the CSV file which in turn corrupts the file for import into Reporting.

Below is an example of the output details:



```

1 "external_company_id","host_system","calling_system_number","merchant_role","erp_transaction_id",invoice_number,"document_type","document_description"
,"Document_partner_Name","Document_partner_number","Erp_period",invoice_date,fiscal_date,total_gross_amount,total_tax_amount,"currency_code","erp_user
_defined_field_1","erp_user_defined_field_2","erp_user_defined_field_3","erp_user_defined_field_4","erp_user_defined_field_5","erp_user_defined_field
_6","erp_user_defined_field_7","erp_user_defined_field_8","erp_user_defined_field_9","erp_user_defined_field_10","erp_user_defined_field_11","erp_user
_defined_field_12","erp_user_defined_field_13","erp_user_defined_field_14","erp_user_defined_field_15","erp_user_defined_field_16","erp_user_defined_fi
eld_17","erp_user_defined_field_18","erp_user_defined_field_19","erp_user_defined_field_20",
2 "INTSAPDEV_CA01","LS4","800","B","0000000462","KG","Purchasing Rebate Cr","Prestigious Motor
Works","0000004001","02",01-MAY-2023,12-FEB-2025,-810.00,-43.20,"CAD"///////////
3 "INTSAPDEV_CA01","LS4","800","B","0000000463","KG","Purchasing Rebate Cr","Prestigious Motor
Works","0000004001","02",01-MAY-2023,12-FEB-2025,-810.00,-43.20,"CAD"///////////
4 "INTSAPDEV_CA01","LS4","800","B","0000000464","0000000464","KG","Purchasing Rebate Cr","Prestigious Motor
Works","0000004001","02",01-MAY-2023,12-FEB-2025,810.00,43.20,"CAD"///////////

```

Enabling Custom Fields

The file format of the ERP Reconciliation New Report allows for 20 user defined fields (UDF) as pass through elements. Companies wishing to use these fields can use custom code to set a value from SAP and extract it into one of the UDF's. These values then will be passed into the NGRA Reporting reconciliation tables through ERP Recon Integration layer and show in the ERP Document Reconciliation Report process.

A BADI /IDT/BADIRECON_IMP_EXTRACT has been provided as part of the SAP ERP Reconciliation Report - New which can be implemented by the customers. The BADI method returns the 20 UDF's in the structure

/IDT/EXTRACT_UDF.

SAP TRANSACTION SAMPLES

This chapter is intended to give the user a view and understanding of the basic document processing steps using ONESOURCE Indirect Tax Integration for SAP. We will walk you through the various transactions to give you a view of screen displays using the Integration.

SAMPLE ORDER-TO-CASH SCENARIO

This section provides a simple example of the complete Order-to-Cash process once the ONESOURCE Indirect Tax Suite has been integrated with SAP.

Processing a Sales Order

1. Transaction Code: VA01

| Organizational Data | |
|----------------------|----------------------------|
| Sales Organization | 2000 UK Heathrow/Hayes |
| Distribution Channel | 10 Final customer sales |
| Division | 00 Cross-division |
| Sales Office | |
| Sales Group | |

2. Enter the Sold-to Party, Material and Quantity

Create Standard Order: Overview

Standard Order: Net value: 8,000.00 GBP

Sold-To Party: 2001 London Auto Parts // london

Ship-To Party: 2001 London Auto Parts // london

PO Number: PO date:

Sales Item overview Item detail Ordering party Procurement Shipping Reason for rejection

Req. delv.date: 01/09/2014 Deliver.Plant: Total Weight: 1,000 LB

Delivery block: Volume: 400 L

Billing block: Pricing date: 12/29/2013

Payment card: Exp.date:

Card Verif.Code:

Payment terms: 0001 Special Payment T... Incoterms: CIF Cost, Insurance and Fr...

Order reason:

All items

| Item | Material | Order Quantity | Un | Description | S | Customer Material Numb | ItCa | Do |
|----------|----------|----------------|----|------------------------------------|--------------------------|------------------------|------|----|
| 105-1001 | | 3 EA | | ONESOURCE Taxable Generic Material | <input type="checkbox"/> | TAN | | |
| 205-1021 | | 5 EA | | ONESOURCE Reduced Rated Chemical | <input type="checkbox"/> | TAN | | |

3. Select Goto> Header >Conditions

Now a tax call is made to Determination and taxes are returned. You can view the taxes calculated by the system at header and item level.

Create Standard Order: Header Data

Standard Order: Purchase order no.:

Sold-to party: 2001 London Auto Parts / / london

Sales Shipping Billing Document Payment cards Accounting Conditions Account assign

Net: 8,000.00 GBP

Tax: 850.00

Pricing Elements

| N. | Cn | Ty | Name | Amount | Crcy | per | U... | Condition | value | Curr. | Sta |
|----|----|----|---------------------------|---------|------|-----|------|-----------|----------|-------|-----|
| | | | Net Value 3 | | | | | | 8,000.00 | GBP | |
| | | | AZWR Down Pay./Settlement | | | | | | 0.00 | GBP | |
| | | | SKIV Cash Discount | 0.000 | % | | | | 0.00 | GBP | |
| | | | IDT sabrix tax call | | | | | | 8,000.00 | GBP | |
| | | | ZITD IDT Collect Data | 100.000 | % | | | | 8,000.00 | GBP | |
| | | | ZITE IDT Call Determin. | 0.000 | % | | | | 0.00 | GBP | |
| | | | ZITR United Kingdom | | | | | | 850.00 | GBP | |
| | | | Total | | | | | | 8,850.00 | GBP | |

4. Select Goto >Item > Conditions

You will see tax details and the difference between Standard and Reduced Rated products.

Create Standard Order: Item Data

| Sales Document Item | 10 | Item category | TAN | Standard Item | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--------|------------------------------------|--------------|---------------|------|------|-----------------|--------|------|-----|------|-----------------|-------|-----|--|--|-------------|----------|-----|------|--|----------|-----|--|--|--|---------------------------|------|-----|--|--|------|-----|--|--|--|--------------------|---------|--|--|--|------|-----|--|--|--|---------------------|----------|-----|------|--|----------|-----|--|--|--|-----------------------|-----------|--|--|--|----------|-----|--|--|--|-------------------------|---------|--|--|--|------|-----|--|--|--|---------------------|----------|--|--|--|--------|-----|--|--|--|-------|----------|-----|------|--|----------|-----|--|
| Material | S-1001 | ONESOURCE Taxable Generic Material | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="button" value="Sales A"/> <input type="button" value="Sales B"/> <input type="button" value="Shipping"/> <input type="button" value="Billing Document"/> <input type="button" value="Conditions"/> <input type="button" value="Account assignment"/> <input type="button" value="Schedule line"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Qty | 3 EA | Net | 3,000.00 GBP | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Tax | 600.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pricing Elements <table border="1"> <thead> <tr> <th>N..</th> <th>CnTy</th> <th>Name</th> <th>Amount</th> <th>Crcy</th> <th>per</th> <th>U...</th> <th>Condition value</th> <th>Curr.</th> <th>Sta</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>Net Value 3</td> <td>1,000.00</td> <td>GBP</td> <td>1 EA</td> <td></td> <td>3,000.00</td> <td>GBP</td> <td></td> </tr> <tr> <td></td> <td></td> <td>AZWR Down Pay./Settlement</td> <td>0.00</td> <td>GBP</td> <td></td> <td></td> <td>0.00</td> <td>GBP</td> <td></td> </tr> <tr> <td></td> <td></td> <td>SKTV Cash Discount</td> <td>0.000 %</td> <td></td> <td></td> <td></td> <td>0.00</td> <td>GBP</td> <td></td> </tr> <tr> <td></td> <td></td> <td>IDT sabrix tax call</td> <td>1,000.00</td> <td>GBP</td> <td>1 EA</td> <td></td> <td>3,000.00</td> <td>GBP</td> <td></td> </tr> <tr> <td></td> <td></td> <td>ZIID IDT Collect Data</td> <td>100.000 %</td> <td></td> <td></td> <td></td> <td>3,000.00</td> <td>GBP</td> <td></td> </tr> <tr> <td></td> <td></td> <td>ZITE IDT Call Determin.</td> <td>0.000 %</td> <td></td> <td></td> <td></td> <td>0.00</td> <td>GBP</td> <td></td> </tr> <tr> <td></td> <td></td> <td>ZITR United Kingdom</td> <td>20.000 %</td> <td></td> <td></td> <td></td> <td>600.00</td> <td>GBP</td> <td></td> </tr> <tr> <td></td> <td></td> <td>Total</td> <td>1,200.00</td> <td>GBP</td> <td>1 EA</td> <td></td> <td>3,600.00</td> <td>GBP</td> <td></td> </tr> </tbody> </table> | | | | | N.. | CnTy | Name | Amount | Crcy | per | U... | Condition value | Curr. | Sta | | | Net Value 3 | 1,000.00 | GBP | 1 EA | | 3,000.00 | GBP | | | | AZWR Down Pay./Settlement | 0.00 | GBP | | | 0.00 | GBP | | | | SKTV Cash Discount | 0.000 % | | | | 0.00 | GBP | | | | IDT sabrix tax call | 1,000.00 | GBP | 1 EA | | 3,000.00 | GBP | | | | ZIID IDT Collect Data | 100.000 % | | | | 3,000.00 | GBP | | | | ZITE IDT Call Determin. | 0.000 % | | | | 0.00 | GBP | | | | ZITR United Kingdom | 20.000 % | | | | 600.00 | GBP | | | | Total | 1,200.00 | GBP | 1 EA | | 3,600.00 | GBP | |
| N.. | CnTy | Name | Amount | Crcy | per | U... | Condition value | Curr. | Sta | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Net Value 3 | 1,000.00 | GBP | 1 EA | | 3,000.00 | GBP | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | AZWR Down Pay./Settlement | 0.00 | GBP | | | 0.00 | GBP | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | SKTV Cash Discount | 0.000 % | | | | 0.00 | GBP | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | IDT sabrix tax call | 1,000.00 | GBP | 1 EA | | 3,000.00 | GBP | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | ZIID IDT Collect Data | 100.000 % | | | | 3,000.00 | GBP | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | ZITE IDT Call Determin. | 0.000 % | | | | 0.00 | GBP | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | ZITR United Kingdom | 20.000 % | | | | 600.00 | GBP | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Total | 1,200.00 | GBP | 1 EA | | 3,600.00 | GBP | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Create Standard Order: Item Data

| Sales Document Item | 20 | Item category | TAN | Standard Item | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--------|----------------------------------|--------------|---------------|------|------|-----------------|--------|------|-----|------|-----------------|-------|-----|--|--|-------------|----------|-----|------|--|----------|-----|--|--|--|---------------------------|------|-----|--|--|------|-----|--|--|--|--------------------|---------|--|--|--|------|-----|--|--|--|---------------------|----------|-----|------|--|----------|-----|--|--|--|-----------------------|-----------|--|--|--|----------|-----|--|--|--|-------------------------|---------|--|--|--|------|-----|--|--|--|---------------------|---------|--|--|--|--------|-----|--|--|--|-------|----------|-----|------|--|----------|-----|--|
| Material | S-1021 | ONESOURCE Reduced Rated Chemical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="button" value="Sales A"/> <input type="button" value="Sales B"/> <input type="button" value="Shipping"/> <input type="button" value="Billing Document"/> <input type="button" value="Conditions"/> <input type="button" value="Account assignment"/> <input type="button" value="Schedule line"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Qty | 5 EA | Net | 5,000.00 GBP | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Tax | 250.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pricing Elements <table border="1"> <thead> <tr> <th>N..</th> <th>CnTy</th> <th>Name</th> <th>Amount</th> <th>Crcy</th> <th>per</th> <th>U...</th> <th>Condition value</th> <th>Curr.</th> <th>Sta</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>Net Value 3</td> <td>1,000.00</td> <td>GBP</td> <td>1 EA</td> <td></td> <td>5,000.00</td> <td>GBP</td> <td></td> </tr> <tr> <td></td> <td></td> <td>AZWR Down Pay./Settlement</td> <td>0.00</td> <td>GBP</td> <td></td> <td></td> <td>0.00</td> <td>GBP</td> <td></td> </tr> <tr> <td></td> <td></td> <td>SKTV Cash Discount</td> <td>0.000 %</td> <td></td> <td></td> <td></td> <td>0.00</td> <td>GBP</td> <td></td> </tr> <tr> <td></td> <td></td> <td>IDT sabrix tax call</td> <td>1,000.00</td> <td>GBP</td> <td>1 EA</td> <td></td> <td>5,000.00</td> <td>GBP</td> <td></td> </tr> <tr> <td></td> <td></td> <td>ZIID IDT Collect Data</td> <td>100.000 %</td> <td></td> <td></td> <td></td> <td>5,000.00</td> <td>GBP</td> <td></td> </tr> <tr> <td></td> <td></td> <td>ZITE IDT Call Determin.</td> <td>0.000 %</td> <td></td> <td></td> <td></td> <td>0.00</td> <td>GBP</td> <td></td> </tr> <tr> <td></td> <td></td> <td>ZITR United Kingdom</td> <td>5.000 %</td> <td></td> <td></td> <td></td> <td>250.00</td> <td>GBP</td> <td></td> </tr> <tr> <td></td> <td></td> <td>Total</td> <td>1,050.00</td> <td>GBP</td> <td>1 EA</td> <td></td> <td>5,250.00</td> <td>GBP</td> <td></td> </tr> </tbody> </table> | | | | | N.. | CnTy | Name | Amount | Crcy | per | U... | Condition value | Curr. | Sta | | | Net Value 3 | 1,000.00 | GBP | 1 EA | | 5,000.00 | GBP | | | | AZWR Down Pay./Settlement | 0.00 | GBP | | | 0.00 | GBP | | | | SKTV Cash Discount | 0.000 % | | | | 0.00 | GBP | | | | IDT sabrix tax call | 1,000.00 | GBP | 1 EA | | 5,000.00 | GBP | | | | ZIID IDT Collect Data | 100.000 % | | | | 5,000.00 | GBP | | | | ZITE IDT Call Determin. | 0.000 % | | | | 0.00 | GBP | | | | ZITR United Kingdom | 5.000 % | | | | 250.00 | GBP | | | | Total | 1,050.00 | GBP | 1 EA | | 5,250.00 | GBP | |
| N.. | CnTy | Name | Amount | Crcy | per | U... | Condition value | Curr. | Sta | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Net Value 3 | 1,000.00 | GBP | 1 EA | | 5,000.00 | GBP | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | AZWR Down Pay./Settlement | 0.00 | GBP | | | 0.00 | GBP | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | SKTV Cash Discount | 0.000 % | | | | 0.00 | GBP | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | IDT sabrix tax call | 1,000.00 | GBP | 1 EA | | 5,000.00 | GBP | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | ZIID IDT Collect Data | 100.000 % | | | | 5,000.00 | GBP | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | ZITE IDT Call Determin. | 0.000 % | | | | 0.00 | GBP | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | ZITR United Kingdom | 5.000 % | | | | 250.00 | GBP | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Total | 1,050.00 | GBP | 1 EA | | 5,250.00 | GBP | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

5. Click Save to create a Sales Order.

 Standard Order 668 has been saved

On the header conditions the percentage rate does not show as this is summarized data. The percentage rate will, however, show at the line-item level as shown above on the 20% standard rate and the 5% reduced rate lines.

Processing a Billing Document

1. Transaction Code: VF01. The last created order number is displayed by default. ENTER.

Create Billing Document

Billing due list Billing document overview Selection

Default data

| | |
|--------------|---------------|
| Billing Type | Serv.rendered |
| Billing Date | Pricing date |

Docs to be processed

| Document | Item | SD document categ. | Processing s |
|----------|------|--------------------|--------------|
| 6042 | | | |

2. Goto > Header > Pricing Conditions Header

Now a tax call is made to Determination and taxes are returned. You can view the taxes calculated by the system at header and item level.

Billing Invoice (F2) (F2) Create : Header data

Billing items Output

| | |
|--------------|--|
| Invoice (F2) | 6000000001 |
| Payer | 2001 London Auto Parts / / GB - SW4 0QL london |
| Created by | STEFANB |
| Created on | 12/29/2013 |
| Time | 10:42:02 |

Header Head.prttnrs Conditions ForTrade/Customs Head.text

| | | |
|-----|----------|-----|
| Net | 8,000.00 | GBP |
| Tax | 850.00 | |

Pricing Elements

| N.. | CnTy | Name | Amount | Crcy | per | U... | Condition value | Curr. | Sta |
|-----|------|-------------------------|---------|------|-----|------|-----------------|-------|-----|
| | | Net Value 3 | | | | | 8,000.00 | GBP | |
| | | SKTIV Cash Discount | 0.000 | % | | | 0.00 | GBP | |
| | | IDT sabrix tax call | | | | | 8,000.00 | GBP | |
| | | ZITD IDT Collect Data | 100.000 | % | | | 8,000.00 | GBP | |
| | | ZITE IDT Call Determin. | 0.000 | % | | | 0.00 | GBP | |
| | | ZITR United Kingdom | | | | | 850.00 | GBP | |
| | | Total | | | | | 8,850.00 | GBP | |

3. Click Save to create a Billing Document.

 Document 90001747 has been saved

Displaying Accounting Document

1. Transaction VF02. Enter document number if not already present.
2. Click on  to get to the accounting documents pop-up.
3. Select the Accounting Document and double click it.



Display Document: Data Entry View

Display Document: Data Entry View

Document Number: 1400000000 Company Code: 2000 Fiscal Year: 2014

Document Date: 01/09/2014 Posting Date: 01/09/2014 Period: 1

Reference: 0090001747 Cross-Comp.No.:

Currency: GBP Texts exist: Ledger Group:

| Co. | Itm | PK | SG Account | Description | Σ | Amount | Curr. | Tx | G/L Account | D | Cost C... | O |
|------|-----|----|------------|----------------------|---|-----------|-------|----|-------------|---|-----------|---|
| 2000 | 1 | 01 | 2001 | London Auto Parts | | 8,850.00 | GBP | ** | 144003 | S | | |
| | 2 | 50 | 800000 | Sales revenues - dom | | 3,000.00- | GBP | A1 | 800000 | H | | |
| | 3 | 50 | 175001 | Output tax | | 600.00- | GBP | A1 | 175001 | H | | |
| | 4 | 50 | 800000 | Sales revenues - dom | | 5,000.00- | GBP | A2 | 800000 | H | | |
| | 5 | 50 | 175002 | Output tax | | 250.00- | GBP | A2 | 175002 | H | | |

SAMPLE PURCHASE TO PAY SCENARIOS

This section provides a simple example of the complete Purchase-to-Pay process once the ONESOURCE Indirect Tax Suite has been integrated with SAP.

Processing a Purchase Order

1. Transaction Code: ME21N

Enter relevant purchase data; make sure you have a driver tax code of I1.

2. Go to Conditions tab on the header details. At this time a tax call to Determination will be made.

| Condition | Value | Condition | Value |
|-------------------------|--------------|-----------------------|--------------|
| Gross Price | 1,000.00 GBP | Net incl. disc. | 1,000.00 GBP |
| Net incl. tax | 1,000.00 GBP | ZITD IDT Collect Data | 0.00 % |
| ZITE IDT Call Determin. | 0.00 % | ZITR United Kingdom | 200.00 GBP |
| Actual Value | 1,200.00 GBP | | |

3. Tax details for each line can be viewed on the line Conditions tab.

| Nr. | OnTy | Name | Amount | Crcy | per | U... | Condition value | Curr. | Status | Num... | OUn | CCon... | Un | Condition value | CdCur |
|-----|------|-------------------------|----------|------|-----|------|-----------------|-------|--------|--------|-----|---------|----|-----------------|-------|
| | | Gross Price | 1,000.00 | GBP | 1 | EA | 1,000.00 | GBP | | 1 | EA | 1 | EA | 0.00 | |
| | | Net incl. disc. | 1,000.00 | GBP | 1 | EA | 1,000.00 | GBP | | 1 | EA | 1 | EA | 0.00 | |
| | | Net incl. tax | 1,000.00 | GBP | 1 | EA | 1,000.00 | GBP | | 1 | EA | 1 | EA | 0.00 | |
| | | ZITD IDT Collect Data | 0.000 | £ | | | 0.00 | GBP | | 0 | | 0 | | 0.00 | |
| | | ZITE IDT Call Determin. | 0.000 | £ | | | 0.00 | GBP | | 0 | | 0 | | 0.00 | |
| | | ZIIR United Kingdom | 20.000 | £ | | | 200.00 | GBP | | 0 | | 0 | | 0.00 | |
| | | Actual Value | 1,200.00 | GBP | 1 | EA | 1,200.00 | GBP | | 1 | EA | 1 | EA | 0.00 | |

4. Save the Purchase Order.

Standard PO created under the number 4500000264

Processing a MIGO Receiving Document


This step is provided for illustration purposes only, no tax call will be made on the MIGO process.

1. Transaction Code: MIGO

Enter the Purchase Order and ENTER

| Line | Mat. Short Text | OK | Qty in UnE | E... | SLoc | Batch | Val |
|------|--------------------|----|------------|------|----------------|-------|-----|
| 1 | Pump PRECISION 100 | | 1 | EA | Warehouse 0001 | | |

2. Check Item OK, enter the amount, unit of measure, delivery note, bill of lading, warehouse location, etc. and Save the Goods Receipt document



Processing a LIV Document

1. Transaction Code: MIRO

Enter the Invoice Date, Invoice number, Amounts, Purchase Order number and ENTER.

2. Check the to calculate taxes by Determination and balance the amounts to zero.

3. Optionally go to Tax tab to see that tax and tax code are returned by Determination.

4. Simulate and Post the document which creates the Logistic Invoice Document.

| Position | A/G/L | Act/Mat/Ast/Vndr | Smart Number | Amount | Cu... | Purchasing... | It... |
|----------|--------|--------------------------|--------------|----------|-------|---------------|-------|
| 1K | 164003 | GB Auto Services / Be... | | 1,200.00 | GBP | | |
| 2S | 191100 | Goods Rcvd/Invoice R... | | 1,000.00 | GBP | 4500000264 | 11 |
| 3S | 154001 | Input tax 1 (see acco... | | 200.00 | GBP | | |

Displaying a LIV Document

1. Transaction Code: MIR4. This comes back with the latest LIV document created.

Display Invoice Document 5105600322 2013

Show PO structure Follow-On Documents ...

Transaction **Invoice** 5105600322 2013

Basic data **Payment** **Details** **Tax** **Contacts** **Note**

| | | | |
|---------------|---------------------|---------------------------|---|
| Invoice date | 11/07/2013 | Reference | |
| Posting Date | 11/07/2013 | | |
| Amount | 1,200.00 | GBP | <input checked="" type="checkbox"/> Calculate tax |
| Tax amount | 200.00 | V1 (IDT GB Standard In... | <input type="button" value=""/> |
| Text | | | |
| Paymt terms | Due immediately | | |
| Baseline Date | 11/07/2013 | | |
| Company Code | 2000 IDES UK London | | |

Vendor 0000002001
 GB Auto Services
 BERKSHIRE
 Berkshire
 GREAT BRITAIN
 

PO Reference **G/L Account** **Material** **Contract Reference**

Layout All information

| Item | Amount | Quantity | O... | Purchase ... | Item | Sm... | PO Text |
|------|----------|----------|--------------------------|---------------|------|-------|--------------------|
| | 1,000.00 | 1 EA | <input type="checkbox"/> | 4500000264 10 | | | Pump PRECISION 100 |

2. Click on **Follow-On Documents ...** and double click on the Accounting Document.
3. The G/L document is displayed.

Display Document: Data Entry View

Taxes Display Currency General Ledger View

| | | | | | |
|-----------------|----------------|--------------|--------------------------|--------------|--------------------------|
| Document Number | 5100000086 | Company Code | 2000 | Fiscal Year | 2013 |
| Document Date | 11/07/2013 | Posting Date | 11/07/2013 | Period | 11 |
| Reference | Cross-Comp.No. | | | | |
| Currency | GBP | Texts exist | <input type="checkbox"/> | Ledger Group | <input type="checkbox"/> |

| Co. | Itm | PK | SG | Account | Description | Amount | Curr. | Tx | D | G/L Account | Cost C. | Ord. | Assignment |
|------|-----|----|----|---------|----------------------|----------|-------|----|---|-------------|---------|------|-----------------|
| 2000 | 1 | 31 | | 2001 | GB Auto Services | 1,200.00 | GBP | V1 | S | 164003 | | | |
| | 2 | 86 | | 191100 | Goods Rcvd/Invoice R | 1,000.00 | GBP | V1 | S | 191100 | | | 450000026400010 |
| | 3 | 40 | | 154001 | Input tax | 200.00 | GBP | V1 | S | 154001 | | | |

SAMPLE NON-PO VENDOR INVOICE

Note: We recommend that calculate taxes on net amount should be used as your standard option. The FB00 editing option can be set either way however we currently do not support the gross calculation method.

Special Note: SAP Enjoy transactions can sometimes depend on the screen steps taken, calculate tax and currencies with weird or unexpected results. Some of this could be standard SAP behavior as we have seen OSS notes from SAP stating that the Enjoy transactions sometimes have this behavior. If this occurs, we recommend you switch to complex view and fix the transaction when this occurs.

Processing a Non-PO Vendor Invoice

1. Transaction Code: FB60

Enter required information including the driver tax code used (in this sample H).

Enter Vendor Invoice: Company Code 2000

Tree on Company Code Hold Simulate Park Editing options

Transactn Invoice Bal. 0.00 O&O

Basic data Payment Details Tax Notes

| | | | |
|--------------|----------------------|---------------------------------|--|
| Vendor | 2001 | SGL Ind | <input type="checkbox"/> |
| Invoice date | 11/08/2013 | Reference | <input type="text"/> |
| Posting Date | 11/08/2013 | | |
| Cross-CC no. | <input type="text"/> | | |
| Amount | 1200 | GBP | <input type="checkbox"/> Calculate tax |
| Tax amount | <input type="text"/> | <input type="button" value=""/> | |
| Text | <input type="text"/> | | |
| Company Code | 2000 IDES UK London | | |

0 Items (No entry variant selected)

| S... | G/L acct | Short Text | D/C | Amount in doc.curr. | Loc.curr.amount | T.. | Tax jurisdictn code | V Assignment n |
|------|----------|------------|-------|---------------------|-----------------|-----|---------------------|----------------|
| | 476000 | | Debit | 1000 | 0.00 | I1 | | |

2. Check the Calculate tax button.

3. Optionally go to Tax tab to verify the tax.

Enter Vendor Invoice: Company Code 2000

Tree on Company Code Hold Editing options

Transactn: Invoice Bal. 0.00

Basic data Payment Details Tax Notes Local currency


Tax Data

| D/C | Tax doc.currency | Tax code |
|-----|------------------|----------|
| S | 200.00 | I1 |

Calculate tax

Net proposal Delete Row

Vendor
Address
GB Auto Services
BERKSHIRE
Berkshire
GREAT BRITAIN

4. Go back to Basic data tab and click on 

Document Overview

Reset Taxes Park Complete Choose Save

Doc.Type : KR (Vendor invoice) Normal document
 Doc. Number 2000 Company Code 2000 Fiscal Year 2013
 Doc. Date 11/08/2013 Posting Date 11/08/2013 Period 11
 Calculate Tax
 Doc. Currency GBP

| Item | PK | Account | Account short text | Assignment | Tax | Amount |
|------|----|---------|--------------------|------------|-----|-----------|
| 1 | 31 | 2001 | GB Auto Services | | I1 | 1,200.00- |
| 2 | 40 | 476000 | Office supplies | | V1 | 1,000.00 |
| 3 | 40 | 154001 | Input tax | | V1 | 200.00 |

5. Save the document.

Document 1900000067 was posted in company code 2000

Display a Vendor Invoice

1. Transaction Code: FB03

Display Document: Initial Screen

Document List First Item Editing Options

Keys for Entry View

| | |
|-----------------|------------|
| Document Number | 1900000067 |
| Company Code | 2000 |
| Fiscal Year | 2013 |

2. ENTER.

Display Document: Data Entry View

Taxes Display Currency General Ledger View

Data Entry View

| | | | | | |
|-----------------|------------|----------------|--------------------------|--------------|------|
| Document Number | 1900000067 | Company Code | 2000 | Fiscal Year | 2013 |
| Document Date | 11/08/2013 | Posting Date | 11/08/2013 | Period | 11 |
| Reference | | Cross-Comp.No. | | | |
| Currency | GBP | Texts exist | <input type="checkbox"/> | Ledger Group | |

Co... Itm PK SG Account Description Amount Curr. Tx D G/L Account Cost C... Ord... Assignment

| | | | | | | | | | | | |
|------|---|----|--------|------------------|----------|-----|----|----------|------|--|------------|
| 2000 | 1 | 31 | 2001 | GB Auto Services | 1,200.00 | GBP | I1 | H 164003 | | | |
| | 2 | 40 | 476000 | Office supplies | 1,000.00 | GBP | V1 | S 476000 | 2000 | | 0000002000 |
| | 3 | 40 | 154001 | Input tax | 200.00 | GBP | V1 | S 154001 | | | |

DEFERRED TAXES SOLUTION USING RFUMSV50

After the setup is complete for Deferred taxes (please refer to section Deferred taxes in CONFIGURATION GUIDE FOR SPECIAL FUNCTIONS), the deferred tax program RFUMSV50 can be run from SE38 or directly from transaction code - S_ACO_52000644.

Batch input session name should be 'RFUMSV50'.

Either call transaction or batch input session be used for posting the tax transfer document.

Note: If you are running the RFUMSV50 program, the Deferred tax transfer document for Reverse Charge documents are supported for single line invoices only.

Example shown below to run RFUMSV50

Deferred Tax Transfer (New)

General Selections

| | | | | |
|-----------------|------------|----|----------------------|--|
| Company Code | FR03 | to | <input type="text"/> | |
| Document Number | 1900000003 | to | <input type="text"/> | |
| Fiscal Year | 2020 | to | <input type="text"/> | |
| Time Frame | 11/01/2020 | to | 11/04/2020 | |

Further Selections

| | | | |
|---|----------------------|----------------------|--|
| <input type="checkbox"/> Nat.Ctry Instead of Local Ctry | <input type="text"/> | <input type="text"/> | |
| Tax Return Country | <input type="text"/> | <input type="text"/> | |
| Posting period | <input type="text"/> | <input type="text"/> | |
| Payment document date | <input type="text"/> | <input type="text"/> | |
| Tax Code | <input type="text"/> | <input type="text"/> | |
| Document type | <input type="text"/> | <input type="text"/> | |
| Special G/L Ind. | <input type="text"/> | <input type="text"/> | |
| Business place | <input type="text"/> | <input type="text"/> | |
| G/L Account | <input type="text"/> | <input type="text"/> | |
| Vendor | <input type="text"/> | <input type="text"/> | |
| Customer | <input type="text"/> | <input type="text"/> | |

Type of Run

Only Display Reporting Lines
 Simul. of Creation of Rep.Lines
 Creation of Reporting Lines
 Do Not Update
 Update Documents: Update Run
 Update Documents: Test Run

Prepare Printing of Forms

Entry in UMSV
Run Date Tax reporting date to
RunId Document date to

Posting Params

| | |
|--|----------------------|
| <input type="checkbox"/> Call Transaction...Using... | <input type="text"/> |
| <input checked="" type="checkbox"/> Post via Batch Input Session | <input type="text"/> |
| <input type="checkbox"/> Replace Transaction FB05 with | <input type="text"/> |
| Batch Inp. Sess. Name | RFUMSV50 |
| Document Type | SA |
| Posting Date | 09/30/2020 |
| Document Date | 09/30/2020 |
| Tax Reporting Date | <input type="text"/> |
| Target Tax Code: EU Output Tax | <input type="text"/> |
| Target Tax Code: EU Input Tax | <input type="text"/> |

Currency Translation

Invoice Posting Date
 Payment Posting Date
 Transfer Posting Date
 Exact invoice VAT
 Cust. Invoices on Full Payt
 Vend. Invoices on Full Payt
 Check Date in XREF1

Close Deferred Tax Items Open Date Planned Tax Report

While running batch input session to post tax transfer document for Deferred tax Reverse charge scenario, you may see the below information messages, which are expected.

- Amount is zero - line-item will be ignored.
- Define reverse charge tax codes with at least 2 conditions V8.
- Sample accounting tax transfer document of Domestic scenario

Data Entry View

| | | | | | |
|-----------------|-----------------|----------------|--------------------------|--------------|------|
| Document Number | 100000021 | Company Code | FR01 | Fiscal Year | 2020 |
| Document Date | 06/01/2020 | Posting Date | 06/01/2020 | Period | 6 |
| Reference | 140001003120003 | Cross-Comp.No. | | | |
| Currency | EUR | Texts Exist | <input type="checkbox"/> | Ledger Group | |

Display Document: Tax Data

| | | | | |
|----------------------------|------------|------------|-----|-----------|
| Document Number | 100000021 | Display In | EUR | |
| Tax items | | | | |
| G/L | Tax Amount | Tax Base | Tx | Tax Rate |
| 175014 | 8.33- | 41.67- | A1 | 20.000000 |
| IDT FR Standard Output Tax | | | | |
| 175015 | 8.33 | 41.67 | A5 | 20.000000 |
| IDT FR Deferred Output Tax | | | | |
| Total 0.00 | | | | |

Sample accounting tax transfer document of Reverse charge scenario

Data Entry View

| | | | | | |
|-----------------|-----------------|----------------|--------------------------|--------------|------|
| Document Number | 100000181 | Company Code | FR01 | Fiscal Year | 2020 |
| Document Date | 08/25/2020 | Posting Date | 08/25/2020 | Period | 8 |
| Reference | 190000001220002 | Cross-Comp.No. | | | |
| Currency | EUR | Texts Exist | <input type="checkbox"/> | Ledger Group | |

Display Document: Tax Data

| | | | | |
|---------------------------------|------------|------------|-----|------------|
| Document Number | 100000181 | Display In | EUR | |
| Tax items | | | | |
| G/L | Tax Amount | Tax Base | Tx | Tax Rate |
| 175019 | 20.00- | 100.00- | V8 | 20.000000- |
| IDT FR Acquisition Target Tax | | | | |
| 154019 | 20.00 | 100.00 | V8 | 20.000000 |
| IDT FR Acquisition Target Tax | | | | |
| 175015 | 20.00 | 100.00 | VX | 20.000000- |
| IDT FR Acquisition Deferred Tax | | | | |
| 154018 | 20.00- | 100.00- | VX | 20.000000 |
| IDT FR Acquisition Deferred Tax | | | | |
| Total 0.00 | | | | |

SETTLEMENT MANAGEMENT FOR S/4 HANA

Sales Settlement Management Scenario

This section provides a simple example of the complete Sales settlement management process once the ONESOURCE Indirect Tax Suite has been integrated with SAP.

PROCESSING A SALES CONDITION CONTRACT

1. Enter Transaction Code: WCOCO

The screenshot shows the SAP Condition Contract screen. The title bar says 'Condition Contract'. The main area has fields for 'Condition Contract' and 'Supplier'. Below these are tabs for 'Basic Data', 'Sales', 'Purchasing', 'Administration', 'Header Texts', 'Status', and 'Post Processing Framework Actions'. Under 'Basic Data', there are fields for 'Contract Type', 'Process Variant', 'External Identifier', 'Reference', 'Assignment', 'Contract Currency', 'Exchange Rate', and 'Ext. Reference Cat'. To the right of these fields are 'Contract Category' and a list of payment-related fields: 'Payment terms', 'Payment in', 'Payment Method', 'Exchange Rate Type', 'Conversion Date', and 'External Reference'.

2. Click on New document icon to create a new Condition Contract.
3. Select Condition Contract type as OS01 - Sales Rebate.

The screenshot shows the SAP Condition Contract screen with the 'Contract Type' field highlighted. A dropdown menu is open, showing 'Condition Contract Type' and 'OS01 Sales Rebate' as the selected option. The 'OS01 Sales Rebate' option is highlighted with a yellow background.

4. Enter the applicable date range of the Condition contract, Customer, External Identifier and Rebate Condition type and rates.

Create Sales Rebate

Condition Contract: \$1 From: 04/01/2020 To: 05/31/2020

Customer: 1005 Comparable to 1001 in EC

Basic Data

| | |
|----------------------------------|---|
| Contract Type: 0S01 Sales Rebate | Contract Category: OS Sales Rebate |
| External Identifier: ALPHA | Payment terms: [] |
| Reference: [] | Payment in: [] % [] % [] % |
| Assignment: [] | Payment Method: [] |
| Contract Currency: [] | Exchange Rate Type: [] |
| Exchange Rate: [] | Conversion Date: [] Company Code: DE01 |
| Ext. Reference Cat: [] | External Reference: [] |
| VAT Reg. No: [] | |
| Tax Country: [] | |

Condition Table V 4AB Condition Contract | 2 entries No more conditions in other tables

| Condition type | Condition Type Description | Calculation Type | Condition Rate CondCurr | Unit UoM | Valid From | Valid To | Deleted |
|----------------|----------------------------|------------------|-------------------------|----------|------------|------------|---------|
| RES1 | Rebate | Percentage | 3.000 % | | 04/01/2020 | 05/31/2020 | |

5. Goto -> Sales Tab and enter Sales area of the sales settlement document.

Create Sales Rebate

Condition Contract: \$1 From: 04/01/2020 To: 05/31/2020


Sales

| | |
|--|---|
| Sales Organization: 1000 Germany Frankfurt | Distribution Channel: 10 Final customer sales |
| Division: 00 Cross-division | |
| Sales office: [] | |
| Sales group: [] | |


Condition Table V 4AB Condition Contract | 2 entries No more conditions in other tables

| Condition type | Condition Type Description | Calculation Type | Condition Rate CondCurr | Unit UoM | Valid From | Valid To | Deleted |
|----------------|----------------------------|------------------|-------------------------|----------|------------|------------|---------|
| RES1 | Rebate | Percentage | 3.000 % | | 04/01/2020 | 05/31/2020 | |
| REA1 | Rebate Accruals | Percentage | 3.000- % | | 04/01/2020 | 05/31/2020 | |

6. Goto -> Business Volume Selection Criteria Tab and add two new lines by selecting - add icon and clicking on customer and Sales Organization.




7. Goto → Settlement Calendar Tab and add two new lines by selecting – Add icon and provide the dates of partial settlement and final settlement.



8. Goto → Basic Data Tab, click on the flag icon to activate the condition contract and press Save button.

9. Condition Contract Document 1000000303 was saved.



In this way, a Sales Condition contract with all the settlement details for a customer would be created.

PROCESSING A SETTLEMENT OF CUSTOMER CONDITION CONTRACT

1. Enter Transaction code- WB2R_SC.

Select the Settlement date, Condition Contract and check the Posting and document date and click the clock icon. You can choose to either run it in a test mode or in a live run mode. In the live run, the credit memo document is created and saved.

Settlement of Customer Condition Contracts

| | | | | |
|---------------------------|------------|----|--|-----|
| Settlement Date | 05/28/2020 | to | | Set |
| Settlement Date Type | | to | | Set |
| Customer | | to | | Set |
| Settlement Execution Date | | to | | Set |

Contract Selection

| | | | | |
|-----------------------------|------------|----|--|-----|
| Condition Contract | 1000000303 | to | | Set |
| Contract Process Variant | | to | | Set |
| Condition Contract Type | | to | | Set |
| Condition Contract Category | | to | | Set |
| Company Code | | to | | Set |
| Purch. organization | | to | | Set |
| Purchasing Group | | to | | Set |
| Sales Organization | | to | | Set |
| Distribution Channel | | to | | Set |
| Division | | to | | Set |
| Status | | to | | Set |

Default Data

| | |
|---------------|------------|
| Posting Date | 11/16/2020 |
| Document Date | 11/16/2020 |

2. There is a pop-up on the screen which notifies whether the contract has settled successfully or if it has any errors.



3. The log is populated with details of the credit memo document created.

Log for Customer Condition Contract Settlement

| Contract | Document | Technical Information | Help | | | | | | | | | | | | | | | | | | | | | | | | |
|--|------------|-----------------------|------------|--------------------|-----------|--|------------|-----------|----------|--------------|---------|--|------------|------------|--|--------------------|-----|---|--|--|------------|------------|--|--------------------|-----|--|--|
| <p>Overview</p> <ul style="list-style-type: none"> Condition Contracts/Settlement 1000000303 <p>Condition Contract Settlement Messages</p> <table border="1"> <thead> <tr> <th>Type</th> <th>CondContr</th> <th>Settlement Date</th> <th>Settl. Dte</th> <th>Ty. Desc.</th> <th>Document</th> <th>Message Text</th> <th>Details</th> </tr> </thead> <tbody> <tr> <td></td> <td>1000000303</td> <td>05/28/2020</td> <td></td> <td>Partial Settlement</td> <td>666</td> <td>Document 0000000666 saved (accounting document created)</td> <td></td> </tr> <tr> <td></td> <td>1000000303</td> <td>05/28/2020</td> <td></td> <td>Partial Settlement</td> <td>666</td> <td>Document 0000000666 is processed with reference 0000000666</td> <td></td> </tr> </tbody> </table> | | | | Type | CondContr | Settlement Date | Settl. Dte | Ty. Desc. | Document | Message Text | Details | | 1000000303 | 05/28/2020 | | Partial Settlement | 666 | Document 0000000666 saved (accounting document created) | | | 1000000303 | 05/28/2020 | | Partial Settlement | 666 | Document 0000000666 is processed with reference 0000000666 | |
| Type | CondContr | Settlement Date | Settl. Dte | Ty. Desc. | Document | Message Text | Details | | | | | | | | | | | | | | | | | | | | |
| | 1000000303 | 05/28/2020 | | Partial Settlement | 666 | Document 0000000666 saved (accounting document created) | | | | | | | | | | | | | | | | | | | | | |
| | 1000000303 | 05/28/2020 | | Partial Settlement | 666 | Document 0000000666 is processed with reference 0000000666 | | | | | | | | | | | | | | | | | | | | | |

4. A Determination tax call also takes place and can be viewed through transaction code: /N/IDT/LOG.

| Log Reader Report | | | | | | |
|-------------------|------------|----------|-----------|------------------|------------|------|
| Log Counter | Log Date | Time | User Name | Transaction code | Doc Number | CoCo |
| 31581 | 11/16/2020 | 19:57:40 | ABHINAVS | WB2R_SC | 666 | DE01 |
| 31579 | 11/16/2020 | 19:57:39 | ABHINAVS | WB2R_SC | 666 | DE01 |

5. You can check the Condition Contract through transaction code: WCOCO and view the details of the credit memo which has been created.

Purchase Settlement Management Scenario

This section provides a simple example of the complete Purchase settlement management process once the ONESOURCE Indirect Tax Suite has been integrated with SAP.

PROCESSING A PURCHASE CONDITION CONTRACT

1. Enter Transaction Code: WCOCO.

Condition Contract

| | |
|--|--------------------|
| Condition Contract | From |
| Supplier | To |
| <input checked="" type="button"/> Basic Data <input type="button"/> Sales <input type="button"/> Purchasing <input type="button"/> Administration <input type="button"/> Header Texts <input type="button"/> Status <input type="button"/> Post Processing Framework Actions | |
| Contract Type | Contract Category |
| Process Variant | Payment terms |
| External Identifier | Payment in |
| Reference | Payment Method |
| Assignment | Exchange Rate Type |
| Contract Currency | Conversion Date |
| Exchange Rate | External Reference |
| Ext. Reference Cat. | |

2. Click on New document icon to create a new Condition Contract.
3. Select Condition Contract type as OPP1 - Purchasing Rebate.

Condition Contract

| | | |
|--|-------------------------|--|
| Condition Contract | From | To |
| Supplier | | |
| <input checked="" type="button"/> Basic Data <input type="button"/> Sales <input type="button"/> Purchasing <input type="button"/> Administration <input type="button"/> Header Texts <input type="button"/> Status <input type="button"/> Post Processing Framework Actions | | |
| Contract Type | Contract Category | Condition Contract Type |
| Process Variant | Condition Contract Type | OPP1 Purchasing Rebate: Purchase Order |
| External Identifier | | |
| Reference | | |
| Assignment | | |

4. Enter the applicable date range of the Condition contract, Vendor, External Identifier and Rebate Condition type and rates.

Create Sales Rebate

Condition Contract: \$1 From: 04/01/2020 To: 05/31/2020

Customer: 1005 Comparable to 1001 in ECC

Basic Data

| | |
|----------------------------------|------------------------------------|
| Contract Type: OS01 Sales Rebate | Contract Category: 05 Sales Rebate |
| External Identifier: ALPHA | Payment terms: |
| Reference: | Payment in: |
| Assignment: | Payment Method: |
| Contract Currency: | Exchange Rate Type: |
| Exchange Rate: | Conversion Date: |
| Ext. Reference Cat.: | Company Code: DE01 |
| VAT Reg. No.: | External Reference: |
| Tax Country: | |

Condition Table V 4AB Condition Contract | 2 entries No more conditions in other tables

Conditions

| Condition type | Condition Type Description | Calculation Type | Condition Rate CondCurr | Unit UoM | Valid From | Valid To | Deleted |
|----------------|----------------------------|------------------|-------------------------|----------|------------|------------|---------|
| RES1 | Rebate | Percentage | 3.000 % | | 04/01/2020 | 05/31/2020 | |

5. Goto → Purchasing Tab and enter the Purch. Organization, Purchasing group and Company Code of the settlement document.

Create Sales Rebate

Condition Contract: \$1 From: 04/01/2020 To: 05/31/2020

Basic Data


| | |
|--------------------------|----------------------|
| Sales Organization: 1000 | Germany Frankfurt |
| Distribution Channel: 10 | Final customer sales |
| Division: 00 | Cross-division |
| Sales office: | |
| Sales group: | |

Condition Table V 4AB Condition Contract | 2 entries No more conditions in other tables

Conditions

| Condition type | Condition Type Description | Calculation Type | Condition Rate CondCurr | Unit UoM | Valid From | Valid To | Deleted |
|----------------|----------------------------|------------------|-------------------------|----------|------------|------------|---------|
| RES1 | Rebate | Percentage | 3.000 % | | 04/01/2020 | 05/31/2020 | |
| REA1 | Rebate Accruals | Percentage | 3.000- % | | 04/01/2020 | 05/31/2020 | |

6. Goto → Business Volume Selection Criteria Tab and add three new lines by selecting – Add icon and clicking on Supplier, Purchase Organization and Company Code.




7. Goto → Settlement Calendar Tab and add two new lines by selecting – Add icon and provide the dates of partial settlement and final settlement.



8. Goto → Settlement Calendar Tab and add two new lines by selecting – Add icon and provide the dates of partial settlement and final settlement.



9. Condition Contract Document 1000000304 was saved.



In this way, a Purchase Condition contract with all the settlement details for a supplier would be created.

PROCESSING A SETTLEMENT OF PURCHASE CONDITION CONTRACT

1. Enter Transaction code - WB2R_SV

Select the Settlement date, Condition Contract and check the Posting and document date and click the clock icon. You can choose to either run it in a test mode or in a live run mode. In the live run, the credit memo document is created and saved.

Settlement of Supplier Condition Contracts

Settlement Control

| | | | | |
|---------------------------|------------|----|----------------------|--|
| Settlement Date | 05/30/2017 | to | <input type="text"/> | |
| Settlement Date Type | | to | <input type="text"/> | |
| Supplier | | to | <input type="text"/> | |
| Settlement Execution Date | | to | <input type="text"/> | |

Contract Selection

| | | | | |
|-----------------------------|------------|----|----------------------|--|
| Condition Contract | 1000000304 | to | <input type="text"/> | |
| Contract Process Variant | | to | <input type="text"/> | |
| Condition Contract Type | | to | <input type="text"/> | |
| Condition Contract Category | | to | <input type="text"/> | |
| Company Code | | to | <input type="text"/> | |
| Purch. organization | | to | <input type="text"/> | |
| Purchasing Group | | to | <input type="text"/> | |
| Sales Organization | | to | <input type="text"/> | |
| Distribution Channel | | to | <input type="text"/> | |
| Division | | to | <input type="text"/> | |
| Status | | to | <input type="text"/> | |

Default Data

| | | | |
|---------------|------------|--|--|
| Posting Date | 11/17/2020 | | |
| Document Date | 11/17/2020 | | |

2. There is a pop-up on the screen which notifies whether the contract has settled successfully or if it has any errors.



3. The log is populated with details of the credit memo document created.

Log for Supplier Condition Contract Settlement

Condition Contract Settlement Messages

| Type CondContr | Settlement Date | Settl. Dte | Ty. Desc. | Document | Message Text | Details |
|----------------|-----------------|------------|--------------------|----------|--|---------|
| 1000000304 | 05/30/2017 | | Partial Settlement | 667 | Document 0000000667 saved (accounting document created) | |
| 1000000304 | 05/30/2017 | | Partial Settlement | 667 | Document 0000000667 is processed with reference 0000000667 | |

4. A ONESOURCE IDT tax call also takes place and can be viewed through transaction code: /N/IDT/LOG.

| Log Reader Report | | | | | | | |
|-------------------|------------|----------|-----------|------------------|------------|------|----------------------------|
| Log Counter | Log Date | Time | User Name | Transaction code | Doc Number | CoCo | Number of errors Log Level |
| 31594 | 11/17/2020 | 18:45:25 | ABHINAVS | WB2R_SV | 667 | DE01 | 0 DEBUG |
| 31592 | 11/17/2020 | 18:45:22 | ABHINAVS | WB2R_SV | 667 | DE01 | 0 DEBUG |

5. You can check the Purchase Condition Contract through the transaction code: WCOCO and view the details of the credit memo which has been created.

Display Sales Rebate (OS10) 666: Settlement Document Overview

Account Assignment Accounting Release to Accounting Header Pricing Elements (Supplier) Header Pricing Elements (Customer)

Settlement Doc. Type: OS12 Sales Rebate Credit

Bill-to party: 1005 Comparable to 1001 in ECC / 11224 Berlin platz / D-11224 Berlin

Cust Paymnt Terms:

Days/Percent: 0 0.000 % 0 0.000 % 0

Basic Data Item Overview Additional Data Activity Reasons Flexible Overview

Accounting Data

| | | |
|--------------------------|---------------------------|--|
| Posting Date: 11/16/2020 | Document Date: 11/16/2020 | Posting Status: <input type="checkbox"/> |
| Reference: 0000000666 | Assignment: 1000000303 | |

Gross Credit Memo Amount: 34.80 EUR Calculate Tax

Net Credit Memo Amount: 30.00

Difference: 0.00 0.00

Customer Taxes

Settlement Document Items

| Item | Net Amount | Tax Amount | Gross Amount | OTax | Material |
|------|------------|------------|--------------|------|----------|
| 1 | 30.00 | 4.80 | 34.80 | O1 | S-1001 |

6. All settlement management scenarios will be sent to Audit. Because of this, for the US, Reporting would have reconciliation issues. You should filter the settlement management documents by document type "k".


PROCESSING A PLANTS ABROAD STOCK TRANSPORT ORDER

In this example we create a STO between a Portugal plant 2100 and Spain plant 2300 that both belong to company code 2100 and are part of Plants Abroad scenario.


Transaction code: ME21N

STO screenshot.

In the STO there is no call to Determination hence the conditions tab at this point will look like the sample below. This is standard SAP expected behavior at this point in the transaction as the tax determination happens at posting of the billing document. You may however see a partial log on the log report that has some of the request data but no subsequent call to Determination or response data. A complete XML log will come at time of billing document posting to accounting.



Transaction Code: VL10B



Remove CalcRuleDeftDlvCrDt field to blank, enter shipping point, and EXECUTE.




Select line for the STO document number and EXECUTE in Background.


Select the new line and hit the show/hide delivery button.




Double click on the document number to get to the delivery and complete the picking and foreign trade data.
Transaction code: VL02N



Here we enter the pick quantity in change mode and then hit Post Goods Issue.



View of the STO purchasing history at this point using transaction code ME22N.



Accounting document from the goods issue transaction.



(Note that this one had a large variance between standard values in the material master. This should normally not be the case unless your accounting views on the two plants are using different standard costs.)

Display view of the delivery document.



MIGO receiving by the receiving plant.

Display Material Document 5000000092 -

Document Date: 07/12/2013 Delivery Note: 123456 HeaderText: IDES Portugal - Porto

Posting Date: 07/12/2013 Bill of Lading: 12345

GR/GI Slip No.:

| Line | Mat. Short Text | Qty in UnE | EU | SLoc | Bus... | Batch | Valuation Type | M... | D Stock |
|------|--------------------|------------|----|---------------|--------|-------|----------------|------------|---------|
| 1 | Pump PRECISION 100 | 1 | EA | Materiallager | 9900 | | | 101 + Unre | |

VF01 transaction to post the WIA billing document.

Create Billing Document

Billing Type: Plants Abroad

Billing Date: 07/12/2013

| Document | Item | SD document categ. | Processing status |
|----------|------|--------------------|-------------------|
| 80000049 | | | |

Select plants abroad billing type from drop down and enter the document number of the delivery. Click on ENTER.

Plants Abroad (WIA) Create: Item Data

Item: 10

Item category: NLN

Material: S-1000

Batch:

Origin / Destination / Countries involved

Ctry of origin: PT 010 Portugal

Region of origin: 11 Câvado

Dispatch ctry: PT 010 Portugal

Business

Export procedure: 10000

BusTransactType: 80

Allowed procedures:

Bus.tran.type/Proc.:

Before saving the document verify that the foreign trade data is complete on the billing and that the Export procedure, BusTransactType, etc. is filled in and complete.

Also verify the foreign trade data at the header record is correct, entering handling information.

Once a tax call has been made from the header conditions tab, tax details can be viewed on the item conditions tab of the billing document:

| N.. | CnTy | Name | Amount | Crcy | per | U... | Condition value | Curr. | Status | NumCCo | OUn | CConDe | Un | Condition value |
|-----|------|--------------------|----------|------|-----|------|-----------------|-------|--------|--------|-----|--------|----|-----------------|
| | PR00 | Price | 1,000.00 | EUR | | 1 EA | 1,000.00 | EUR | | 1 EA | | 1 EA | | 0. |
| | ZITD | IDT Collect Data | 100.000 | % | | | 1,000.00 | EUR | | 0 | | 0 | | 0. |
| | ZITD | IDT Call Determin. | 0.000 | % | | | 0.00 | EUR | | 0 | | 0 | | 0. |
| | ZITR | Portugal | 0.000 | % | | | 0.00 | EUR | | 0 | | 0 | | 0. |
| | ZITR | Spain | 21.000 | % | | | 210.00 | EUR | | 0 | | 0 | | 0. |
| | ZITR | Spain | 21.000 | % | | | 210.00 | EUR | | 0 | | 0 | | 0. |
| | R100 | 10% discount | 100.000 | % | | | 1,000.00 | EUR | | 0 | | 0 | | 0. |

Note the conditions show both the seller calculation and the buyer calculation of tax on the order.

Next save the document.

Accounting document from the WIA billing.

| CoCd | Itm | PK | SG | Account | Description | Amount | Curr. | Tx | D | G/L Account | Cost Ctr | Order | Profit |
|------|-----|----|----|---------|----------------------|-----------|-------|----|---|-------------|----------|-------|--------|
| 2100 | 1 | 50 | | 194610 | plants abroad intrev | 1,000.00- | EUR | F7 | H | 194610 | | | |
| | 2 | 40 | | 194610 | plants abroad intrev | 1,000.00 | EUR | | S | 194610 | | | |
| | 3 | 40 | | 154011 | IODirectionOutputTax | 210.00 | EUR | F7 | S | 154011 | | | |
| | 4 | 50 | | 154012 | IODirectionInputTax | 210.00- | EUR | F7 | H | 154012 | | | |

Accounting document from the billing shows the correct posting. Note that the seller role tax calculation was zero rated tax so there will be no line for it on the accounting document even though it displays in the taxes tab. The entry will however be included in the BSET table in SAP for use in VAT reporting.

| G/L | Tax amount | Base amnt | Tx | Tax ra |
|--------|------------|-----------|----|---------|
| 175000 | 0.00 | 1,000.00- | F4 | 100.000 |
| 154011 | 210.00 | 1,000.00 | F7 | 21.000 |
| 154012 | 210.00- | 1,000.00- | F7 | 21.000 |

The Taxes button on the document shows the import tax at zero rated taxes for the sending plant and the import tax output and input directions on the receiving plant.

Calculation XML log is displayed below. Note that this log will have two invoice blocks in the XML because of the nature of this document type having two calls to Determination. In the first invoice block you will see the call as the seller for Portugal plant with tax block of the Not Liable Import tax returned. In the second invoice block you will see two Acquisition tax blocks (input and output) that represent the buyer call to Determination for the Spain plant side.

```

<?xml version="1.0" encoding="utf-8" ?>
- <LOG>
- <taxCalculationRequest xmlns="http://www.sabrix.com/services/taxcalculationservice/2011-0
- <INDATA version="G">
  <COMPANY_ROLE>S</COMPANY_ROLE>
  <EXTERNAL_COMPANY_ID>2100</EXTERNAL_COMPANY_ID>
  <HOST_SYSTEM>D03</HOST_SYSTEM>
  <CALLING_SYSTEM_NUMBER>400</CALLING_SYSTEM_NUMBER>
  + <INVOICE>
  + <INVOICE>
</INDATA>
</taxCalculationRequest>
- <taxCalculationResponse>
- <OUTDATA version="G">
- <REQUEST_STATUS>
  <IS_SUCCESS>X</IS_SUCCESS>
  <IS_PARTIAL_SUCCESS>X</IS_PARTIAL_SUCCESS>
</REQUEST_STATUS>
<COMPANY_ROLE>S</COMPANY_ROLE>
<EXTERNAL_COMPANY_ID>2100</EXTERNAL_COMPANY_ID>

```

two invoice blocks for the seller call
and the buyer call

REVIEWING TAX DETAILS IN TABLE /IDT/D_TAX_DATA

Table /IDT/D_TAX_DATA stores information returned from Determination in SAP for subsequent use in Invoice Printing, Reporting, or other downstream functions. This section outlines how one can view data stored in this table.

Transaction Code SE16N. Enter table name /IDT/D_TAX_DATA. Then ENTER.

| General Table Display | | | | | | |
|-----------------------|--------------------------|-------------------|----------|--------------------------|-------------------------------------|-----------------|
| Background | | Number of Entries | Tax Data | | Text table | |
| Table | | /IDT/D_TAX_DATA | Tax Data | | Text table | |
| Text table | | | No texts | | | |
| Layout | | | | | | |
| Maximum no. of hits | | 500 | | | Maintain entries | |
| Selection Criteria | | | | | | |
| Field name | O. | Fr. Value | To value | More | Output | Technical name |
| Client | | | | | | MANDT |
| Company Code | <input type="checkbox"/> | | | <input type="checkbox"/> | <input checked="" type="checkbox"/> | COMPANY_CODE |
| Fiscal Year | <input type="checkbox"/> | | | <input type="checkbox"/> | <input checked="" type="checkbox"/> | FISCAL_YEAR |
| Document Type | <input type="checkbox"/> | | | <input type="checkbox"/> | <input checked="" type="checkbox"/> | DOCUMENT_TYPE |
| Document number | <input type="checkbox"/> | | | <input type="checkbox"/> | <input checked="" type="checkbox"/> | DOCUMENT |
| Doc Line Number | <input type="checkbox"/> | | | <input type="checkbox"/> | <input checked="" type="checkbox"/> | DOC_LINE_NUMBER |
| Tax Line Number | <input type="checkbox"/> | | | <input type="checkbox"/> | <input checked="" type="checkbox"/> | DOC_TAX_NUMBER |
| Authority name | <input type="checkbox"/> | | | <input type="checkbox"/> | <input checked="" type="checkbox"/> | AUTHORITY_NAME |

The keys to this table are as follows:

| FIELD NAME | DESCRIPTION |
|-----------------|--|
| Client | The client where the table lookup is completed (not changeable). |
| Company Code | The Company Code for which the transaction was completed. |
| Fiscal Year | The fiscal year when a document was posted. This is only applicable to LIV and FI documents (document type BKPF). |
| Document Type | Used to separate out different records posted to tax data table: VBAK – Sales type of documents (Order, Quote, Debit Memo Request, etc.) VBRK – Billing type of documents (Sales Invoice,) |
| Document Type | Invoice Cancelations, Debit Memo, etc.) EKKO – Purchase type of documents (Purchase Order.) BKPF – LIV and FI type of documents. |
| Document Number | The number assigned by SAP during the save of the document. |
| Doc Item Number | The item number in the SAP document. |
| Tax Line Number | Sequential number for each tax authority on that item's price or tax procedure. |

If desired, use above table to narrow down the list of search results to be displayed in the table lookup. Once done, EXECUTE  the report:

| Display of Entries Found | | | | | | | | | | | |
|---|------|----------|------------|----------|----------|----------------------|------------|--------------------------------------|------------|-------|--------|
|            | | | | | | | | | | | |
| Table to be searched <input type="text" value="/IDT/D_TAX_DATA"/> Tax Data | | | | | | | | | | | |
| Number of hits <input type="text" value="49"/> Runtime <input type="text" value="0"/> Maximum no. of hits <input type="text" value="500"/> | | | | | | | | | | | |
| CoCode | Year | Doc Type | Doc Number | DocLine# | TaxLine# | Authority name | ERP Tax Cd | Authority UUID | NatureOfTx | Tax I | Tax II |
| 1000 | 2013 | BKPF | 1900000076 | 2 | 1 | Germany | V1-VST | 2bf9431c-e1df-4a4a-8380-a06a6572356e | P | 11/2 | |
| 2000 | | EKKO | 4500001176 | 10 | 1 | United Kingdom | V9-ESA | be4a617b-88ec-4419-9ce8-7bca0f98e878 | P | 11/2 | |
| 2000 | | EKKO | 4500001176 | 10 | 2 | United Kingdom | V9-ESE | be4a617b-88ec-4419-9ce8-7bca0f98e878 | P | 11/2 | |
| 2000 | | EKKO | 4500001177 | 10 | 1 | United Kingdom | V9-ESA | be4a617b-88ec-4419-9ce8-7bca0f98e878 | P | 11/2 | |
| 2000 | | EKKO | 4500001177 | 10 | 2 | United Kingdom | V9-ESE | be4a617b-88ec-4419-9ce8-7bca0f98e878 | P | 11/2 | |
| 2000 | | EKKO | 4500001178 | 10 | 1 | United Kingdom | V9-ESA | be4a617b-88ec-4419-9ce8-7bca0f98e878 | P | 12/0 | |
| 2000 | | EKKO | 4500001178 | 10 | 2 | United Kingdom | V9-ESE | be4a617b-88ec-4419-9ce8-7bca0f98e878 | P | 12/0 | |
| 2000 | | VBAK | 5823 | 10 | 1 | United Kingdom | A1-MWS | be4a617b-88ec-4419-9ce8-7bca0f98e878 | P | 11/2 | |
| 2000 | | VBAK | 5824 | 10 | 1 | United Kingdom | A1-MWS | be4a617b-88ec-4419-9ce8-7bca0f98e878 | P | 11/2 | |
| 2000 | | VBAK | 5825 | 10 | 1 | United Kingdom | A1-MWS | be4a617b-88ec-4419-9ce8-7bca0f98e878 | P | 11/2 | |
| 2000 | | VBAK | 5826 | 10 | 1 | United Kingdom | A1-MWS | be4a617b-88ec-4419-9ce8-7bca0f98e878 | P | 11/2 | |
| 2000 | | VBAK | 5827 | 10 | 1 | United Kingdom | A1-MWS | be4a617b-88ec-4419-9ce8-7bca0f98e878 | P | 11/2 | |
| 2000 | | VBAK | 5828 | 10 | 1 | United Kingdom | A1-MWS | be4a617b-88ec-4419-9ce8-7bca0f98e878 | P | 11/2 | |
| 2000 | | VBRK | 90001396 | 10 | 1 | United Kingdom | A1-MWS | be4a617b-88ec-4419-9ce8-7bca0f98e878 | P | 11/2 | |
| 2000 | | VBRK | 90001399 | 10 | 1 | United Kingdom | A1-MWS | be4a617b-88ec-4419-9ce8-7bca0f98e878 | P | 11/2 | |
| 2000 | | VBRK | 90001400 | 10 | 1 | United Kingdom | A1-MWS | be4a617b-88ec-4419-9ce8-7bca0f98e878 | P | 11/2 | |
| 2000 | | VBRK | 90001401 | 10 | 1 | United Kingdom | A1-MWS | be4a617b-88ec-4419-9ce8-7bca0f98e878 | P | 11/2 | |
| 2000 | | VBRK | 90001402 | 10 | 1 | United Kingdom | A1-MWS | be4a617b-88ec-4419-9ce8-7bca0f98e878 | P | 11/2 | |
| 2000 | 2013 | BKPF | 1800000053 | 2 | 1 | United Kingdom | A1-MWS | be4a617b-88ec-4419-9ce8-7bca0f98e878 | P | 11/2 | |
| 2000 | 2013 | BKPF | 1900000092 | 2 | 1 | United Kingdom | V1-VST | be4a617b-88ec-4419-9ce8-7bca0f98e878 | P | 11/2 | |
| 2000 | 2013 | BKPF | 5100000178 | 1 | 1 | United Kingdom | V1-VST | be4a617b-88ec-4419-9ce8-7bca0f98e878 | P | 11/2 | |
| 2000 | 2013 | BKPF | 5100000179 | 1 | 1 | United Kingdom | V1-VST | be4a617b-88ec-4419-9ce8-7bca0f98e878 | P | 11/2 | |
| 3000 | | EKKO | 4500001175 | 10 | 1 | TX - STATE SALES/USE | C1-TX2 | 5fe685b-061a-4975-bce7-038999bdd8 | P | 11/2 | |

APPENDIX 1: OTHER FEATURES


USING SOAMANAGER TO ACCESS ADDITIONAL ERROR MESSAGES NOT DISPLAYED IN THE LOG

Often the Global Next error messages you see on the screen and in the log, are not very detailed. They imply that an error occurred but give no details on which error occurred and why it occurred. Generally, a much better error messages exists, and it can be obtained.

The simplest way is to use transaction SOAMANAGER in SAP. This transaction has a “payload trace” functionality. It is hard to show this with screens images because different versions of SAP have very different screen flows for transaction SOAMANAGER. But in all cases a persistence user, who has the correct authority, should be able to get it to work.

The next simplest way is to use transaction SRT_UTIL to get the payload trace data. This transaction also changes with different versions of SAP but not as much as SOAMANAGER.

Step 1) Create a trace:



Right click on “Users & Terminals & Request URI” and select “Add User, Terminal, or select URI”. Generally, it is best to go with a user.



Set payload trace to “Active”:



| Name | Value |
|--------------------|------------------|
| AUDIT_ADDRESSES | Y |
| AV_INL_TAXPROVIDER | SAP Headquarters |
| AV_US_TAXPROVIDER | SAP Headquarters |


And press “Save Configuration”. Then run your error producing transaction and select the “Payload Trace” tab. Here you should be able to see the payload trace with the detailed error messages.

If there is a trace:



| State | Interface Name | Role | Adapter Ty... | Date | Time | Expiry Date |
|-------|-------------------------------|----------|---------------|------------|----------|-------------|
| Green | Z1CO_TAX_CALCULATION_SERVICE4 | Consumer | SYNCHRON | 04/21/2015 | 15:53:03 | 04/23/2015 |

Click on the glasses, then you should look for the error, it is usually best seen in one of the responses:



| Trace | Processing Unit | Type | Step | Operation Namespace | Operation Name | SOAP Action | Adapter Ty... | Interfa... |
|-------|--------------------|----------|------|---|----------------|-------------|---------------|------------|
| 1 | Sector 1: Consumer | Request | 1 | Z1CO_TAX_CALCULATION_SERVICE4 | Calculate_tax | -- | SYNCHRON | Z1CO... |
| 2 | Sector 1: Consumer | Request | 2 | http://www.sabrix.com/services/taxcalculationser... | CalculateTax | -- | SYNCHRON | Z1CO... |
| 3 | Sector 1: Consumer | Response | 2 | http://www.sabrix.com/services/taxcalculationser... | CalculateTax | -- | SYNCHRON | Z1CO... |
| 4 | Sector 1: Consumer | Response | 1 | Z1CO_TAX_CALCULATION_SERVICE4 | Calculate_tax | -- | SYNCHRON | Z1CO... |

Trace 4 details:

| Name | Value |
|---------------------|--|
| CODE | INVALID_COMPANY_ROLE |
| DESCRIPTION | The company role passed is not valid. "g" is not in the accepted set of values |
| ERROR_LOCATION_PATH | /OUTDATA/INVOICE[INVOICE_NUMBER='nul'] |
| EXTERNAL_COMPANY_ID | 3000 |
| INVOICE | |
| REQUEST_STATUS | |
| IS_SUCCESS | false |
| IS_PARTIAL_SUCCESS | false |
| ERROR | |
| CODE | INVALID_COMPANY_ROLE |
| DESCRIPTION | The company role passed is not valid. "g" is not in the accepted set of values |
| ERROR_LOCATION_PATH | /OUTDATA/INVOICE[INVOICE_NUMBER='nul'] |

In this case the error was due to an “invalid company role”.

TRACKING OF INTEGRATION RELEASE VERSION

To track or determine which release version of the Integration software you are using we have added a special table /IDT/D_VERSION which will be populated with the version of the software as part of the install process of the transport requests to the system. You can view this table using SE16 transaction and see the various versions that have been added to your installation. This transaction is also available in the standard basic setup menu.

Transaction code: /IDT/Version

| Display View "Build IDT Integration Version": Overview | | |
|--|-------|-------------------------|
| S... | Pr... | IDT Integration Version |
| <input checked="" type="checkbox"/> | GN | 6.6.1.0 |